



Office of the Prime Minister's Chief Science Advisor
Kaitohutohu Mātanga Pūtaiao Matua ki te Pirimia

Title:

REPORT: The future of commercial fishing in Aotearoa New Zealand -
references and appendices

Author:

OPMCSA

Output type: PDF				
Pages: 73 pp				
Date: Feb-21				
Language: English				
Review: Project panel & reference group reviewed				
Versions				
<i>Record number:</i>	<i>Version:</i>	<i>Date V1 created:</i>	<i>Date:</i>	<i>Printed version</i>
PMCSA-21-3	V1	11-Mar-21	11-Mar-21	Y
Archive page link: https://dpmc.govt.nz/our-programmes/special-programmes/prime-ministers-chief-science-advisor-archives/archive/gerrard-2018-2021				
Notes: -				

The Future of Commercial Fishing in Aotearoa New Zealand

A report from the Office of the Prime Minister's Chief Science Advisor,
Kaitohutohu Mātanga Pūtaiao Matua ki te Pirimia.

References & Appendices



February 2021



Office of the Prime Minister's Chief Science Advisor

The University of Auckland

Private Bag 92019

Victoria Street West

Auckland 1142

Aotearoa New Zealand

Phone 64 9 923 6318

Email info@pmcsa.ac.nz

Website pmcsa.ac.nz

Instagram [@nz_chief_science_advisor](https://www.instagram.com/nz_chief_science_advisor)

Twitter [@ChiefSciAdvisor](https://twitter.com/ChiefSciAdvisor)

February 2021

ISBN 9780473562021 (Softcover)

ISBN 9780473562038 (PDF)



Office of the Prime Minister's Chief Science Advisor
Kaitohutohu Mātanga Pūtaiao Matua ki te Pirimia

*Front cover: Juvenile pāua. Image credit Dave Allen/NIWA (CC BY-NC-ND 4.0);
Hoki. Image credit: Peter Marriott/NIWA (CC BY-NC-ND 4.0).*

Back cover: Pāua fishing vessel on Rēkohu Wharekauri the Chatham Islands.

APPENDICES

APPENDIX 1: EAFM PRINCIPLES AND RELEVANT FISHERIES ACT 1996 PROVISIONS

Table taken directly from 'EAFM and the Fisheries Act 1996' (Fathom, 2019) available at Seafood.org.nz. Usually we refer to sections of the Fisheries Act 1996 as section X. In this table, these are abbreviated to sX.

Principles	Key Fisheries Act provisions
1. Ensuring the sustainability of fish stocks	s11 sustainability measures; s13 total allowable catch (TAC); s14 and s14A alternative TACs.
2. Rebuilding depleted stocks	s11 sustainability measures; s13 TAC
3. Ecosystem integrity: safeguarding biodiversity and ecosystem structure and functioning	s8 purpose; s9 environmental principles; s11 sustainability measures.
4. Taking account of species interactions	s9 environmental principles; s13 TAC; s15 fishing-related mortality of marine mammals and other wildlife.
5. Minimising impacts on non-target species	s9 environmental principles; s11 sustainability measures; s15 fishing-related mortality of marine mammals and other wildlife; s72 dumping of fish prohibited.
6. Protecting fisheries habitats	s9 environmental principles; s11 sustainability measures.
7. Managing at appropriate spatial scale	s19 (QMS introduction); s11 sustainability measures; s11A fisheries plans; Part 9 taiāpure-local fisheries and customary fishing.
8. Considering trans-boundary effects	s5 application of international obligations; s17A highly migratory species taken outside NZ fisheries waters; Part 6A high seas fishing; Schedule 1A (fish stocks agreement).
9. Managing at appropriate temporal scale	s8 purpose; s9 environmental principles; s13 TAC; s11 sustainability measures; s11A fisheries plans.
10. Adopting a precautionary approach	s5 application of international obligations; s8 purpose; s9 environmental principles; s10 information principles; s13 TAC.
11. Using science and diverse forms of knowledge	s12 consultation; Part 10 record keeping and reporting; Part 12 observer programme.
12. Broadening stakeholder participation	s12 consultation; various specific consultation provisions; s11A fisheries plans; various provisions enabling active stakeholder involvement; s5 application of Treaty of Waitangi (Fisheries Claims) Settlement Act 1992.
13. Recognising and providing for Indigenous rights	s5 application of Treaty of Waitangi (Fisheries Claims) Settlement Act 1992; s12 consultation; s44 (settlement allocation); Part 9 taiāpure-local fisheries and customary fishing.
14. Balancing utilisation and sustainability	s8 purpose.
15. Taking account of social and economic factors	s8 purpose; s13 TAC; s14A alternative TAC; Part 9 taiāpure-local fisheries and customary fishing; s123 dispute resolution; Part 14 cost recovery.
16. Taking account of environmental influences on fisheries	s11 sustainability measures; s13 TAC; s16 emergency measures.
17. Encouraging integrated management	s6 application of RMA; s11 sustainability measures; s15 fishing-related mortality of marine mammals and other wildlife.

APPENDIX 2: CLIMATE CHANGE DATA

The table below highlights environmental areas of concern and summarises the Ministry for the Environment's marine environmental reporting in these areas (taken from *Our Marine Environment 2019*). This is not a comprehensive summary of all environmental information available – it is to show what information is analysed and presented within the current environmental reporting framework.

Indicator	Measurement	2018/2019 Summary
Climate and oceans		
Sea-level rise	National mean trends in annual sea-level rise at four long-term monitoring sites (Auckland, Wellington, Lyttelton and Dunedin).	The rate of sea-level rise has increased (the average rate in the past 60 years was more than double the rate of the previous 60 years).
Ocean sea-surface temperature	Average temperature recorded by satellite since 1981.	The seas are warming – satellite data recorded an average increase of 0.2°C per decade since 1981.
Extreme wave events	Extreme wave events from 2008.	Frequency of extreme wave events is increasing to the east and south of New Zealand and decreasing on the North Island's west coast and to the north of the Bay of Plenty. The short time period makes it too early to definitively separate this trend from longer-term climate cycles.
Ocean acidity	pH of New Zealand subantarctic surface waters along from the Munida Transect, from 1998. New dataset for coastal water pH for nine sites across NZ.	Long-term measurements of subantarctic waters off the Otago coast show an increase of 7.1% in ocean acidity in the past 20 years. More data is needed before role of climate change can be separated from other factors that may be affecting coastal water acidity.
Primary productivity	Abundance of phytoplankton (measured as chlorophyll-a) measured by satellite near the sea surface from 1997.	The abundance of phytoplankton has increased and decreased in different New Zealand waters. Changing oceanic productivity is specific to the location; an increase or decrease in one area may not have the same impacts as in another area.
Marine heatwaves	High sea-surface temperatures over significant area and for significant duration.	Marine heatwaves are increasing in frequency. A marine heatwave occurring in the Tasman Sea and south of the Chatham Rise in 2017/18 was unprecedented (based on data since 1981).

APPENDIX 3: ESTIMATES FOR NEWLY TRAWLED AREA

Tables reproduced from Baird, S.J. and Mules, R. (2021, in review). Extent of bottom contact by commercial trawling and dredging in New Zealand waters, 1990-2019. *New Zealand Aquatic Environment and Biodiversity Report*, pending.

For the **deepwater fish stocks**, the number of cells contacted in a year, that had not been contacted in previous years, and the aggregate area and footprint within those cells. A base of 25,103 cells were contacted in 1990-94, and, for example, 1,316 cells were contacted in 1995 (but not in 1990-94), with an aggregate area of 1,201 km² and footprint of 1,022 km². The table shows the equivalent data for Tier 1 and Tier 2 fish stocks.

Fishing year	No. new cells	Aggregate area (km ²)	Footprint (km ²)
No. cells contacted in 1990-94 = 25,103			
1995	1,316	1,201.5	1,022.3
1996	1,420	1,032.1	948.8
1997	1,185	916.0	868.5
1998	1,543	1,892.8	1,538.1
1999	1,388	1,360.6	1,172.7
2000	1,227	1,517.1	1,363.2
2001	737	715.7	614.1
2002	1,173	1,050.2	1,007.5
2003	633	703.5	629.7
2004	328	319.8	294.9
2005	557	587.0	519.9
2006	266	134.0	129.3
2007	251	153.4	143.7
2008	279	191.0	177.7
2009	220	99.7	96.6
2010	165	60.3	59.5
2011	167	59.1	58.7
2012	106	36.9	36.7
2013	74	35.6	35.0
2014	94	34.4	34.2
2015	178	171.8	157.7
2016	172	108.6	104.5
2017	100	60.8	59.4
2018	117	32.8	32.8
2019	73	89.9	85.7

For the **inshore fish stocks**, the number of cells contacted in a year, that had not been contacted in previous years, and the aggregate area and footprint within those cells. A base of 9,459 cells were contacted in 2008 (the fishing year that tow-level data were first collected for all inshore fisheries), and, for example, 1,497 cells were contacted in 2009 (but not in 2008), with an aggregate area of 819.3 km² and footprint of 775.9 km².

Fishing year	No. new cells	Aggregate area (km ²)	Footprint (km ²)
No. cells contacted in 2008 = 9,459			
2009	1,497	819.3	775.9
2010	934	657.8	576.4
2011	771	304.1	296.9
2012	484	151.7	148.3
2013	384	145.4	142.4
2014	400	167.9	161.0
2015	316	133.0	130.2
2016	285	79.1	79.1
2017	275	80.6	80.5
2018	198	66.1	65.9
2019	196	63.5	62.3

APPENDIX 4: LAND-BASED EFFECTS DATA

Fisheries New Zealand, as reported in the trends and indicators section of the Aquatic Environment and Biodiversity Annual Review:

Indicator	Measurement	2018/2019 Summary
Land-based effects on the coastal environment		
A national view of the impacts of land-based influences upon seafood production does not exist.	N/A	N/A

The table below highlights environmental areas of concern and summarises the Ministry for the Environment's marine environmental reporting in these areas. This is not a comprehensive summary of all environmental information available – it is to show what information is analysed and presented within the current environmental reporting framework.

Indicator	Measurement	2018/2019 Summary
Human land use and sediment impacts		
Sediment	Focus on sediment accumulation in estuaries.	Accumulation rates have increased. Intertidal sedimentation rates have generally increased and become highly variable since European settlement.
Biogenic habitats	Review of the state of key biogenic habitats using nationally available data.	Most have decreased (e.g. mussel beds, seagrass meadows).
Litter and contaminants	Beach litter density, monitoring of contaminants limited and inconsistent.	Have increased in the habitat and food webs, particularly plastic.
Water quality	Nutrients (phosphorus and nitrogen), phytoplankton, oxygen, water clarity, and pH monitoring.	It is difficult to assess the overall state of coastal water quality.

APPENDIX 5: NEW ZEALAND FISHERIES LEGAL INSTRUMENTS

New Zealand fisheries legal instruments: Acts and regulations

Instrument	Purpose	Lead
Fisheries Act 1996 & residual parts of Fisheries Act 1983	Provides for the utilisation of fisheries resources while ensuring sustainability. Ensuring sustainability means: <ul style="list-style-type: none"> • Maintaining the potential of fisheries resources to meet the reasonably foreseeable needs of future generations, and • Avoiding, remedying, or mitigating any adverse effects of fishing on the aquatic environment. Utilisation means conserving, using, enhancing, and developing fisheries resources to enable people to provide for their social, economic, and cultural wellbeing.	MPI
Treaty of Waitangi (Fisheries Claims) Settlement Act 1992	Gives effect to settlement of claims relating to Māori commercial fishing rights: <ul style="list-style-type: none"> • Makes better provision for Māori non-commercial traditional and customary fishing rights and interests, and • Makes better provision for Māori participation in the management and conservation of New Zealand's fisheries. 	MPI
Māori Fisheries Act 2004	<ul style="list-style-type: none"> • Implements agreements made in the Deed of Settlement dated 23 September 1992, and • Provides for development of the collective and individual interests of iwi in fisheries, fishing, and fisheries-related activities in a manner that is ultimately for the benefit of all Māori. • Provision is made to establish a framework for the allocation and management of settlement assets through: <ul style="list-style-type: none"> ○ allocation and transfer of specified settlement assets to iwi as provided for by or under this Act, and ○ central management of the remainder of those settlement assets. 	MPI
Māori Commercial Aquaculture Claims Settlement Act 2004	<ul style="list-style-type: none"> • Provide a full and final settlement of Māori claims to commercial aquaculture on or after 21 September 1992. • Provides for the allocation and management of aquaculture settlement assets. 	MPI
Aquaculture Reform (Repeals and Transitional Provisions) Act 2004 (provides only for transitional matters for aquaculture)	<ul style="list-style-type: none"> • Repeals Marine Farming Act 1971 and provides for transitional matters relating to the repeal; and • Repeals certain provisions in Part 4A of the Fisheries Act 1983 and provides for transitional matters relating to the repeal. • Provides for transitional matters relating to the ending of the moratorium under the Resource Management Act 1991. • Provides for transitional matters relating to amendments made in 2011 to the Fisheries Act 1996, Resource Management Act 1991, and Māori Commercial Aquaculture Claims Settlement Act 2004 to further reform the law relating to aquaculture, including the removal of requirements relating to aquaculture management areas. 	MPI
Driftnet Prohibition Act 1991	Prohibits driftnet fishing activities and implements the Convention for the Prohibition of Fishing with Long Driftnets in the South Pacific.	MPI
Antarctic Marine Living Resources Act 1981	Gives effect to the Convention on the Conservation of Antarctic Marine Living Resources: No person shall in the Convention Area take any marine organism, whether alive or dead, without first obtaining a permit to do so.	MFAT
Wildlife Act 1953	Consolidates and amends the law relating to the protection and control of wild animals and birds, the regulation of game shooting seasons, and the constitution and powers of acclimatisation societies.	DOC
Marine Mammals Protection Act 1978	Makes provision for the protection, conservation, and management of marine mammals within New Zealand and within New Zealand fisheries waters.	DOC

Instrument	Purpose	Lead
Marine Reserves Act 1971	Provides for the setting up and management of areas of the sea and foreshore as marine reserves for the purpose of preserving them in their natural state as the habitat of marine life for scientific study.	DOC
Conservation Act 1987	Promotes the conservation of New Zealand's natural and historic resources, and for that purpose to establish a Department of Conservation.	DOC
Resource Management Act 1991	Restates and reforms the law relating to the use of land, air, and water.	MfE
Exclusive Economic Zone and Continental Shelf (Environmental Effects) Act 2012	<ul style="list-style-type: none"> Promotes sustainable management of the natural resources of the EEZ and the continental shelf. In relation to the EEZ, the continental shelf, and the waters above the continental shelf beyond the outer limits of the EEZ, to protect the environment from pollution by regulating or prohibiting the discharge of harmful substances and the dumping or incineration of waste or other matter. 	MfE
Environmental Reporting Act 2015	Requires regular reports on New Zealand's environment.	MfE
Biosecurity Act 1993	An Act to restate and reform the law relating to the exclusion, eradication, and effective management of pests and unwanted organisms.	MPI
Crown Minerals Act 1991	The purpose of this Act is to promote prospecting for, exploration for, and mining of Crown-owned minerals for the benefit of New Zealand.	MBIE
Maritime Transport Act 1994	<p>The functions of the Minister under this Act are:</p> <ul style="list-style-type: none"> to promote safety in maritime transport; to promote protection of the marine environment; to administer New Zealand's participation in the conventions and any other international maritime or marine protection convention, agreement, or understanding to which the Government of New Zealand is a party; to ensure New Zealand's preparedness for, and ability to respond to, marine oil pollution spills; and to make maritime rules and marine protection rules under this Act. 	MoT
Marine and Coastal Area (Takutai Moana) Act 2011	<ul style="list-style-type: none"> Establishes a durable scheme to ensure the protection of the legitimate interests of all New Zealanders in the marine and coastal area of New Zealand; Recognises the mana tuku iho exercised in the marine and coastal area by iwi, hapū, and whānau as tangata whenua; Provides for the exercise of customary interests in the common marine and coastal area; and Acknowledges the Treaty of Waitangi (te Tiriti o Waitangi). 	MoJ
Fisheries (Reporting) Regulations 2017	Regulations made under the Fisheries Act 1996.	MPI
Fisheries (Commercial Fishing) Regulations 2001	<ul style="list-style-type: none"> Sets out measures for governing administrative matters including the registration and marking of vessels. Places restrictions on take of certain species. Outlines conditions governing use of fishing equipment, reporting obligations, communication requirements etc. Sets out fees, offenses and penalties. 	MPI
Fisheries (Auckland and Kermadec Areas Commercial Fishing) Regulations 1986	Places restrictions on types of fishing, fishing gear and permitted catch in areas around Auckland, Northland and the Kermadecs.	MPI

Instrument	Purpose	Lead
Fisheries (Challenger Area Commercial Fishing) Regulations 1986	Places restrictions on types of fishing, fishing gear and permitted catch in the Challenger FMA.	MPI
Fisheries (Southland and Sub-Antarctic Areas Commercial Fishing) Regulations 1986	Places restrictions on types of fishing, fishing gear and permitted catch in Southland and the subantarctic.	MPI
Fisheries (South-East Area Commercial Fishing) Regulations 1986	Places restrictions on types of fishing, fishing gear and permitted catch in the South-East FMA.	MPI
Fisheries (Central Area Commercial Fishing) Regulations 1986	Places restrictions on types of fishing, fishing gear and permitted catch in the Central FMA.	MPI
Fisheries (Infringement Offences) Regulations 2001	Sets out infringement offences, fees and notices.	MPI
Fisheries (Foreign Fishing Vessel) Regulations 2001	Outlines licensing, control and enforcement of foreign vessels operating in New Zealand's EEZ.	MPI
Fisheries (Recordkeeping) Regulations 1990	Sets out who must keep records within the fishing industry, what records must be kept, and how they must be kept.	MPI
Fisheries (South Island Customary Fishing) Regulations 1999	Tangata kaitiaki/tiaki (guardians) can be appointed for a specific rohe moana. Tangata kaitiaki/tiaki are proposed by tangata whenua and confirmed by the Minister. They authorise and manage customary activities within the rohe moana.	MPI
and Fisheries (Kaimoana Customary Fishing) Regulations 1998	The South Island Customary Fishing Regulations apply to the South Island and Stewart Island. The Kaimoana Customary Fishing Regulations apply to the North Island and Chatham Islands.	
Ngā Rohe Moana o Ngā Hapū o Ngāti Porou Act 2019	<ul style="list-style-type: none"> Contributes to the legal expression, protection, and recognition of the continued exercise of mana by ngā hapū o Ngāti Porou in relation to ngā rohe moana o ngā hapū o Ngāti Porou. Gives effect to the deed of agreement between ngā hapū o Ngāti Porou and the Crown. 	
Submarine Cables and Pipelines Protection Act 1996	<ul style="list-style-type: none"> Protection of New Zealand's undersea cables. 	MOT
Fisheries (Amateur Fishing) Regulations 2013	<ul style="list-style-type: none"> Applies to people taking fish or other aquatic life who are not licensed fishers and not taking for customary purposes. Sets out restrictions on minimum sizes, mesh sizes, gear types, daily quotas and take of certain species. Outlines offences and penalties. 	MPI

APPENDIX 6: KEY REGULATORS IN AOTEAROA NEW ZEALAND'S MARINE FISHERIES SPACE

Fisheries New Zealand (Ministry for Primary Industries)

Fisheries New Zealand is the key regulator tasked with guiding the sustainable use of fisheries resources to the greatest overall benefit to New Zealanders.

This focus includes the sustainability of New Zealand's wild fish stocks, aquaculture, and the wider aquatic environment.

Key legislation Fisheries New Zealand administers includes:

- [Fisheries Act 1996](#) and regulations
- [Fisheries Act 1983](#) (residual parts)
- [Treaty of Waitangi \(Fisheries Claims\) Settlement Act 1992](#)
- [Fisheries \(Quota Operations Validation\) Act 1997](#)
- [Māori Fisheries Act 2004](#)
- [Māori Commercial Aquaculture Claims Settlement Act 2004](#)
- [Aquaculture Reform \(Repeals and Transitional Provisions\) Act 2004](#)
- [Driftnet Prohibition Act 1991](#)
- [Antarctic Marine Living Resources Act 1981](#)

Department of Conservation

The Department of Conservation is the key regulator for species protection and biodiversity in the marine space.

This includes marine reserves and parks, protection of protected or threatened species, and protection of biodiversity.

Key legislation the Department of Conservation administers includes:

- [Wildlife Act 1953](#)
- [Conservation Act 1987](#)
- [Hauraki Gulf Marine Park Act 2000](#)
- [Marine Mammals Protection Act 1978](#)
- [Marine Reserves Act 1971](#)
- [National Parks Act 1980](#)

Ministry for the Environment

The Ministry for the Environment is responsible for national environmental reporting, including the marine environment, and promoting the sustainable management of natural resources in our EEZ and continental shelf.

Key legislation the Ministry for the Environment administers includes:

- [Resource Management Act 1991](#)
- [Environmental Reporting Act 2015](#)
- [EEZ and Continental Shelf \(Environmental Effects\) Act 2012](#)
- [Fiordland \(Te Moana o Atawhenua\) Marine Management Act 2005](#) (case study 4.4.1: Fiordland created a novel model for managing the marine area)

Regional councils

Our 11 regional councils are responsible for managing the territorial sea (out to 12 nautical miles).

This includes land use and its impacts on the marine environment.

Regional councils are empowered in the marine space through the:

- [Resource Management Act 1991](#)
- [Marine Transport Act 1994](#)

Other regulators

Ministry of Foreign Affairs and Trade represents Aotearoa New Zealand in global discussions to ensure successful implementation of international agreements on ocean governance and fisheries management.

Ministry of Business, Innovation and Employment is responsible for health and safety in the marine environment. This includes managing permits and licences for oil, gas and minerals (via New Zealand Petroleum and Minerals).

Environmental Protection Authority is responsible for consenting, monitoring and enforcement under the EEZ Act.

Ministry of Transport is responsible for the Maritime Transport Act 1994.

Maritime New Zealand is responsible for managing maritime transport and its effects.


National Maritime Coordination Centre is responsible for managing Aotearoa New Zealand's maritime surveillance. It is part of the New Zealand Customs Service.

Many other ministries have adjacent or supporting roles: Te Arawhiti, Department of Prime Minister and Cabinet, Te Puni Kōkiri, Ministry for Culture and Heritage, New Zealand Defence Force, Ministry of Health, Ministry of Justice, Stats NZ, and Land Information New Zealand.

APPENDIX 7: FISHERIES ACT 1996 SCHEMATIC

As provided by industry:

Fisheries Act 1996



APPENDIX 8: SPECIFIC MARINE MANAGEMENT ACTS

Act	Purpose	Admin
Hauraki Gulf Marine Park Act 2000	<ul style="list-style-type: none"> Integrates management of the natural, historic, and physical resources of the Hauraki Gulf, its islands, and catchments. Establishes the Hauraki Gulf Marine Park. Establishes objectives for the management of the Hauraki Gulf, its islands, and catchments. Recognises the historic, traditional, cultural, and spiritual relationship of the tangata whenua with the Hauraki Gulf and its islands. Establishes the Hauraki Gulf Forum. 	DOC
Fiordland (Te Moana o Atawhenua) Marine Management Act 2005	<ul style="list-style-type: none"> Establishes the Fiordland (Te Moana o Atawhenua) Marine Area and eight marine reserves in that area. Implements measures to assist in the preservation, protection, and sustainable management of the marine environment and biological diversity of the Fiordland (Te Moana o Atawhenua) Marine Area. Establishes the Fiordland Marine Guardians to provide advice on fisheries management, biosecurity, sustainable management, and marine preservation and protection. Facilitates and promotes co-operation between the Guardians and management agencies, to assist in achieving the integrated management of the Fiordland (Te Moana o Atawhenua) Marine Area. Acknowledges the importance of kaitiakitanga. 	MfE
Kaikōura (Te Tai o Marokura) Marine Management Act 2014	<ul style="list-style-type: none"> Recognises the local, national, and international importance of the coast and sea around Kaikōura (Te Tai o Marokura) as a consequence of its unique coastal and marine environment and distinctive biological diversity and cultural heritage. Provides measures to assist the preservation, protection, and sustainable and integrated management of the coastal and marine environment and biological diversity of Te Tai o Marokura. Acknowledges the importance of kaitiakitanga and local leadership. Establishes an advisory committee to provide advice regarding biosecurity, conservation, and fisheries matters within a marine management area. Establishes, within Te Tai o Marokura: <ul style="list-style-type: none"> a marine reserve, a whale sanctuary, a New Zealand fur seal sanctuary, and various mātaītai reserves and taiāpure-local fisheries. Amends the Fisheries (Amateur Fishing) Regulations 2013 to provide specific regulation of amateur fishing in the marine management area. 	
Sugar Loaf Islands Marine Protected Area Act 1991	<ul style="list-style-type: none"> Ensures that the scenery, natural features, and ecosystems of the Protected Area that should be protected and conserved by reason of their distinctive quality, beauty, typicality, or uniqueness are conserved. 	DOC
Subantarctic Islands Marine Reserves Act 2014	<ul style="list-style-type: none"> Provides for the setting up and management of the Subantarctic Islands Marine Reserves, so as to conserve and protect its scenery, natural features and ecosystem. 	DOC

APPENDIX 9: NEW ZEALAND INTERNATIONAL OBLIGATIONS

Instrument	Purpose	Admin
United Nations Convention on the Law of the Sea (UNCLOS)	UNCLOS is a comprehensive regime of law and order in the world's oceans and seas establishing rules governing all uses of the oceans and their resources.	MFAT
United Nations Fish Stocks Agreements	Sets out principles for the conservation and management of straddling fish stocks and highly migratory fish stocks and establishes that such management must be based on the precautionary approach and the best available scientific information.	
United Nations Sustainable Development Goals (SDGs)	A collection of 17 global goals set by the 2015 UN General Assembly and adopted by all member states. Of particular relevance is SDG 14: Life below water – Conserve and sustainably use the oceans, seas and marine resources for sustainable development.	
Convention on the Conservation of Migratory Species of Wild Animals (CMS)	As an environmental treaty of the United Nations, CMS provides a global platform for the conservation and sustainable use of migratory animals and their habitats. Migratory species threatened with extinction are listed on Appendix I of the Convention. CMS Parties strive towards strictly protecting these animals, conserving or restoring the places where they live, mitigating obstacles to migration and controlling other factors that might endanger them.	
Convention on Biological Diversity (CBD)	This intentional legal instrument is for the conservation of biological diversity, the sustainable use of its components and the fair and equitable sharing of the benefits arising out of the utilisation of genetic resources. Overall objective is to encourage actions, which will lead to a sustainable future. See also: Aichi Biodiversity Targets Aotearoa New Zealand reports every four years (see New Zealand's Sixth National Report to the United Nations Convention on Biological Diversity (2014-2018)).	
Aichi Biodiversity Targets	At the CBD meeting in November 2010, a Strategic Plan for Biodiversity 2011-2020 was agreed and published. This included the Aichi Biodiversity Targets, 20 targets that would move towards a world where "pressures on biodiversity are reduced, ecosystems are restored" and "biological resources are sustainably used". The international community failed to achieve any of the targets by 2020, with progress made on only six of the 20 goals.	
South Pacific Regional Fisheries Management Organisation (SPRFMO)	An inter-governmental organisation that is committed to the long-term conservation and sustainable use of the fishery resources of the South Pacific Ocean and in so doing safeguarding the marine ecosystems in which the resources occur. The SPRFMO Convention applies to the high seas of the South Pacific.	
Convention on the International Trade in Endangered Species of Wild Fauna and Flora (CITES)	The aim is to ensure that international trade in specimens of wild animals and plants does not threaten their survival.	DOC/ MPI
International Whaling Commission (IWC)	In addition to regulation of whaling, today's IWC works to address a wide range of conservation issues including bycatch and entanglement, ocean noise, pollution and debris, collision between whales and ships, and sustainable whale watching.	MPI
Wellington Convention	Multilateral treaty to prohibit the use of fishing driftnets longer than 2.5 km in the South Pacific. See appendix 5: Driftnet Prohibition Act 1991.	
Noumea Convention	Aims to address the accelerating degradation of the world's oceans and coastal areas through the sustainable management and use of marine and coastal environments.	

Instrument	Purpose	Admin
Food and Agriculture Organisation – Code of Conduct for Responsible Fisheries	Sets out principles and international standards of behavior for responsible practices with a view to ensuring the effective conservation, management and development of living aquatic resources, with due respect for the ecosystem and biodiversity.	
Food and Agriculture Organisation – International Plan of Action for Seabirds (IPOA-Seabirds)	The objective of the IPOA-Seabirds is to reduce the incidental catch of seabirds in longline fisheries where this occurs. See also New Zealand’s National Plan of Action – Seabirds 2020: Reducing the incidental catch of seabirds in fisheries.	MPI/ DOC
Agreement on the Conservation of Albatrosses and Petrels (ACAP)	The objective of this agreement is to achieve and maintain a favourable conservation status for albatrosses and petrels.	
Food and Agriculture Organisation – International Plan of Action for Sharks (IPOA-Sharks)	The objective of the IPOA-Sharks is to ensure the conservation and management of sharks and their long-term sustainable use. See also New Zealand’s National Plan of Action for the conservation and management of Sharks 2013 (was to be reviewed in 2018).	MPI
Convention for the Conservation of Southern Bluefin Tuna (CCSBT)	Objective to ensure, through appropriate management, the conservation and optimum utilisation of southern bluefin tuna.	
Convention on the Conservation and Management of Highly Migratory Fish Stocks in the Western and Central Pacific Ocean (WCPFC)	The objective of the Convention is to ensure, through effective management, the long-term conservation and sustainable use of highly migratory fish stocks in the western and central Pacific Ocean in accordance with the 1982 United Nations Convention on the Law of the Sea and the 1995 UN Fish Stocks Agreement.	
South Tasman Rise Orange Roughy Arrangement	Arrangement between Government of Australia and Government of New Zealand for the conservation and management of orange roughy on the South Tasman Rise. In New Zealand see the Fisheries (South Tasman Rise Orange Roughy Fishery) Regulations 2000.	
Convention for the Conservation of Antarctic Marine Living Resources (CCAMLR)	Applies to all Antarctic populations of finfish, molluscs, crustacean and seabirds found south of the Antarctic Convergence.	MFAT/ MPI
Convention on the Conservation and Management of High Seas Fishery Resources in the South Pacific Ocean	The objective is to ensure, through effective management, the long-term conservation and sustainable use of highly migratory fish stocks in the south Pacific Ocean in accordance with the 1982 Convention and the Agreement.	
World Heritage Convention	The Convention sets out the duties of States Parties in identifying potential sites and their role in protecting and preserving them. By signing the Convention, each country pledges to conserve not only the World Heritage sites situated on its territory, but also to protect its national heritage. The States Parties are encouraged to integrate the protection of the cultural and natural heritage into regional planning programmes, set up staff and services at their sites, undertake scientific and technical conservation research and adopt measures which give this heritage a function in the day-to-day life of the community.	

APPENDIX 10: NATIONAL FISHERIES PLANS MANAGEMENT OBJECTIVES

Management objectives of the *National Fisheries Plan for Deepwater and Middle-depth Fisheries* (Fisheries New Zealand, 2019).

Management objectives	
Use	1 Ensure the deepwater and middle-depth fisheries resources are managed so as to provide for the needs of future generations.
	2 Ensure excellence in the management of New Zealand’s deepwater and middle-depth fisheries, so they are consistent with, or exceed, international best practice.
	3 Ensure effective management of deepwater and middle-depth fisheries is achieved through the availability of appropriate, accurate and robust information.
	4 Ensure deepwater and middle-depth fish stocks and key bycatch fish stocks are managed to an agreed harvest strategy or reference points.
Environmental outcome	5 Ensure that maintenance of biological diversity of the aquatic environment and protection of habitats of particular significance for fisheries management are explicitly considered in management.
	6 Manage deepwater and middle-depth fisheries to avoid, remedy or mitigate the adverse effects of these fisheries on associated or dependent and incidentally caught fish species.
	7 Manage deepwater and middle-depth fisheries to avoid, remedy or mitigate the adverse effects of these fisheries on the benthic habitat.
	8 Manage deepwater and middle-depth fisheries to avoid, remedy or mitigate the adverse effects of these fisheries on the long-term viability of endangered, threatened and protected species populations.
Governance conditions	9 Ensure the management of New Zealand’s deepwater and middle-depth fisheries meets the Crown’s obligations to Māori.
	10 Ensure there is consistency and certainty of management measures and processes in the deepwater and middle-depth fisheries.
	11 Ensure New Zealand’s deepwater and middle-depth fisheries are transparently managed.

Management objectives of the *National Fisheries Plan for Highly Migratory Species (HMS)* (Fisheries New Zealand, 2017).

Management objectives	
Use	1 Support viable and profitable commercial tuna fisheries in New Zealand
	1.1 Support initiatives to add value to HMS fisheries.
	1.2 Negotiate favourable country allocations for New Zealand fishers.
	1.3 Reduce administrative barriers to profitability in HMS fisheries.
	1.4 Recognise importance of access to fisheries resources in New Zealand and the South Pacific region, and identify potential threats and opportunities.
	2 Maintain and enhance world class game fisheries in New Zealand fisheries waters.
	2.1 Maintain and enhance recreational catch rates for HMS game fisheries.
	3 Māori interests (including customary, commercial, recreational, and environmental) are enhanced.
	3.1 Take into account the views of relevant iwi and hapū in management of HMS.
	3.2 Ensure abundant HMS for customary use.
	4 Maintain sustainable HMS fisheries within environmental standards.
	4.1 Encourage management of HMS at specified target reference points.
	4.2 Support the objectives of the National Plan of Action for Sharks.
	4.3 Promote sustainable management of HMS fisheries through RFMOs.
Environmental	5 Implement an ecosystem approach to fisheries management, taking into account associated and dependent species.
	5.1 Recognise value of HMS and their ecosystems, including predators, prey, and protected species.
	5.2 Improve the quality of information available on the capture of protected species.
	5.3 Avoid, remedy, or mitigate the adverse effects of fishing on associated and dependent species (including protected species), using a risk assessment approach.
	5.4 Support the objectives of the National Plan of Action for Seabirds.
	6 Protect, maintain, and enhance fisheries habitat.
	6.1 Identify and, where appropriate, protect habitats of particular significance to HMS, especially within New Zealand fisheries waters.

7 Maintain an effective fisheries management regime.

7.1 Ensure transparency by providing stakeholders with relevant information and performance indicators for HMS fisheries.

8 Recognise and provide for Deed of Settlement obligations.

8.1 Implement Deed of Settlement obligations as they relate to HMS.

Governance

9 Ensure New Zealand interests are taken into account internationally.

9.1 Influence international fora and ensure New Zealand interests are taken into account.

9.2 Build and maintain strong relationships with other fishing nations, in order to influence international fora governance.

10 Contribute to Pacific capacity development.

10.1 Contribute to the implementation of MPI's Memorandum of Understanding with NZAID on Pacific capacity development.

APPENDIX 11: SOME HISTORY SURROUNDING AN OCEANS STRATEGY IN AOTEAROA NEW ZEALAND

The idea of an Oceans Strategy has been around for a long time. In 1998, Australia explored its own Ocean Policy to set 'in place the framework for integrated and ecosystem-based planning and management for all of Australia's marine jurisdictions'.

Shortly after, in 2000, the New Zealand Government [announced plans](#) for development of their own Oceans Policy. Then Fisheries Minister, Pete Hodgson, stated in the announcement:

"We begin simply with a recognition of the value of our oceans, a recognition of the growing pressures on the marine environment, and a determination to address problems before they become crises... Vast or not, ecological strains have begun to show in our oceans. Conflicts in their use are erupting more and more frequently... If there is one simple reason why an Oceans Policy is a good idea, it is that those strains and conflicts will increase. That's a certainty..."

But do we have overarching goals well defined? What are the points of reference for this complex mixture of law and practice? Have we ever collectively identified and expressed the range of cultural, economic, environmental or social values that apply? Or the range of interests?

Have we ever looked forward 20 years, and identified the opportunities and threats we might encounter?"

The [vision](#) created to support the Oceans Policy was:

Healthy Oceans: wisely managed for the greatest benefit of all New Zealanders, now and in the future.¹

The Oceans Policy was never completed. Some of the delays were reportedly so that it could take account of government decisions on public access and customary rights to the foreshore and seabed.

Another strategy of mention is the Strategy for Managing the Environmental Effects of Fishing (known as SMEEF) developed by the then Ministry of Fisheries in 2005, which proposed the development of a set of standards for defining acceptable limits of effects of fishing on the aquatic environment (Ministry of Fisheries, 2005). Challenges to setting limits identified included (Clubb and Helson, 2006):

- "The scale of impact that fishing is having on aspects of the aquatic environment
- The biological consequences of that impact
- The utilisation value associated with that impact, or the cost of avoiding it
- The value placed on that impact by society
- The value likely to be placed on that impact by future generations"

In practice, much of the work on developing standards has been [superseded](#) by the development of National Plans of Action.

Over the subsequent years there have been various calls for greater development of maritime strategy (Peart, *et al.*, 2011; Cozens, 2014). In 2014, [NIWA's Marine Futures project](#) funded by MBIE sought to enable stakeholders to develop an agreed decision making framework to facilitate 'economic growth, improve marine

¹ A [longer vision](#) is also given of: Healthy Oceans: New Zealanders understand marine life and marine processes and, accordingly take responsibility for wisely managing the health of the ocean and its contribution to the present and future social, cultural, environmental and economic wellbeing of New Zealand.

stewardship and ensure that cumulative stresses placed on the environment do not degrade the ecosystem beyond its ecological adaptive capacity'. It was hoped the research would help decision making where there were conflicting resource uses and different trade-offs, allowing improved integrative management activities (like marine spatial planning and ecosystem-based management).

In 2014, the [McGuinness Institute Te Hononga Waka](#) (a 'non-partisan think tank') held a structured discussion on ocean management as part of their OneOceanNZ project. The project looks at how public policy solution around ocean governance can support best practice ocean management. In the discussion they found that the ineffective aspect of the existing framework most commonly cited was a fragmented political and policy process, followed by fragmented legislation, lack of scientific information, lack of a clear national goal, and imbalance of economic/social/environmental objectives (Tremlett, 2015). Nationally holistic strategic considerations are not able to be made in a consistent and considered way (McGuinness and Hett, 2015).

APPENDIX 12: METHODS AND APPLICATIONS OF GENETIC TECHNOLOGY IN FISHERIES

There are a range of methods for generating genetic data and numerous ways to apply these methods to glean information that can inform fisheries management decisions. Looking to the future in fisheries management, we are better to focus on the application of genomic approaches rather than traditional genetic methods, though there will still be applications where older methods are appropriate. The table below highlights key methods that are available for genomic studies.

Method/application	Strengths	Limitations	Best suited applications/uses
<p>Whole genome sequencing (WGS)</p> <p><i>Sequencing all of the DNA found in the nucleus of the cell.</i></p>	<p>Captures majority of genetic variation in a population and is typically summarised as SNP differences.</p> <p>Can delineate differences based on fine-scale similarities and differences.</p> <p>High throughput, so can sequence many samples at once.</p> <p>Can detect both genome-wide (neutral) and allele-specific (adaptive) patterns of diversity.</p>	<p>Price.</p> <p>Production of large volumes of genome sequence data can be challenging for the transfer, storage and analysis of datasets.</p> <p>Data capture improved by the presence of a reference genome.</p>	<p>Delineating stock structure.</p> <p>Developing reference SNP marker sets that can be used for a SNP chip to delineate stocks/species/provenance/sexes.</p> <p>Understanding of population structure and the evolutionary process.</p> <p>Identifying species for conservation efforts, detecting pathogens, compliance surveillance etc.</p> <p>Identifying individuals for conservation efforts (e.g. through genetic tagging).</p> <p>Stock size (note: best for species with small population sizes).</p> <p>Understanding age demographics of population (with epigenomics) or for biopsied samples through telomere length (though this is not validated for most species).</p> <p>Can be combined with eDNA and ancient DNA applications.</p> <p>Traceability.</p>
<p>Gene-tagging</p> <p><i>Sequencing the genes from a biopsied sample and using their unique genetic fingerprint as a tag to track that individual in the future.</i></p>	<p>Allows estimating real-time migration rates and dispersal.</p> <p>Could replace physical tagging as it is permanent and cannot get lost.</p> <p>Data can be used for other applications.</p> <p>Can identify the species or the population of origin of exploited fish, as well as their associated pathogens.</p>	<p>Invasive technique.</p> <p>May not be better than conventional approaches if samples are from dead specimens or sampling is lethal.</p>	<p>See case study 6.4.9: Genetic tagging to understand bluefin tuna population dynamics.</p> <p>Can provide information about stock biomass and growth and how these change through time.</p> <p>Best used for species where the biopsy is low-risk.</p> <p>Use WGS to have the power to identify unique individuals.</p>

Method/application	Strengths	Limitations	Best suited applications/uses
	Doesn't rely on self-reporting from fishers.		
Mitochondrial DNA (mtDNA) sequencing <i>Sequencing the short, circular DNA found in the mitochondria of the cell.</i>	<p>Cheaper than WGS techniques.</p> <p>Methods well established.</p> <p>More species have had their mtDNA sequenced so there are more reference genomes.</p>	<p>Limited statistical power to identify unique individuals.</p> <p>Often fails to detect population differences.</p> <p>Limited value as a gene-tagging marker.</p>	<p>eDNA applications because it can be used to identify species and many have reference barcodes for it.</p> <p>Ancient DNA applications because it is abundant in the cell so remains after degradation.</p> <p>Identifying species.</p> <p>Detect mixed species stocks.</p> <p>Useful for preliminary stock structure analyses.</p>
Sequencing genetic markers <i>Sequencing a select number of genetic markers, typically SNPs.</i>	<p>Cheaper than WGS techniques.</p> <p>Method well established.</p>	<p>Have to know what genetic markers can provide the information you are after (e.g. delineate stocks) to design the test.</p> <p>Cannot be used to identify unique individuals if a limited number of markers are used.</p>	<p>Detect mixed species stocks. See case study 6.4.7: Real time genetic management of a marine fishery.</p>
Microsatellite DNA <i>Detecting variation in length of specific repetitive stretches of DNA.</i>	<p>Cheaper than WGS techniques.</p>	<p>Limited statistical power to identify unique individuals.</p> <p>Often fails to detect population differences.</p>	<p>Species identification.</p> <p>Understanding genetic variation and stock structure.</p>
RNA sequencing <i>Measuring gene expression.</i>	<p>Tells us about responsiveness to environmental conditions if baseline data is available.</p>	<p>Requires specific sample collection and storage to ensure results are valid because the RNA degrades.</p> <p>Cost – as it is usually more expensive than DNA-based methods per individual.</p>	<p>Support conservation management of species by understanding responses to environmental change (Connon <i>et al.</i>, 2018).</p>
DNA methylation <i>Detecting variation in epigenetic patterns which can impact gene expression.</i>	<p>Tells us about responsiveness to environmental conditions.</p> <p>Can provide information about sample age.</p>	<p>Need to understand the association between DNA methylation signatures and the outcome for this to be applicable – limited data on age-</p>	<p>Understanding age demographics of population or for biopsied samples.</p> <p>Support conservation management of species by understanding responses to environmental change.</p>

Method/application	Strengths	Limitations	Best suited applications/uses
	More stable to measure than RNA.	related epigenetic signatures for fish so requires study first but proof-of-principle exists (Anastasiadi and Piferrer, 2019). Requires baseline data.	
Environmental DNA (eDNA) <i>Collecting DNA from the environment (e.g. collection of seawater) and sequencing it to identify the different species that have been in that area recently.</i>	<p>Non-invasive sampling.</p> <p>Can provide a high-level overview of genetic biodiversity, including presence/absence data.</p> <p>Can detect ecosystem changes over time.</p> <p>Can identify elusive species or detect low-density or pelagic species.</p> <p>Can be used to estimate species abundance (not yet precise numbers of fish but this may improve in the future with analytical advances) (Thomsen <i>et al.</i>, 2016; Jerde, 2019; Hansen <i>et al.</i>, 2018).</p> <p>Overcomes limitations in more complex biological survey methods e.g. time-consuming microscopy, difficulties identifying different life stages and sexes, and cryptic species.</p>	<p>Methods are relatively new and still require sampling and analytical consistency to make sure results are robust (e.g. weather conditions or recent trawling could impact findings) (Zaiko <i>et al.</i>, 2018).</p> <p>Relies on species having reference DNA in databases to match the sample. These databases will continue to grow making this application more powerful.</p> <p>Quick degradation of DNA in marine environment (Thomsen <i>et al.</i>, 2016).</p> <p>Potential for contamination from fishing gear or lab contamination (Hansen <i>et al.</i>, 2018).</p> <p>No direct information on numbers, age, weight, life-stage or fecundity (Hansen <i>et al.</i>, 2018).</p>	<p>Use in conservation and biosecurity by detecting specific species. See case study 6.4.17: Managing great white shark conservation through environmental DNA.</p> <p>Monitoring ecosystems through species detection, determining species diversity and further details about ecosystem function e.g. diet, pathogens, invasive species (Ficetola <i>et al.</i>, 2008; Zaiko <i>et al.</i>, 2018).</p> <p>Potential to provide abundance data and input into management decisions.</p> <p>Potential to collect samples now for future use with technological advances. Need to ensure these are collected correctly so that DNA does not degrade (Hansen <i>et al.</i>, 2018).</p>
Ancient DNA <i>Extracting and sequencing DNA from ancient samples (e.g. over 100 years old).</i>	Provides genetic information from a snapshot in history which can be compared to modern samples.	Degradation of DNA over time means DNA may not be able to be retrieved from all samples, but technological advances are reducing this issue (Oosting <i>et al.</i> , 2019).	Answering evolutionary ecology questions which can inform management and conservation decisions. See case study 6.4.8: What does ancient DNA tell us about the snapper population?






APPENDIX 13: GENETICS IN FISHERIES IN AOTEAROA NEW ZEALAND

The local genetics work in the fisheries sector includes:

- A recently funded SIL project led by the Deepwater Group and Plant & Food Research investigates the stock structure of hoki in Aotearoa New Zealand waters. The study employs WGS of individuals from 10 locations and will assemble the genome of hoki (contact person Dr Maren Wellenreuther).
- Dr Maren Wellenreuther and Dr Peter Ritchie together oversee projects on ancient DNA in snapper to study fisheries-induced evolution (Marsden-funded) and tarakihi stock structure (MBIE-supported). Both projects apply WGS methods, and use genome assemblies.
- Dr Maren Wellenreuther leads a project investigating the role of epigenomic versus genomic variation in enabling rapid adaptation to a changing climate (Marsden-funded). The data will be produced using whole genome and epigenome sequencing and use the snapper genome.
- Together with researchers in Australia (led by Professor Beheregaray), Dr Maren Wellenreuther investigates the stock structure of snapper in Australia and Aotearoa New Zealand using genome-wide markers (ARC Linkage Program-funded) using reduced representation libraries and some WGS and the snapper genome.
- The [Ira Moana – Genes of the Sea project](#) is enabling a collaborative network of scientists to deliver a searchable meta-database for genetic and genomic data (from both old and next-generation sequencing techniques) for terrestrial and marine species, as well as environmental samples.
- A study at the Cawthron Institute taking seabed samples from beneath fish farms to detect bacterial DNA to check whether these farms are meeting best practice management practice. This could be an alternative or complementary method and is considered to be cost-effective (contact person is Xavier Ponchon).
- A group led by Dr Peter Ritchie at the Victoria University of Wellington researches the population genetics of the New Zealand scampi.
- Genomics Aotearoa have provided funding in this area to allow the development of new shallow sequencing methods in marine fisheries species (contact Dr Maren Wellenreuther) and to trial improved sequencing and assembly methods for key species, and this is being trialled on the blue cod genome.
- A special issue focused on eDNA is coming out in 2021 New Zealand Journal of Zoology.
- A review on the use of genetics on Aotearoa New Zealand fisheries was published in late 2020 (Papa *et al.*, 2020).

APPENDIX 14: FURTHER EXAMPLES OF MODELS

A non-exhaustive list of additional models for application in the marine domain.

Tool	How was it developed?	How can we use it?	Further development required?
<p>BayesNet model</p> 	<p>Expert workshop and elicitation process.</p>	<p>It can be used to demonstrate how different management decisions lead to varying outcomes, the importance of which will vary among stakeholders. It can be used to gain consensus around management decisions.</p>	<p>The existing model and user interface requires revisiting through a proper stakeholder- and iwi-run process, whereby they are participants in the model's construction and use.</p>
<p>Plastic Tracker</p> 	<p>Coding for efficient post-processing of data generated by hydrodynamic models.</p>	<p>To visualize connectivity of our coastal waters. The tool is easily accessed and used with any device capable of logging onto the internet through browser (other than Internet Explorer).</p>	<p>No further development required, however, the tool can be expanded to the whole of the EEZ.</p>
<p>Contamination nowcasting tool</p> 	<p>Integration of catchment, river flow, coastal hydrodynamic, and bacterial survivorship models, with using real data for validation and tuning.</p>	<p>To obtain 'nowcasts' of the spatial extent of river plumes and levels of faecal indicator bacteria. Aquaculture farmers and council staff can use the tool to assist in managing shellfish harvest and beach closures. It can also serve as a wider communication tool for highlighting land-sea connectivity.</p>	<p>Full validation process and trials are required prior to roll out.</p>
<p>System mapping</p> 	<p>Series of workshops and interviews with experts, stakeholders and iwi.</p>	<p>Facilitating decision making; for example in helping communities to prioritise, rationalize and implement management interventions that will assist in restoring seabed health and fisheries.</p>	<p>Two systems maps have been completed (one pilot and one Māori-led). A full systems mapping exercise would be warranted to use to inform decisions.</p>
<p>SeaSketch</p> 	<p>Developed at UC Santa Barbara, and parameterised/populated by Sustainable Seas and DOC scientists.</p>	<p>The mapping tool can be used to share spatial information and data layers widely with non-GIS experts, and has embedded participatory functions around surveying, sharing data and knowledge (safely) and collaborative spatial planning (drawing on maps).</p>	<p>Tool is functional for the region. Requires time/workshop(s) to train users and someone to manage and load additional data layers.</p>

APPENDIX 15: OCEAN ACIDIFICATION STUDIES UNDERWAY

Infographic highlighting the range of acidification studies underway. Infographic and further information available from [NIWA](http://niwa.co.nz).

Acidification studies

The CARIM project is researching falling pH in New Zealand's coastal waters, and its effect on marine life.

Iconic species being studied

Snapper
Snapper larvae will be reared at NIWA's Northland Marine Research Centre at Bream Bay. International studies have shown that changes to pH affect the sensory behaviour of fish, causing them to lose their sense of smell, affecting their learning and hearing and reducing predator recognition.

Pāua
Laboratory experiments have already shown that pāua can be harmed by reduced pH in seawater. The effects cross all stages in the lifecycle, with larvae unable to grow, juvenile shells eroding and reduced survival across the species.

Greenshell mussels
Scientists at the Cawthron Institute are examining whether genetic differences between greenshell mussel families influence their resilience or susceptibility to acidification at various life stages.

Other species
Pteropods
Experiments have already shown that pteropod shells dissolve in carbonate levels projected for 2050.

Sea urchins
The larvae of sea urchin species from tropical to Antarctic waters show malformation under low pH.

Red algae
Some species of seaweed may grow better under more acidic conditions.

Seaweeds
The community structure in seaweeds in coastal regions may be altered in response to ocean acidification.

Cold water corals
These require carbonate for their skeletons. Experiments suggest that only 25% of the current locations where cold water corals are found may have sufficient carbonate by 2100.

Whales
Top consumers in food webs, such as whales, may be affected by changes in plankton.

Monitoring sites

Sampling partners are being sought for Ninety Mile Beach, Kaitiaki and Bluff.

- Auckland**: Sampling partner: Auckland Council
- Golden Bay**: Sampling partner: Aquaculture New Zealand
- Tasman Bay**: Sampling partner: Cawthron Institute
- Marlborough Sounds**: Sampling partner: Aquaculture New Zealand
- Wellington**: Sampling partner: NIWA
- Chatham Islands**: Sampling partners: Pulp and Paper, Caspell, Rock Lobster Industry
- Bay of Plenty**: Sampling partner: Regional Council
- Firth of Thames**: Sampling partner: NIWA
- Ninety Mile Beach**: Sampling partner: NIWA
- Kaitiaki**: Sampling partner: NIWA
- Bluff**: Sampling partner: NIWA
- Stewart Island**: Sampling partner: Department of Conservation
- Jacksons Bay**: Sampling partner: Fishing Industry
- Marlborough Sounds**: Sampling partner: Aquaculture New Zealand
- Key**: CARIM site (red triangle), NZQA-ON sampling site (blue circle), Muriwai time-series (green square)
- Dunedin**: Sampling partners: University of Otago, Port Otago, NIWA
- Karitane**: Sampling partner: East Otago, Teakapua Group

How do we measure pH?
The CARIM project and NZQA-ON are using SeaFET sensors to measure the pH of seawater. The sensors are deployed on moorings or metal frames and scientists are able to set them to measure pH at any time frequency. Every three months, the sensors are collected and taken back to the lab to download data before being returned to the sea.

Which life history stage is the bottleneck?
Using special aquariums, NIWA and University of Otago scientists will carry out experiments on pāua larvae, juveniles and adults to determine which life-history stage is most vulnerable to ocean acidification. They will also determine the relative success of larvae from parents that have been exposed to low pH, to see if pre-conditioning to low pH can improve survival.

Can shellfish adapt to ocean acidification?
The Cawthron Institute and NIWA will compare the response of a number of different families of pāua and greenshell mussels exposed to lower pH, to identify which are the most and least vulnerable.

Will the composition and food quality of plankton alter under future conditions?
Using 4000-litre bags, known as 'mesocosms', at NIWA's Wellington site, scientists will determine changes in temperature and pH, to understand the effects further up the food chain.

How will larval settlement be affected?
Coralline algae provide a substrate for pāua larval settlement on the seafloor. University of Otago and NIWA scientists will determine how larval settlement success varies for larvae and coralline algae grown under different future ocean acidification scenarios.

Are snapper larvae affected by ocean acidification?
NIWA scientists will use the Bream Bay facility to test whether the behaviour of snapper larvae changes in response to lower pH.

New Zealand Ocean Observing System (NZ-OOS) from (O’Callaghan et al., 2019)

YEAR ONE PLAN

1. A pan-New Zealand steering committee and governance board.
2. Four working groups focused on estuaries to shelf, bluewater, data systems, and communications. The scope of each group will be expansive to overcome organization and science discipline silos.
3. A catalogue of observational assets and existing marine data for New Zealand.
4. A strategy for implementing mātauranga Māori in an NZ-OOS.
5. Draft strategic plan built on a well-designed framework and collaborative governance structure.
6. Business case for funding an NZ-OOS.
7. Many of the elements, both observational and modelling, already exist in New Zealand.

FIVE YEAR VISION

1. A widely subscribed data system built around the NZ-Ocean Data Network providing data to a wide range of users.
2. A network of coastal monitoring assets in key regions across a range of organisations that follow standardised data exchange protocols.
3. Access to model hindcast and reanalysis products for simulating and visualising New Zealand’s EEZ.
4. The ability for rapid response for forecasting coastal hazards, oil spill trajectories, and biosecurity risk.
5. Implementation of a network of sentinel sites for observing ecological outcome verifications along latitudinal and anthropogenic gradients.
6. Develop and implement sentinel fish and marine megafauna data collection programs that indicate ecosystem change.

TEN YEAR VISION

1. Widely accessible OOS visualisation system that enables society to engage with ocean data in new and exciting ways.
 2. Data assimilating operational models providing near real time forecasting of our entire EEZ.
 3. Commitment from the seafood industry, with the entire fishing fleet and aquaculture farms established as observing platforms.
 4. Integration of ecological layers and the inclusion of biogeochemical and molecular ocean data through aligned sampling programs.
 5. Successful integration of mātauranga Māori into a national OOS framework.
-

REFERENCES

- Abraham, E. and Neubauer, P. (2015) Relationship between small-scale catch-per-unit-effort and abundance in New Zealand abalone (pāua, *Haliotis iris*) fisheries. *Peer J Preprint*.
- Abraham, E. R. *et al.* (2017) Assessment of the risk to New Zealand marine mammals from commercial fisheries, New Zealand Aquatic Environment and Biodiversity Report No. 189.
Available at: <http://www.mpi.govt.nz/news-and-resources/publications>
- Abraham, E. R. and Berkenbusch, K. (2019) Preparation of data for protected species capture estimation, updated to 2016 – 17. New Zealand Aquatic Environment and Biodiversity Report No. 233.
Available at: <https://fs.fish.govt.nz/Page.aspx?pk=113&dk=24766>
- Abraham, E. R. and Thompson, F. N. (2011) Estimated capture of seabirds in New Zealand trawl and longline fisheries, 2002–03 to 2008–09, New Zealand Aquatic Environment and Biodiversity Report No. 79.
Available at: <https://fs.fish.govt.nz/Page.aspx?pk=113&dk=22872>
- Abraham, E. and Richard, Y. (2020) Estimated capture of seabirds in New Zealand trawl and longline fisheries, to 2017–18. New Zealand Aquatic Environment and Biodiversity Report No. 249.
Available at: https://www.dragonfly.co.nz/publications/abraham_seabirds_17-18.html
- Abraham, G. and Parker, R. (2002) Heavy-metal contaminants in Tamaki Estuary: Impact of city development and growth, Auckland, New Zealand, *Environmental Geology*, 42(8), pp. 883–890.
- Aburto, J. A. *et al.* (2020) A large-scale marine protected area for the sea of Rapa Nui: From ocean grabbing to legitimacy, *Ocean and Coastal Management*, 198, p. 105327.
- Acoura Marine (2018) MSC Sustainable Fisheries Certification, New Zealand hoki, hake and ling trawl fishery, p. 375, Deepwater Group Limited.
Available at: <https://fisheries.msc.org/en/fisheries/new-zealand-hake-hoki-ling-and-southern-blue-whiting/@@assessments>
- Adams, V. *et al.* (2020) Protecting 30% of the planet for nature: Costs, benefits and economic implications, Working paper analysing the economic implications of the proposed 30% target for areal protection in the draft post-2020, Global Biodiversity Framework.
Available at: <http://hdl.handle.net/10261/218689>
- AI Forum of New Zealand (2018) Artificial intelligence: Shaping a future New Zealand.
Available at: https://aiforum.org.nz/wp-content/uploads/2018/07/AI-Report-2018_web-version.pdf
- Albouy, C. *et al.* (2019) The marine fish food web is globally connected, *Nature Ecology and Evolution*, 3(8), pp. 1153–1161.
- De Alessi, M. (2012) The political economy of fishing rights and claims: The Maori experience in New Zealand, *Journal of Agrarian Change*, 12(2-3), pp. 390–412.
- Allan, K. (2017) A Kermadec/Rangitāhua Ocean Sanctuary: Issues and insights into marine protection processes.
Available at: <http://dx.doi.org/10.2139/ssrn.3414666>
- Allken, V. *et al.* (2019) Machine learning to improve marine science for the sustainability of living ocean resources: Report from the 2019 Norway - US Workshop.
Available at: https://spo.nmfs.noaa.gov/sites/default/files/TMSPO199_0.pdf
- Alonso, M. E. *et al.* (2020) Consumers' concerns and perceptions of farm animal welfare, *Animals*, 10(3), pp. 1–13.

- Anastasiadi, D. and Piferrer, F. (2019) Data from: A clockwork fish. Age-prediction using DNA methylation-based biomarkers in the European seabass, v5, Dataset, *Molecular Ecology Resources*, 20(2), 387-397.
- Andersen, K. H. (2020) Size-based theory for fisheries advice, *ICES Journal of Marine Science*, 77(7-8), 2445-2455.
- Anderson, O. F. *et al.* (2019) Non-target fish and invertebrate catch and discards in New Zealand hoki, hake, ling, silver warehou, and white warehou trawl fisheries from 1990-91 to 2016-17. New Zealand Aquatic Environment and Biodiversity Report No. 220.
Available at: <https://fs.fish.govt.nz/Page.aspx?pk=113&dk=24700>
- Anderson, T. J. *et al.* (2019) Review of New Zealand's key biogenic habitats, NIWA Client Report No. 2018139WN, p. 190.
Available at: <https://www.mfe.govt.nz/sites/default/files/media/Marine/NZ-biogenic-habitat-review.pdf>
- Andres, K. J. *et al.* (2021) Nuclear eDNA estimates population allele frequencies and abundance in experimental mesocosms and field samples, *Molecular Ecology*, pp. 1–13.
- Andrews, A. H. *et al.* (2009) Lead-radium dating of orange roughy (*Hoplostethus atlanticus*): Validation of a centenarian life span, *Canadian Journal of Fisheries and Aquatic Sciences*, 66(7), pp. 1130–1140.
- Aranda, M. and Christensen, A. (2009) The New Zealand's quota management system (QMS) and its complementary mechanisms, *Comparative Evaluations of Innovative Fisheries Management*, Springer, 19-41.
- Arnason, R. (2005) Property rights in fisheries: Iceland's experience with ITQs, *Reviews in Fish Biology and Fisheries*, 15(3), pp. 243–264.
- Attenborough, D. (2020) *A Life on Our Planet: My Witness Statement and a Vision for the Future*, Ebury Press.
- Auckland Council (2013) Section 32 Report on the proposed Auckland unitary plan: Appendix 3.11.7 - 4.4. State of the environment and biodiversity - Marine.
Available at: http://www.aucklandcity.govt.nz/council/documents/technicalpublications/Chapter_4_4_Marine.pdf
- Australian Fisheries Management Authority (2015) Australian sea lion management strategy.
Available at: <https://www.afma.gov.au/sites/default/files/uploads/2014/03/Australian-Sea-Lion-Management-Strategy-2015-v2.0-FINAL.pdf>
- Australian Fisheries Management Authority (2019) Gillnet dolphin mitigation strategy. Available at: https://www.afma.gov.au/sites/default/files/gillnet_dolphin_mitigation_strategy_updated_aug_2019_accessible.pdf
- Australian Fisheries Management Authority (2020) Australian Fisheries Management Authority Electronic Monitoring Program. Available at: https://www.afma.gov.au/sites/default/files/australian_fisheries_management_authority_electronic_monitoring_program_june_2020.pdf
- Australian Government (1999) Environment Protection and Biodiversity Conservation Act 1999. Available at: <https://www.legislation.gov.au/comlaw/management.nsf/lookupindexpagesbyid/IP200401830?OpenDocument>
- Awalludin, E. A. *et al.* (2020) A review on image processing techniques for fisheries application, *Journal of Physics: Conference Series*, 1529(5), p. 052031.
- Azevedo C. *et al.* (2020) Evaluation of four global ocean reanalysis products for New Zealand waters – A guide for regional ocean modelling, *New Zealand Journal of Marine and Freshwater Research*, pp. 1–24.
- Baco, A. R. *et al.* (2019) Amid fields of rubble, scars, and lost gear, signs of recovery observed on seamounts on 30- to 40-year time scales, *Science Advances*, 5(8), pp. 1–8.

- Baines, J. and Edwards, P. (2018) The role of relationships in achieving and maintaining a social licence in the New Zealand aquaculture sector, *Aquaculture*, 485, pp. 140–146.
- Baird, A. (2018) Blockchain or brokechain?, *Workboat World*.
Available at: <https://www.bairdmaritime.com/ship-world/column-blockchain-or-brokechain-the-bow-wave/>
- Baird, S.J. and Mules, R. (2021, *in review*) Extent of bottom contact by commercial trawling and dredging in New Zealand waters, 1990–2019, *New Zealand Aquatic Environment and Biodiversity Report*, *pending*.
- Baker, C. S. *et al.* (2019) Conservation status of New Zealand marine mammals, 2019, Department of Conservation.
Available at: <https://www.doc.govt.nz/globalassets/documents/science-and-technical/nztcs29entire.pdf>
- Bakker, J. *et al.* (2017) Environmental DNA reveals tropical shark diversity in contrasting levels of anthropogenic impact, *Scientific Reports*, 7(1), pp. 1–11.
- Ball, I. *et al.* (2009) Marxan and relatives: Software for spatial conservation prioritization, *In: Spatial conservation prioritization: Quantitative methods and computational tools*, Oxford University Press, pp. 185–195.
- Ballantine, B. (2014) Fifty years on: Lessons from marine reserves in New Zealand and principles for a worldwide network, *Biological Conservation*, 176, pp. 297–307.
- Banks, S. A. and Skilleter, G. A. (2010) Implementing marine reserve networks: A comparison of approaches in New South Wales (Australia) and New Zealand, *Marine Policy*, 34(2), pp. 197–207.
- Barange, M. *et al.* (2018) Impacts of climate change on fisheries and aquaculture: Synthesis of current knowledge, adaptation and mitigation options, *FAO Fisheries and Aquaculture Technical Paper*, 627.
- Barbier, E. B. (2017) Marine ecosystem services, *Current Biology*, 27(11), pp. R507–R510.
- Bargh, B. J. (2016) *The struggle for Māori fishing rights: te ika a Māori*, Wellington, Aotearoa New Zealand: Huia Publishers.
- Bargh, M. (2014) A blue economy for Aotearoa New Zealand?, *Environment, Development and Sustainability*, 16(3), pp. 459–470.
- Basher, L. R. (2013) Erosion processes and their control in New Zealand, *In: Ecosystem services in New Zealand: Conditions and Trends*, Manaaki Whenua Press, pp. 363–374.
- Batchelor, O. and Green, R. (2019) Object detection for verification-based annotation, *International Conference Image and Vision Computing New Zealand*, 2019.
- Bates, A. E. *et al.* (2019) Climate resilience in marine protected areas and the “Protection Paradox”, *Biological Conservation*, 236, pp. 305–314.
- Battershill, C. N. *et al.* (2016) The MV Rena shipwreck: Time-critical scientific response and environmental legacies, *New Zealand Journal of Marine and Freshwater Research*, 50(1), pp. 173–182.
- Bay of Plenty Regional Council (2016) Rena navigation safety exclusion zone.
Available at: <https://www.boprc.govt.nz/your-council/news/news-and-media-releases/media-releases-2016/april-2016/rena-navigation-safety-exclusion-zone-amended>
- Beaumont, J. *et al.* (2008) Mapping the values of New Zealand’s coastal waters. 1. Environmental values, *Biosecurity New Zealand Technical Paper No. 2008/16*.
Available at: <https://docs.niwa.co.nz/library/public/BNZtp2008-16.pdf>
- Beeman, I. L. *et al.* (2019) The Brink of extinction: Saving the Maui dolphin using surfer science.
Available at: <https://wp.wpi.edu/newzealand/projects/2019-2/the-brink-of-extinction-saving-the-maui-dolphin-using-surfer-science/>

- Beentjes, M. P. and Renwick, J. A. (2001) The relationship between red cod (*Pseudophycis bachus*), recruitment and environmental variables in New Zealand, *Environmental Biology of Fishes*, 61(3), pp. 315–328.
- Bellchambers, L. M. *et al.* (2016) Adopting Marine Stewardship Council certification of Western Australian fisheries at a jurisdictional level: The benefits and challenges, *Fisheries Research*, 183, pp. 609–616.
- Benaka, L. (1999) Fish habitat. Essential fish habitat and rehabilitation: Proceedings of the Sea Grant Symposium, American Fisheries Society Symposium.
- Bennington, S. M. (2019) Habitat use of the bottlenose dolphins (*Tursiops truncatus*) of Fiordland: Where, why and the implications for management. A thesis submitted for the degree of Master of Science in Marine Science at the University of Otago, Dunedin, New Zealand.
- Bernatchez, L. *et al.* (2017) Harnessing the power of genomics to secure the future of seafood, *Trends in Ecology and Evolution*, 32(9), pp. 665–680.
- Bernatchez, L. and Wellenreuther, M. (2018) Synergistic integration of genomics and ecoevolutionary dynamics for sustainable fisheries: A Reply to Kuparinen and Uusi-Heikkilä, *Trends in Ecology and Evolution*, 33(5), pp. 308–310.
- Berruti, F. *et al.* (2020) An executive primer on artificial general intelligence, McKinsey & Company. Available at: <https://www.mckinsey.com/business-functions/operations/our-insights/an-executive-primer-on-artificial-general-intelligence>
- Berry, O. *et al.* (2020) Making environmental DNA (eDNA) biodiversity records globally accessible, *Environmental DNA*, pp. 1–7.
- Berry, T. E. *et al.* (2019) Marine environmental DNA biomonitoring reveals seasonal patterns in biodiversity and identifies ecosystem responses to anomalous climatic events, *PLoS Genetics*, 15(2), pp. 1–19.
- Bess, R. (2001) New Zealand's indigenous people and their claims to fisheries resources, *Marine Policy*, 25(1), pp. 23–32.
- Bess, R. and Rallapudi, R. (2007) Spatial conflicts in New Zealand fisheries: The rights of fishers and protection of the marine environment, *Marine Policy*, 31(6), pp. 719–729.
- Bicknell, A. W. J. *et al.* (2016) Camera technology for monitoring marine biodiversity and human impact, *Frontiers in Ecology and the Environment*, 14(8), pp. 424–432.
- Bielli, A. *et al.* (2020) An illuminating idea to reduce bycatch in the Peruvian small-scale gillnet fishery, *Biological Conservation*, 241, p. 108277.
- Black, J. and Tilney, R. (2017) Monitoring New Zealand's trawl footprint for deep water fisheries: 1989 – 90 to 2011 – 2012 and 2012-2013, New Zealand Aquatic Environment and Biodiversity Report No. 176. Available at: <https://fs.fish.govt.nz/Doc/24212/AEBR-176-trawl-footprint.pdf.ashx>
- Bladen, S. (2019) The tale of the albatross and the algorithm, global fishing watch. Available at: <https://globalfishingwatch.org/impacts/albatross-and-the-algorithm/>
- Blanchard, J. L. *et al.* (2014) Evaluating targets and trade-offs among fisheries and conservation objectives using a multispecies size spectrum model, *Journal of Applied Ecology*, 51, pp. 612–622.
- Blanchard, J. L. *et al.* (2009) How does abundance scale with body size in coupled size-structured food webs?, *Journal of Animal Ecology*, 78(1), pp. 270–280.
- Blanchard, J. L. *et al.* (2012) Potential consequences of climate change for primary production and fish production in large marine ecosystems, *Philosophical Transactions of the Royal Society B: Biological Sciences*, 367(1605), pp. 2979–2989.

- Block, B. A. *et al.* (2011) Tracking apex marine predator movements in a dynamic ocean, *Nature*, 475(7354), pp. 86–90.
- Blomquist, J. *et al.* (2020) Price premiums for eco-labelled seafood: Effects of the MSC certification suspension in the Baltic Sea cod fishery, *European Review of Agricultural Economics*, 47(1), pp. 50–70.
- Boast, R. (1999) Maori fisheries 1986-1998: A reflection, Victoria University of Wellington Law Review. Available at: <http://www.nzlii.org/nz/journals/VUWLawRw/1999/30.html>
- Bonar, S. (2021) More than 100 aquatic-science societies sound climate alarm, *Nature*, 589, p. 352.
- Bonter, D. N. and Cooper, C. B. (2012) Data validation in citizen science: A case study from Project FeederWatch, *Frontiers in Ecology and the Environment*, 10(6), pp. 305–307.
- Bowden, D. *et al.* (2011) Evaluation of the New Zealand marine environment classifications using ocean survey 20/20 data from Chatham Rise and Challenger Plateau, New Zealand Aquatic Environment and Biodiversity Report No. 77. Available at: <https://docs.niwa.co.nz/library/public/NZAEBR77.pdf>
- Bradford-Grieve, J. M. *et al.* (2003) Pilot trophic model for subantarctic water over the Southern Plateau, New Zealand: A low biomass, high transfer efficiency system, *Journal of Experimental Marine Biology and Ecology*, pp. 223–262.
- Bradford-Grieve, J. M. and Livingston, M. E. (2011) Spawning fisheries and the productivity of the marine environment off the west coast of the South Island, New Zealand, New Zealand aquatic environment and biodiversity Report No. 84. Available at: <https://deepwatergroup.org/wp-content/uploads/2013/08/Bradford-Grieve-Livingston-Eds-2011-WCSI-Productivity.pdf>
- Bradley, D. *et al.* (2019a) Leveraging satellite technology to create true shark sanctuaries, *Conservation Letters*, 12(2), pp. 1–8.
- Bradley, D. *et al.* (2019b) Opportunities to improve fisheries management through innovative technology and advanced data systems, *Fish and Fisheries*, 20(3), pp. 564–583.
- Bradley, D. and Gaines, S. D. (2014) Counting the cost of overfishing on sharks and rays, *eLife Sciences Publications*, 3, pp. 1–3.
- Branch, T. A. *et al.* (2010) The trophic fingerprint of marine fisheries, *Nature*, 468(7322), pp. 431–435.
- Bravington *et al.* (2016) Absolute abundance of southern bluefin tuna estimated by close-kin mark-recapture. *Nature Communications*, 7(13162).
- Breen, P. (2005) Managing the effects of fishing on the environment: What does it mean for the rock lobster (*Jasus edwardsii*) fishery?, New Zealand Fisheries Assessment Report 2005/53. Available at: https://fs.fish.govt.nz/Doc/10667/2005%20FARs/05_53_FAR.pdf.ashx
- Brekke, C. and Solberg, A. (2005) Oil spill detection by satellite remote sensing, *Remote Sensing of Environment*, 95(1), pp. 1-13.
- Bremner, G. *et al.* (2009) Unreported bycatch in the New Zealand West Coast South Island hoki fishery, *Marine Policy*, 33(3), pp. 504–512.
- Brett, A. *et al.* (2020) Ocean data need a sea change to help navigate the warming world, *Nature*, 582(7811), pp. 181–183.
- Britton, E. and Coulthard, S. (2013) Assessing the social wellbeing of Northern Ireland’s fishing society using a three-dimensional approach, *Marine Policy*, 37(1), pp. 28–36.
- Bromell, D. (2017) *The art and craft of policy advising: A practical guide*, Springer.

- Brownell Jr, R. L. *et al.* (2019) Bycatch in gillnet fisheries threatens critically endangered small cetaceans and other aquatic megafauna, *Endangered Species Research*, 40, pp. 285–296.
- Bryan, D. R. *et al.* (2014) Quantitative video analysis of flatfish herding behavior and impact on effective area swept of a survey trawl, *Fisheries Research*, 154, pp. 120–126.
- Budek, K. and Osiński, B. (2018) What is reinforcement learning? The complete guide, deepsense.ai: Big Data Science.
Available at: <https://deepsense.ai/what-is-reinforcement-learning-the-complete-guide/>
- Buxton, C. D. *et al.* (2014) When is spillover from marine reserves likely to benefit fisheries?, *PLoS One*, 9(9), p. e107032.
- Campbell-Arvai, V. (2015) Food-related environmental beliefs and behaviours among university undergraduates a mixed-methods study, *International Journal of Sustainability in Higher Education*, 16(3), pp. 279–295.
- Campbell, L. M. and Gray, N. J. (2019) Area expansion versus effective and equitable management in international marine protected areas goals and targets, *Marine Policy*, 100, pp. 192–199.
- Campbell, M. L. *et al.* (2017) Aquaculture and urban marine structures facilitate native and non-indigenous species transfer through generation and accumulation of marine debris, *Marine Pollution Bulletin*, pp. 304–312.
- Carey, P. and Jiang, S. (2011) The effect of Bio Marinus liquid fish fertiliser on pasture growth in Canterbury: Preliminary trials, Land Research Services Client Report.
Available at: <https://biomarinus.co.nz/thunderstorm/wp-content/uploads/2015/10/LRS-May-2011-Preliminary-Trial-Report.pdf>
- Carey, P. and Jiang, S. (2012) The effect of Bio Marinus liquid fish fertiliser on pasture growth in Canterbury: Year 2 trials – summary, Land Research Services Client Report.
Available at: <https://biomarinus.co.nz/thunderstorm/wp-content/uploads/2015/10/LRS-December-2012-Year-2-Trials-Report.pdf>
- Carroll, E. (2020) Genome and satellite technology reveal recovery rates and impacts of climate change on southern right whales, *The Conversation*.
Available at: <https://theconversation.com/genome-and-satellite-technology-reveal-recovery-rates-and-impacts-of-climate-change-on-southern-right-whales-147168>
- Carter, L. (2019) He korowai o Matainaka/The cloak of Matainaka: Traditional ecological knowledge in climate change adaptation - Te Wai Pounamu, New Zealand, *New Zealand Journal of Ecology*, 43(3), p. 3386.
- Casey, J. *et al.* (2016) The role of genetics in fisheries management under the E.U. common fisheries policy, *Journal of Fish Biology*, 89(6), pp. 2755–2767.
- Chambers, B. (2012) Enhancing catch value from matauranga Maori-based fish potting methodologies. A thesis submitted for the degree of Master of Science at the Lincoln University, Canterbury, New Zealand.
- Chang, J. B. and Lee, Y. (2019) The effects of technological development on fisheries production, *Fisheries Science*, 85(1), pp. 259–269.
- Chatham Island Paua PAU4 Fisheries Plan (2019).
Available at: <https://www.mpi.govt.nz/dmsdocument/29276/direct>
- Childerhouse, S. *et al.* (2020) Mit2019-01 review of dolphin acoustic deterrent device mitigation in inshore fisheries, Report No. 3507, Cawthron.
Available at: <https://www.doc.govt.nz/globalassets/documents/conservation/marine-and-coastal/marine-conservation-services/reports/final-reports/mit2019-01-review-of-dolphin-acoustic-deterrent-device-mitigation-final-report.pdf>

- Christian, C. *et al.* (2013) A review of formal objections to Marine Stewardship Council fisheries certifications, *Biological Conservation*, 161, pp. 10–17.
- Christiani, P. *et al.* (2019) Precision fisheries: Navigating a sea of troubles with advanced analytics. Available at: <https://www.mckinsey.com/industries/agriculture/our-insights/precision-fisheries-navigating-a-sea-of-troubles-with-advanced-analytics>
- Christiansen, F. *et al.* (2018) Maternal body size and condition determine calf growth rates in southern right whales, *Marine Ecology Progress Series*, 592, pp. 267–281.
- Civil Aviation Authority New Zealand (2015) Part 102: CAA consolidation. Unmanned aircraft operator certification, Civil Aviation Rules. Available at: https://www.aviation.govt.nz/assets/rules/consolidations/Part_102_Consolidation.pdf
- Clapcott, J. *et al.* (2018) Mātauranga Māori: Shaping marine and freshwater futures, *New Zealand Journal of Marine and Freshwater Research*, 52(4), pp. 457–466
- Clark, D. and Crossett, D. (2019) Subtidal seagrass surveys at Slipper and Great Mercury Islands, Waikato Regional Council Technical Report 2019/29, Hamilton, New Zealand. Available at: <https://www.waikatoregion.govt.nz/assets/WRC/WRC-2019/TR201929.pdf>
- Clark, M. R. *et al.* (2019) Little evidence of benthic community resilience to bottom trawling on seamounts after 15 Years, *Frontiers in Marine Science*, 6(63), pp. 1–16.
- Clark, M. R. *et al.* (1994) Fecundity of orange roughy (*Hoplostethus atlanticus*) in New Zealand waters, *New Zealand Journal of Marine and Freshwater Research*, 28(2), pp. 193–200.
- Clubb, S. and Helson, J. (2006) Pragmatism and principles: The challenges of delivering a strategy to manage the environmental effects of fishing in the face of uncertainty, in proceedings of the 13th biennial conference of the International Institute of Fisheries Economics & Trade, Portsmouth, UK.
- Coll, M. *et al.* (2016) Ecological indicators to capture the effects of fishing on biodiversity and conservation status of marine ecosystems, *Ecological Indicators*, 60, pp. 947–962.
- Collie, J. S. *et al.* (2016) Ecosystem models for fisheries management: Finding the sweet spot, *Fish and Fisheries*, 17(1), pp. 101–125.
- Compson, Z. G. *et al.* (2020) Metabarcoding from microbes to mammals: Comprehensive bioassessment on a global scale, *Frontiers in Ecology and Evolution*, 8, pp. 1–19
- Connolly, J. D. *et al.* (2020) Hawke’s Bay EBM case study - Part 1. System mapping to understand increased sedimentation and loss of benthic structure in the Hawke’s Bay. A Report for the Sustainable Seas: National Science Challenge, Hamilton, New Zealand: Deliberate. Available at: <https://www.sustainableseaschallenge.co.nz/assets/dms/Reports/Systems-mapping-report-Hawkes-Bay-regional-study-Stage-1/Systems-mapping-report-Hawkes-Bay-regional-study-Stage-1.pdf>
- Connolly, J. and Lewis, N. (2019) Conceptual system maps of ‘blue economy’ activities, Hamilton, NZ. Available at: <https://www.sustainableseaschallenge.co.nz/tools-and-resources/conceptual-system-maps-of-blue-economy-activities/>
- Connon, R. E. *et al.* (2018) The utility of transcriptomics in fish conservation, *Journal of Experimental Biology*, 221(2).
- Costello, C. *et al.* (2016) Global fishery prospects under contrasting management regimes, *Proceedings of the National Academy of Sciences of the United States of America*, 113(18), pp. 5125–5129.
- Costello, M. J. *et al.* (2012) Predicting total global species richness using rates of species description and estimates of taxonomic effort, *Systematic Biology*, 61(5), pp. 871–883.

- Court of Appeal (2019) Attorney-General vs the trustees of the Motiti Rohe Moana Trust & Ors. - CA408/2017 [2019] NZCA 532.
Available at: <https://img.scoop.co.nz/media/pdfs/1911/2019NZCA532.pdf>
- Cozens, P. (2014) Commentary: Some reflections on recent oceans policy and oceans governance issues in New Zealand, *Australian Journal of Maritime & Ocean Affairs*, 6(1), pp. 41–48.
- Croxall, J. P. *et al.* (2012) Seabird conservation status and threats: A global assessment of priorities, *Bird Conservation International*, 22, pp. 1–34.
- Cryer, M. *et al.* (2016) New Zealand’s ecosystem approach to fisheries management, *Fisheries Oceanography*, 25, pp. 57–70.
- Cullen, R. and Memon, P. (1990) Impact of the exclusive economic zone on the management and utilisation of the New Zealand fishery resources, *Pacific Viewpoint*, 3(1): 44-62.
- Culloty, S. C. and Mulcahy, M. F. (2007) *Bonamia ostreae* in the native oyster *Ostrea edulis*: A review, Marine Environment and Health Series No. 29, Marine Institute 2007.
Available at: <https://oar.marine.ie/handle/10793/269>
- Cumming, H. and Herbert, N. A. (2016) Gill structural change in response to turbidity has no effect on the oxygen uptake of a juvenile sparid fish, *Conservation Physiology*, 4(1).
- Cunningham, S. *et al.* (2019) Mitigating the threat of invasive marine species to fiordland: New Zealand’s first pathway management plan, *Management of Biological Invasions*, 10(4), pp. 690–708.
- Dahle, G. *et al.* (2018) Genetic management of mixed-stock fisheries “real-time”: The case of the largest remaining cod fishery operating in the Atlantic in 2007–2017, *Fisheries Research*, 205, pp. 77–85
- Danielsen, R. and Agnarsson, S. (2018) Fisheries policy in the Faroe Islands: Managing for failure?, *Marine Policy*, 94, pp. 204–214.
- Danielsen, R. and Agnarsson, S. (2020) Perspectives: In pursuit of the three pillars of sustainability in fisheries: A Faroese case study, *Marine Resource Economics*, 35(2), pp. 177–193.
- Darimont, C. T. *et al.* (2009) Human predators outpace other agents of trait change in the wild, *Proceedings of the National Academy of Sciences*, 106(3), pp. 952 LP – 954.
- Davies, K. *et al.* (2018a) Navigating collaborative networks and cumulative effects for sustainable seas, *Environmental Science and Policy*, 83, pp. 22–32.
- Davies, K. *et al.* (2018b) The evolution of marine protected area planning in Aotearoa New Zealand: Reflections on participation and process, *Marine Policy*, 93, pp. 113–127.
- Davies, K. (2019) Navigating the implementation impasse: Enabling interagency collaboration on cumulative effects, National Science Challenge: Sustainable Seas. p. 8.
Available at: <https://www.sustainableseaschallenge.co.nz/assets/dms/Reports/Aotearoa-Cumulative-Effects-ACE-framework/Research20Round-up20-20Cum20Effects2C20Kate20Davies20July1920FINAL.pdf>
- Davies, K. *et al.* (2020) Trans-Tasman cumulative effects management: A comparative study, *Frontiers in Marine Science*, 7, pp. 1–19.
- Dawkins, M. *et al.* (2017) An open-source platform for underwater image and video analytics, in 2017 IEEE Winter Conference on Applications of Computer Vision (WACV), Santa Rosa, CA, pp. 898–906.
- Dawson, S. M. *et al.* (2013) To ping or not to ping: The use of active acoustic devices in mitigating interactions between small cetaceans and gillnet fisheries, *Endangered Species Research*, 19, pp. 201–221.
- Dayoub, F. *et al.* (2015) Robotic detection and tracking of Crown-of-Thorns starfish, in IEEE/RSJ International Conference on Intelligent Robots and Systems (IROS), pp. 1921–1928.

De-la-Torre, G. E. (2020) Microplastics: An emerging threat to food security and human health, *Journal of Food Science and Technology*, 57(5), pp. 1601–1608.

Debski, I. *et al.* (2016) Observer coverage to monitor seabird captures in pelagic longline fisheries, WCPFC-SC12-2016/ EB-IP-07, in 12th regular session of the Western and Central Pacific Fisheries Commission Scientific Committee, Bali, Indonesia.

Department of Conservation (2005) Marine Protected Areas policy and implementation plan.
Available at: <https://www.doc.govt.nz/globalassets/documents/conservation/marine-and-coastal/marine-protected-areas/mpa-policy-and-implementation-plan.pdf>

Department of Conservation (2017) A fisher's guide to New Zealand seabirds.
Available at: <https://dcon01mstr0c21wprod.azurewebsites.net/globalassets/documents/conservation/marine-and-coastal/fishing/fishers-guide-to-nz-seabirds/fishers-guide-to-new-zealand-seabirds.pdf>

Department of Conservation (2019a) Addressing the threat of toxoplasmosis to Hector's and Māui dolphins: An action plan, pp. 1–10.
Available at: <https://www.doc.govt.nz/nature/pests-and-threats/diseases/toxoplasmosis-and-hectors-and-maui-dolphin/toxoplasmosis-action-plan/>

Department of Conservation (2019b) New Zealand's sixth national report to the United Nations Convention on biological diversity, Reporting period: 2014-2018.
Available at: <https://www.cbd.int/countries/?country=nz>

Department of Conservation (2020) Te Mana o Te Taiao Aotearoa New Zealand biodiversity strategy 2020, Wellington, New Zealand.
Available at: <https://www.doc.govt.nz/nature/biodiversity/aotearoa-new-zealand-biodiversity-strategy/te-mana-o-te-taiao-summary/>

Department of Conservation and Fisheries New Zealand (2019) National plan of action - Seabirds 2020: Supporting document.
Available at: <https://www.mpi.govt.nz/dmsdocument/38054-National-Plan-of-Action-Seabirds-2020-supporting-document>

Department of Conservation and Fisheries New Zealand (2019) Protecting Hector's and Māui dolphins: Consultation on proposals for an updated Threat Management Plan.
Available at: <https://www.mpi.govt.nz/dmsdocument/34971>

Department of Conservation and Ministry of Fisheries (2011) Coastal marine habitats and marine protected areas in the New Zealand Territorial Sea: A broad scale gap analysis, Volume 1.
Available at: <https://www.doc.govt.nz/about-us/science-publications/conservation-publications/marine-and-coastal/marine-protected-areas/coastal-marine-habitats-and-marine-protected-areas-in-the-new-zealand-territorial-sea-a-broad-scale-gap-analysis/>

Devillers, R. *et al.* (2020) Residual marine protected areas five years on: Are we still favouring ease of establishment over need for protection?, *Aquatic Conservation: Marine and Freshwater Ecosystems*, 30(9), pp. 1758–1764.

Diana, J. S. (2009) Aquaculture production and biodiversity conservation, *BioScience*, 59(1), pp. 27–38.

Díaz-Guisado, D. (2014) Effects of marine reserve protection on adjacent non-protected populations in New Zealand. A thesis submitted for the degree of Doctor of Philosophy in Marine Biology at the Victoria University, Wellington, New Zealand.

Diaz *et al.* (2004) A review of approaches for classifying benthic habitats and evaluating habitat quality, *Journal of Environmental Management*, 73(3), pp. 165-181.

- DiBattista, J. D. *et al.* (2020) Environmental DNA can act as a biodiversity barometer of anthropogenic pressures in coastal ecosystems, *Scientific Reports*, 10(1), pp. 1–15.
- Dick, J. *et al.* (2012) Listening to the Kaitiaki: Consequences of the loss of abundance and biodiversity of coastal ecosystems in Aotearoa New Zealand, *Mai Journal*, 1(2).
- Doney, S. C. *et al.* (2020) The impacts of ocean acidification on marine ecosystems and reliant human communities, *Annual Review of Environment and Resources*, 45, pp. 83–112.
- Donnelly, E. (2017) Conserving our ocean: A constitutional compromise?, A critical evaluation of the proposed governing body in the Kermadec Ocean Sanctuary Bill, Victoria University of Wellington Legal Research Papers. Available at: <http://www.victoria.ac.nz/law/>
- Doonan, I. *et al.* (2016) Casal2: New Zealand’s integrated population modelling tool, *Fisheries Research*, 183, pp. 498–505.
- Dreaver, B. (2020) NZ company invents unmanned sea vessel to catch illegal fishing boats, drug traffickers in Pacific, 1 News. Available at: <https://www.tvnz.co.nz/one-news/new-zealand/nz-company-invents-unmanned-sea-vessel-catch-illegal-fishing-boats-drug-traffickers-in-pacific>
- Dunn, A. *et al.* (2000) Calculation and interpretation of catch-per-unit-effort (CPUE) indices. New Zealand Fisheries Assessment Report 2000/1. Available at: <https://docs.niwa.co.nz/library/public/FAR2000-01.pdf>
- Dunn, M. *et al.* (2009) Fish abundance and climate trends in New Zealand, New Zealand Aquatic Environment and Biodiversity Report No. 31. Available at: <https://docs.niwa.co.nz/library/public/NZAEBR31.pdf>
- Dunn, M and Langley, A. (2018) A review of the hoki stock assessment in 2018. New Zealand Fisheries Assessment Report 2018/42. Available at: <https://fs.fish.govt.nz/Doc/24640/FAR-2018-42-Hoki-stock-assessment-review.pdf.ashx>
- Dunn, M. R. (2006) A review of experimental methods for determining catchability for trawl surveys, New Zealand Fisheries Assessment Report 2006/51. Available at: <https://docs.niwa.co.nz/library/public/FAR2006-51.pdf>
- Dunn, M. R. (2009) Review and stock assessment of black cardinalfish (*Epigonus telescopus*) on the east coast North Island, New Zealand, New Zealand Fisheries Assessment Report, Wellington: NIWA. Available at: <https://docs.niwa.co.nz/library/public/FAR2009-39.pdf>
- Durante, L. M. *et al.* (2020) Shifting trophic architecture of marine fisheries in New Zealand: Implications for guiding effective ecosystem-based management, *Fish and Fisheries*, pp. 1–18.
- Eayrs, S. *et al.* (2020) Mitigation techniques to reduce benthic impacts of trawling: MIT2019-02 A review for the Department of Conservation by Terra Moana Limited, pp. 1–59. Terra Moana. Available at: <https://www.doc.govt.nz/globalassets/documents/conservation/marine-and-coastal/marine-conservation-services/reports/draft-reports/mit2019-02-mitigation-techniques-to-reduce-benthic-impacts-of-trawling-draft-report.pdf>
- eCatch New Zealand (2020) eCatch. Available at: <https://ecatch.co.nz/>
- eCoast Marine Consulting and Research (2014) Cape Rodney to Okakari Point Marine Reserve and Tāwharanui Marine Reserve Lobster (*Jasus edwardsii*) Monitoring Programme: 2014 Survey. Available at: <https://www.doc.govt.nz/globalassets/documents/conservation/marine-and-coastal/marine-protected-areas/crop-lobster-survey-2014.pdf>

- Eddy, T. D. (2013) On the need for meaningful Marine Protected Area (MPA) standards, *Aquatic Conservation: Marine and Freshwater Ecosystems*, 23(4), pp. 481–482.
- Eddy, T. D. *et al.* (2015) Trade-offs between invertebrate fisheries catches and ecosystem impacts in coastal New Zealand, *ICES Journal of Marine Science*, 72(5), pp. 1380–1388.
- Edinger, T. and Baek, J. (2015) The role of property rights in bycatch reduction: Evidence from the British Columbia Groundfish fishery, *Fisheries Research*, 168, pp. 100–104.
- Ehrhart, C. *et al.* (2020) Climate-related risk scenarios for the 2050s: Exploring plausible futures for aquaculture and fisheries in New Zealand, The Aotearoa Circle. Available at: <https://static1.squarespace.com/static/5bb6cb19c2ff61422a0d7b17/t/5f03d8e38e53972d046f0ef2/1594087721917/Aotearoa+Circle+-+Marine+Scenarios+Final+Report.pdf>
- Eigaard, O. R. *et al.* (2014) Technological development and fisheries management, *Reviews in Fisheries Science and Aquaculture*, 22(2), pp. 156–174.
- Elliott, M. and Holden, J. (2019) *UK sea fisheries statistics 2018*. London, UK. Available at: <https://www.gov.uk/government/statistics/uk-sea-fisheries-annual-statistics-report-2018>
- Environment Court (2020) *Motiti Rohe Moana Trust v Bay of Plenty Regional Council*, Decision No. [2020] NZEnvC 050 Court. Available at: <https://www.rmla.org.nz/2016/12/14/motiti-rohe-moana-trust-v-bay-of-plenty-regional-council-2016-nzenvc-240/>
- Environment Foundation (2018) Addressing sedimentation and pollution, Environment Guide. Available at: <http://www.environmentguide.org.nz/issues/coastal/im:3043/addressing-sedimentation-and-pollution/>
- Envirostrat Ltd (2019) Transitioning to a blue economy: Scoping and horizon scanning. Available at: <https://www.sustainableseaschallenge.co.nz/tools-and-resources/transitioning-to-a-blue-economy-scoping-and-horizon-scanning/>
- Escobar-Flores, P. *et al.* (2019) Acoustic assessment of the micronekton community on the Chatham Rise, New Zealand, using a semi-automated approach, *Frontiers in Marine Science*, 6(507).
- FAO (2009) International guidelines for the management of Deep-Sea fisheries in the high seas. Available at: <http://www.fao.org/fishery/topic/166308/en>
- FAO (2020a) Food security and nutrition in the world: Transforming food systems for affordable healthy diets. Available at: <https://doi.org/10.4060/ca9692en>
- FAO (2020b) The state of world fisheries and aquaculture 2020. Sustainability in action. Available at: <https://doi.org/10.4060/ca9229en>
- Farmery, A. K. *et al.* (2018) Sociodemographic variation in consumption patterns of sustainable and nutritious seafood in Australia, *Frontiers in Nutrition*, 5, pp. 1–14.
- Farmery, A. K. *et al.* (2019) Incorporating ecologically sustainable development policy goals within fisheries management: An assessment of integration and coherence in an Australian context, *Journal of Environmental Management*, 249, p. 109230.
- Fathom (2019) EAFM and the Fisheries Act 1996. Available at: https://seafood.org.nz/fileadmin/documents/PDFs/EAFM_and_the_Fisheries_Act_1996_-_Fathom.pdf
- Fenton, G. E. *et al.* (1991) Age determination of orange roughy, *Hoplostethus atlanticus* (Pisces: Trachichthyidae) using ²¹⁰Pb:²²⁶Ra disequilibrium, *Marine Biology*, 109(2), pp. 197–202.

- Ferraro, D. M. *et al.* (2017) Estimates of sea scallop (*Placopecten magellanicus*) incidental mortality from photographic multiple before-after-control-impact surveys, *Journal of Shellfish Research*, pp. 615–626.
- Ficetola, G. F. *et al.* (2008) Species detection using environmental DNA from water samples, *Biology Letters*, 4(4), pp. 423–425.
- Field, R. *et al.* (2019) High contrast panels and lights do not reduce bird bycatch in Baltic Sea gillnet fisheries, *Global Ecology and Conservation*, 18, e00602.
- Finucci, B. (2019) Descriptive analysis and a catch-per-unit-effort (CPUE) analysis of the West Coast South Island (HAK 7) fishery for hake (*Merluccius australis*), New Zealand Fisheries Assessment Report 2019/55. Available at: <https://fs.fish.govt.nz/Doc/24757/FAR-2019-55-HAK-7-CPUE.pdf.ashx>
- Finucci, B. *et al.* (2019a) Diversity, abundance, behaviour, and catchability of fishes from trap catch and underwater video in the Arabian Gulf, *Fisheries Research*, 220, p. 105342.
- Finucci, B. *et al.* (2019b) The extinction risk of New Zealand chondrichthyans, *Aquatic Conservation: Marine and Freshwater Ecosystems*, 29(5), pp. 783–797.
- Fisheries New Zealand (2009a) Orange roughy West Coast South Island (ORH7B). Available at: <https://fs.fish.govt.nz/Page.aspx?pk=113&dk=21752>
- Fisheries New Zealand (2009b) Scallops Nelson/Marlborough (SCA7). Available at: https://fs.fish.govt.nz/Doc/21782/84_SCA7_09.pdf.ashx
- Fisheries New Zealand (2014) Black Cardinalfish (CDL). pp. 78-93. Available at: https://fs.fish.govt.nz/Doc/23546/06_CD_L_2014%20FINAL.pdf.ashx
- Fisheries New Zealand (2015) Pacific Bluefin Tuna (TOR). Available at: https://fs.fish.govt.nz/Doc/24019/10-TOR_2015_FINAL.pdf.ashx
- Fisheries New Zealand (2017) Rock lobster (CRA and PHC), Fisheries Assessment Plenary, pp. 231–337. Available at: https://fs.fish.govt.nz/Doc/24542/14-CRA_2017_FINAL.pdf.ashx
- Fisheries New Zealand (2018a) Aquatic environment and biodiversity annual review 2018: A summary of environmental interactions between the seafood sector and the aquatic environment. Available at: <https://www.mpi.govt.nz/science/fisheries-nz-research/about-our-fisheries-research/>
- Fisheries New Zealand (2018b) Blue Cod National Strategy, p. 24. Available at: <https://www.mpi.govt.nz/fishing-aquaculture/sustainable-fisheries/national-blue-cod-strategy/>
- Fisheries New Zealand (2018c) Review of sustainability measures for the October 2018/19 fishing year: Proposals to alter Total Allowable Catch, Allowances, Total Allowable Commercial Catch and deemed value rates for selected fishstocks. Available at: https://www.mpi.govt.nz/consultations/review-of-sustainability-measures-for-1-october2020/?fbclid=IwAR2ImWnCBpvdvvyz27G_Jd3zBkqiAjuovugHZombr4aeBbX_9QZ6NdPXwM.F
- Fisheries New Zealand (2019a) Stock assessments and stock status volume 1: Introductory section and Alfonsino to Groper, Fisheries Assessment Plenary, Wellington, New Zealand. Available at: <https://fs.fish.govt.nz/Doc/24726/May-Plenary-2019-Vol1.pdf.ashx>
- Fisheries New Zealand (2019b) Stock assessments and stock status volume 2: Hake to Pilchard. Fisheries Assessment Plenary. Wellington, New Zealand. Available at: <https://www.mpi.govt.nz/dmsdocument/34950-Plenary-May-2019-Stock-Assessments-and-Stock-Status-Volume-2-Hake-to-Pilchard>

Fisheries New Zealand (2019c) Stock assessments and stock status volume 3: Pipi to Yellow-eyed mullet. Fisheries Assessment Plenary. Wellington, New Zealand.
Available at: <https://www.mpi.govt.nz/dmsdocument/34953-Plenary-May-2019-Stock-Assessments-and-Stock-Status-Volume-3-Pipi-to-Yellow-eyed-Mullet>

Fisheries New Zealand (2019d) National Fisheries Plan for Deepwater and Middle-Depth Fisheries 2019. Available at: <https://www.mpi.govt.nz/fishing-aquaculture/fisheries-management/deepwater-fisheries/>

Fisheries New Zealand (2019e) National Inshore Finfish Fisheries Plan Discussion Paper No:2019/18. Available at: www.fisheries.govt.nz/news-and-resources/publications

Fisheries New Zealand (2019f) Review of sustainability measures for 2018, part Hoki (HOK1) for 2019/20, Fisheries New Zealand Discussion Paper No: 2019/06, 1.
Available at: <https://www.mpi.govt.nz/dmsdocument/35163/direct>

Fisheries New Zealand (2019g) Review of sustainability measures for Hake (HAK 7) for 2019/20. Fisheries New Zealand Discussion Paper No: 2019/05.
Available at: <https://www.mpi.govt.nz/dmsdocument/35160/direct>

Fisheries New Zealand (2019h) Status of New Zealand's fish stocks 2019.
Available at: <https://www.mpi.govt.nz/dmsdocument/11950-the-status-of-new-zealands-fisheries-2019>

Fisheries New Zealand (2019i) Status of stocks as at December 2019 or "last assessment date".
Available at: <https://www.mpi.govt.nz/fishing-aquaculture/fisheries-management/fish-stock-status/>

Fisheries New Zealand (2020a) Annual review report for highly migratory species fisheries 2019/20. Fisheries New Zealand Technical Paper No: 2020/03.
Available at: <https://www.mpi.govt.nz/dmsdocument/41064/direct>

Fisheries New Zealand (2020b) Medium term research plan for Deepwater Fisheries, Fisheries New Zealand Information Paper No: 2020/01.
Available at: <https://www.mpi.govt.nz/dmsdocument/21746/direct>

Fisheries New Zealand (2020c) Orange roughy (ORH) | Fisheries Infosite.
Available at: <https://fs.fish.govt.nz/Page.aspx?pk=7&tk=100&ey=2020>

Fisheries New Zealand (2020d) The status of New Zealand's Fisheries 2019.
Available at: <https://www.mpi.govt.nz/dmsdocument/34419/direct>

Fisheries New Zealand and Department of Conservation (2019) National Plan of Action: Seabirds 2020: Reducing the incidental catch of seabirds in fisheries. Draft for Consultation, pp. 1–24.
Available at: <https://www.mpi.govt.nz/dmsdocument/38063/direct>

Fisheries New Zealand and Department of Conservation (2020) National plan of action: Seabirds: Reducing the incidental catch of seabirds in fisheries.
Available at: <https://www.mpi.govt.nz/dmsdocument/3962/direct>

Flores, P. C. E. *et al.* (2020) Estimates of density of mesopelagic fish in the Southern Ocean derived from bulk acoustic data collected by ships of opportunity, *Polar Biology*, 43(1), pp. 43–61.

Ford, R. B. *et al.* (2016) Assessing the effects of mobile bottom fishing methods on benthic fauna and habitats: Report from a workshop in 2019, New Zealand Fisheries Science review 2016/2.
Available at: <https://fs.fish.govt.nz/Doc/24044/FSR-2016-02-Benthic-workshop.pdf.ashx>

Ford, R. B. *et al.* (2018) Qualitative (Level 1) Risk Assessment of the impact of commercial fishing on New Zealand chondrichthyans: An update for 2017. New Zealand Aquatic Environment and Biodiversity Report No. 201.
Available at: <https://fs.fish.govt.nz/Page.aspx?pk=113&dk=24619>

- Francis, M. (2017a) Bycatch of white sharks in commercial set nets, NIWA Client Report No. 2017113WN, p. 27. Available at: <https://www.doc.govt.nz/Documents/conservation/native-animals/marine-mammals/int2016-03-post-release-white-pointer-sharks-final-report.pdf>
- Francis, M. (2017b) Review of commercial fishery interactions and population information for New Zealand basking shark, NIWA Client Report No 2017083WN. Available at: <https://www.doc.govt.nz/Documents/conservation/marine-and-coastal/marine-conservation-services/reports/pop2016-03-basking-shark-bycatch-final-report.pdf>
- Francis, M. P. and Maolagáin, C. Ó. (2016) Size, maturity and age composition of mako sharks observed in New Zealand tuna longline fisheries, New Zealand Fisheries Assessment Report 2016/60. Available at: <https://fs.fish.govt.nz/Doc/24202/FAR-2016-60-Blue-shark.pdf.ashx>
- Francis, R. I. C. C. *et al.* (2006) Links between climate and recruitment of New Zealand hoki (*Macruronus novaezelandiae*) now unclear, *New Zealand Journal of Marine and Freshwater Research*, 40(4), pp. 547–560.
- Francis, R. I. C. C. and Clark, M. R. (2005) Sustainability issues for orange roughy fisheries, *Bulletin of Marine Science*, 76(2), pp. 337–351.
- Froese, R. and Kesner-Reyes, K. (2002) Impact of fishing on the abundance of marine species, ICES Council Meeting Report CM, pp. 1–12. Available at: <http://www.ices.dk/sites/pub/CM%20Documents/2002/L/L1202.pdf>
- Fulton, B. (2018) Benchmarks for ecosystem assessment: Indicators for practical ecosystem-based fisheries management. Available at: <https://www.lenfestocean.org/en/news-and-publications/fact-sheet/benchmarks-for-ecosystem-assessment-indicators-for-practical-ecosystem-based-fisheries-management>
- Fulton, E. A. *et al.* (2011) Lessons in modelling and management of marine ecosystems: The Atlantis experience, *Fish and Fisheries*, 12(2), pp. 171–188.
- Fulton, E. A. *et al.* (2018) Decadal scale projection of changes in Australian fisheries stocks under climate change, CSIRO Report to FRDC. Available at: [http://www.frdc.com.au/Archived-Reports/FRDC Projects/2016-139-DLD.PDF](http://www.frdc.com.au/Archived-Reports/FRDC%20Projects/2016-139-DLD.PDF)
- Garcia, S. M. and Rosenberg, A. A. (2010) Food security and marine capture fisheries: Characteristics, trends, drivers and future perspectives, *Philosophical Transactions of the Royal Society of London. Series B: Biological Sciences*, 365(1554), pp. 2869–2880.
- Geange, S. W. *et al.* (2017) Integrating conservation and economic objectives in MPA network planning: A case study from New Zealand, *Biological Conservation*, 210, pp. 136–144.
- Georgian, S. E. *et al.* (2019) Ensemble habitat suitability modeling of vulnerable marine ecosystem indicator taxa to inform deep-sea fisheries management in the South Pacific Ocean, *Fisheries Research*, pp. 256–274.
- Gerrard, J. and Kukutai, T. (2019) Foreword - Special issue - Mātauranga and Science, *New Zealand Science Review*, 75(4), pp.1-2.
- Ghaffarivardavagh, R. *et al.* (2020) Underwater backscatter localization: Toward a battery-free underwater GPS, HotNets '20, November 4–6, 2020, Virtual Event, USA. Available at: <https://doi.org/10.1145/3422604.3425950>
- Gibbs, M. (2008) The historical development of fisheries in New Zealand with respect to sustainable development principles, *The Electronic Journal of Sustainable Development*, 1(2), pp. 23–33.

- Gibbs, J. (2015a) Project summary report: Enriching meat and milk with omega 3 oils using fish hydrolysate. Available at: <https://biomarinus.co.nz/thunderstorm/wp-content/uploads/2015/07/Jim-Gibbs-Report-Omega-3-Enrichment.pdf>
- Gibbs, J. (2015b) Project summary report: The effect of united fisheries fish hydrolysate on milk taint, cow health and production. Available at: <https://biomarinus.co.nz/thunderstorm/wp-content/uploads/2015/07/Jim-Gibbs-Report-on-Milk-Taint-Cow-Health-and-Production.pdf>
- Gislason, H. *et al.* (2000) Symposium overview: Incorporating ecosystem objectives within fisheries management, *ICES Journal of Marine Science*, 57(3), pp. 468–475.
- Glemarec, G. *et al.* (2020) Assessing seabird bycatch in gillnet fisheries using electronic monitoring, *Biological Conservation*, 243, p. 108461.
- Glockner-Fagetti, A. and Phillips, N. E. (2020) Species assemblage and recruitment patterns of echinoderms on shallow rocky reefs in central New Zealand, *New Zealand Journal of Marine and Freshwater Research*, 54(2), pp. 286–304.
- Goebel, M. E. *et al.* (2015) A small unmanned aerial system for estimating abundance and size of Antarctic predators, *Polar Biology*, 38(5), pp. 619–630.
- Gordon, D. P. *et al.* (2010) Marine biodiversity of Aotearoa New Zealand, *PLoS One*, 5(8), pp. 17.
- Gordon, D. P. and Ballantine, B. (2013) Contribution of the Leigh Marine Laboratory to knowledge of marine species diversity, *New Zealand Journal of Marine and Freshwater Research*, 47(3), pp. 277–293.
- Grassle, F. J. (2013) Marine Ecosystems, *Encyclopedia of Biodiversity*, Second Edition, 5, pp. 45–55.
- Gregory, M. R. (2009) Environmental implications of plastic debris in marine settings- entanglement, ingestion, smothering, hangers-on, hitch-hiking and alien invasions, *Philosophical Transactions of the Royal Society B: Biological Sciences*, 364(1526), pp. 2013–2025.
- Greiner, J. T. *et al.* (2013) Seagrass restoration enhances "Blue Carbon" sequestration in coastal waters, *PLoS One*, 8(8), pp. 1–8.
- Grewe, P. M. *et al.* (1997) Genetic population structure of southern bluefin tuna (*Thunnus maccoyii*), *Marine Biology*, 127(4), pp. 555–561.
- Griggs, L. H. *et al.* (2018) Fish bycatch in New Zealand tuna longline fisheries, 2010-11 and 2014-15, New Zealand Fisheries Assessment Report 2018/29. Available at: <https://docs.niwa.co.nz/library/public/FAR2018-29.pdf>
- Grip, K. and Blomqvist, S. (2020) Marine nature conservation and conflicts with fisheries, *Ambio*, 49(7), pp. 1328–1340.
- Grorud-Colvert, K. *et al.* (2019) High-profile international commitments for ocean protection: Empty promises or meaningful progress?, *Marine Policy*, 105, pp. 52–66.
- Guerra, A. S. *et al.* (2020) Fisheries-induced selection against schooling behaviour in marine fishes: FIE and schooling behaviour, *Proceedings of the Royal Society B: Biological Sciences*, 287(1935).
- Gullestad, P. *et al.* (2017) Towards ecosystem-based fisheries management in Norway – Practical tools for keeping track of relevant issues and prioritising management efforts, *Marine Policy*, 77, pp. 104–110.
- Gunnlaugsson, S. B. *et al.* (2018) Fishing for a fee: Resource rent taxation in Iceland's fisheries, *Ocean and Coastal Management*, 163, pp. 141–150.

- Gwinn, D. *et al.* (2015) Rethinking length-based fisheries regulations: The value of protecting old and large fish with harvest slots, *Fish and Fisheries*, 16, pp. 259–281.
- Hadjimichael, M. and Hegland, T. J. (2016) Really sustainable? Inherent risks of eco-labeling in fisheries, *Fisheries Research*, 174, pp. 129–135.
- Haggitt, T. and Wade, O. (2016) Hawke’s Bay marine information: Review and research strategy. A report prepared for HBRC.
Available at: <https://www.hbrc.govt.nz/assets/Document-Library/Publications-Database/4806-RM16-21-Hawkes-Bay-Marine-Information-Review-and-Research-Strategy-Final-eCoast-Ltd.pdf>
- Hamilton, S. and Baker, G. B. (2015) Review of research and assessments on the efficacy of sea lion exclusion devices in reducing the incidental mortality of New Zealand sea lions (*Phocarctos hookeri*) in the Auckland Islands squid trawl fishery: Reply to Robertson (2015), *Fisheries Research*, pp. 130–132.
- Hancock, F. (2020) New species accidentally discovered on film, Newsroom.
Available at: <https://www.newsroom.co.nz/2020/03/16/1079198/new-species-accidentally-discovered-on-film>
- Handley, S. J. *et al.* (2020) Historic and contemporary anthropogenic effects on granulometry and species composition detected from sediment cores and death assemblages, Nelson Bays, Aotearoa-New Zealand, *Continental Shelf Research*, 202, p. 104147.
- Hansen, B. K. *et al.* (2018) The sceptical optimist: Challenges and perspectives for the application of environmental DNA in marine fisheries, *Fish and Fisheries*, 19(5), pp. 751–768.
- Hansen, C. *et al.* (2016) Set-up of the Nordic and Barents Seas (NoBa) Atlantis model.
Available at: https://www.hi.no/resources/publikasjoner/fisken-og-havet/2016/fh-2-2016_noba_atlantis_model_til_web.pdf
- Hansen, C. *et al.* (2019) Sensitivity of the Norwegian and Barents Sea Atlantis end-to-end ecosystem model to parameter perturbations of key species, *PLoS One*, 14(2), pp. 1–24.
- Hao, K. (2018) What is machine learning?, MIT Technology Review.
Available at: <https://www.technologyreview.com/2018/11/17/103781/what-is-machine-learning-we-drew-you-another-flowchart/>
- Hardesty, L. (2017) Explained: Neural networks, MIT News.
Available at: <http://news.mit.edu/2017/explained-neural-networks-deep-learning-0414>
- Hardt, M. J. *et al.* (2017) Current barriers to large-scale interoperability of traceability technology in the seafood sector, *Journal of Food Science*, 82, pp. A3–A12.
- Hare, K. M. *et al.* (2019) Intractable: Species in New Zealand that continue to decline despite conservation efforts, *Journal of the Royal Society of New Zealand*, 49(3), pp. 301–319.
- Hare, S. R. *et al.* (2015) Verifying FAD-association in purse seine catches on the basis of catch sampling, *Fisheries Research*, 172, pp. 361–372.
- Harley, S. J. *et al.* (2001) Is catch-per-unit-effort proportional to abundance?, *Canadian Journal of Fisheries and Aquatic Sciences*, 58(9), pp. 1760–1772.
- Harrison, H. B. *et al.* (2012) Larval export from marine reserves and the recruitment benefit for fish and fisheries, *Current Biology*, 22(11), pp. 1023–1028.
- Harte, M. (2007) Funding commercial fisheries management: Lessons from New Zealand, *Marine Policy*, 31(4), pp. 379–389.
- Hauge, K. *et al.* (2007) Fisheries Depletion and Collapse, *International Risk Governance Council Chemin de Balaxert*, 9(1219), 21, pp. 1–21.

Hauraki Gulf Forum (2020) State of our Gulf 2020. Hauraki Gulf/Tikapa Moana/Te Moananui-ā-Toi State of the Environment Report 2020.

Available at: <https://www.aucklandcouncil.govt.nz/about-auckland-council/how-auckland-council-works/harbour-forums/docsstateofgulf/state-gulf-full-report.pdf>

Hauser, L. *et al.* (2002) Loss of microsatellite diversity and low effective population size in an overexploited population of New Zealand snapper (*Pagrus auratus*), *Proceedings of the National Academy of Sciences of the United States of America*, 99(18), pp. 11742–11747.

Hawke's Bay Marine and Coastal Group (2018) Hawke's Bay Marine & Coastal Group Research Roadmap. Available at: <https://www.hbrc.govt.nz/assets/Document-Library/Reports/HBMAC-Roadmapv17digital.pdf>

Hazen, E. L. *et al.* (2018) A dynamic ocean management tool to reduce bycatch and support sustainable fisheries, *Science Advances*, 4(5), pp. 1–8.

Healy, S. M. (2006) The nature of the relationship of the Crown in New Zealand with Iwi Māori. A thesis submitted for the degree of Doctor of Philosophy in Māori Studies, The University of Auckland, Auckland, New Zealand.

Heino, M. *et al.* (2015) Fisheries-induced evolution, *Annual Review of Ecology, Evolution, and Systematics*, 46, pp. 461–480.

van Helmond, A. T. M. *et al.* (2020) Electronic monitoring in fisheries: Lessons from global experiences and future opportunities, *Fish and Fisheries*, 21(1), pp. 162–189.

Helson, J. *et al.* (2010) Private rights, public benefits: Industry-driven seabed protection, *Marine Policy*, 34(3), pp. 557–566.

Hemmings, C. C. (1973) Direct observation of the behaviour of fish in relation to fishing gear, *Helgoländer Wissenschaftliche Meeresuntersuchungen*, 24(1–4), pp. 348–360.

Herrmann *et al.* (2007) Understanding the size selectivity of redfish (*Sebastes spp.*) in North Atlantic trawl codends, *Journal of Northwest Atlantic Fishery Science* 44, p. 1-13.

Le Heron, E. *et al.* (2019) Diversity, contestation, participation in Aotearoa New Zealand's multi-use/user marine spaces, *Marine Policy*, 106, p. 103536.

Hersoug, B. (2018) After all these years – New Zealand's quota management system at the crossroads, *Marine Policy*, 92, pp. 101–110.

Hewitt, J. E. (2014) Development of a national marine environment monitoring programme (MEMP) for New Zealand, New Zealand Aquatic Environment and Biodiversity Report No.141, (141), p. 126.

Available at: <https://mpi.govt.nz/document-vault/5071%5Cnhttp://files/72/Hewitt - 2014 - Development of a national marine environment monit.pdf>

Hiddink, J. G. *et al.* (2020) Selection of indicators for assessing and managing the impacts of bottom trawling on seabed habitats, *Journal of Applied Ecology*, 57(7), pp. 1–11.

Hilborn, R. (2011) Future directions in ecosystem-based fisheries management: A personal perspective, *Fisheries Research*, 108(2–3), pp. 235–239.

Hilborn, R. (2012) *Overfishing: What everyone needs to know*, Oxford University Press.

Hilborn, R. *et al.* (2019) Effective fisheries management instrumental in improving fish stock status, *Proceedings of the National Academy of Sciences of the United States of America*, 117(4), pp. 2218–2224.

Hilborn, R. (2020) Rethinking no-take marine reserves in New Zealand. Opinion piece provided by Seafood NZ.

Hilborn, R. *et al.* (2009) Can the data from at-sea observer surveys be used to make general inferences about catch composition and discards?, *Canadian Journal of Fisheries and Aquatic Sciences*, 66(12), pp. 2025–2039.

- Hillary, R. M. *et al.* (2018) Genetic relatedness reveals total population size of white sharks in eastern Australia and New Zealand, *Scientific Reports*, 8(1), pp. 1–9.
- Hills, J. (2015) Paua Fishery Research Programme (*Haliotis iris*) 2016–2021 pp. 96, Unpublished, Fisheries New Zealand.
- Hiscock, K. and Tyler-Walters, H. (2006) Assessing the sensitivity of seabed species and biotopes — the Marine Life Information Network (MarLIN), *Marine Biodiversity*, pp. 309–320.
- Hodgson, E. E. *et al.* (2019) Moving beyond silos in cumulative effects assessment, *Frontiers in Ecology and Evolution*, 7, pp. 1–8.
- den Hollander, N. and Thorsteinsson, T. (2020) Driving innovation in the Icelandic seafood industry: A case study of the Iceland Ocean Cluster, KTH Royal Institute of Technology, Stockholm, Sweden.
- Hon Stuart Nash (2018) Environmental Defence Society (EDS) Conference.
Available at: <https://www.beehive.govt.nz/speech/environmental-defence-society-eds-conference>
- Hosch, G. (2019) The 2018 Atlantic Bluefin Tuna Trade Scandal: The catch & trade control framework of ICCAT and how to fix it, Europe, pp. 65.
- Hosch, G. and Blaha, F. (2017) Seafood traceability for fisheries compliance: Country-level support for catch documentation schemes, FAO Fisheries and Aquaculture Technical Paper 619.
Available at: <http://www.fao.org/3/a-i8183e.pdf>
- Hosie, G. W. *et al.* (2003) Development of the Southern Ocean continuous plankton recorder survey, *Progress in Oceanography*, 57(2–4), pp. 263–283.
- Howell, D. *et al.* (2016) Balanced harvesting in a variable and uncertain world: A case study from the Barents Sea, *ICES Journal of Marine Science*, 73(6), pp. 1623–1631.
- Hoyle, S. D. *et al.* (2017) Development of Southern Hemisphere porbeagle shark stock abundance indicators using Japanese commercial and survey data, New Zealand Fisheries Assessment Report 2017/07.
Available at: <https://www.wcpfc.int/node/29539>
- Hughes, K. M. *et al.* (2014) Investigating the effects of mobile bottom fishing on benthic biota: A systematic review protocol, *Environmental Evidence*, 3(23), pp. 9.
- Hughes, T. P. *et al.* (2005) New paradigms for supporting the resilience of marine ecosystems, *Trends in Ecology and Evolution*, 20(7), pp. 380–386.
- Hughey, K. P. D. (1997) Fisheries management in New Zealand: Privatising the policy net to sustain the catch?, *Environmental Politics*, 6(4), pp. 140–149.
- Hurst *et al.* (2000) Areas of importance for spawning, pupping or egg-laying, and juveniles of New Zealand coastal fish. Final research report for Ministry of Fisheries Research Project ENV1999/03 objective 1.
Available at:
<https://fs.fish.govt.nz/Doc/22534/ENV199903%20Coastal%20Fish%20NZ%20Objective%201%20Final.pdf.ashx>
- Hussey, N. E. *et al.* (2015) Aquatic animal telemetry: A panoramic window into the underwater world, *Science*, 348(6240), p. 1255642.
- Hutchings, J. *et al.* (2017) Enhancing Māori agribusiness through kaitiakitanga tools, for the Our Land and Water, National Science Challenge.
Available at: <https://ourlandandwater.nz/wp-content/uploads/2019/04/VM-Think-Piece-Enhancing-Maori-Agribusiness-July-2017.pdf>

- Inns, J. (2013) Māori in the seafood sector (fisheries and aquaculture) – the year in review, *Māori Law Review*. Available at: <https://maorilawreview.co.nz/2013/06/maori-in-the-seafood-sector-fisheries-and-aquaculture-the-year-in-review/>
- IOC (2019) The global ocean observing system 2030 strategy, IOC Brochure, 2019. Available at: https://www.goosocean.org/index.php?option=com_content&view=article&id=168:goos-2030-strategy&catid=22&Itemid=207
- IPCC (2019) Special report on the ocean and cryosphere in a changing climate. Intergovernmental Panel on Climate Change. Available at: <https://www.ipcc.ch/srocc/>
- Isbell, F. *et al.* (2015) Biodiversity increases the resistance of ecosystem productivity to climate extremes, *Nature*, 526(7574), pp. 574–577.
- Jack, L. and Wing, S. R. (2013) A safety network against regional population collapse: Mature subpopulations in refuges distributed across the landscape, *Ecosphere*, 4(5), pp. 1–16.
- Jackson, A. (2020) Hui-te-ana-nui: Understanding kaitiakitanga in our marine environment, National Science Challenge: Sustainable Seas. Available at: <https://www.sustainableseaschallenge.co.nz/our-research/hui-te-ana-nui-understanding-kaitiakitanga-in-our-marine-environment/>
- Jackson, J. B. C. *et al.* (2001) Historical overfishing and the recent collapse of coastal ecosystems, *Science*, 293(5530), pp. 629–637.
- Jackson, S. E. and Lundquist, C. J. (2016) Limitations of biophysical habitats as biodiversity surrogates in the Hauraki Gulf Marine Park, *Pacific Conservation Biology*, 22(2), pp. 159–172.
- Jacobsen, N. S. *et al.* (2016) Comparing model predictions for ecosystem-based management, *Canadian Journal of Fisheries and Aquatic Sciences*, 73(4), pp. 666–676.
- Jacquet, J. *et al.* (2010) Seafood stewardship in crisis, *Nature*, 467(7311), pp. 28–29.
- Jaffry, S. *et al.* (2016) Are expectations being met? Consumer preferences and rewards for sustainably certified fisheries, *Marine Policy*, 73, pp. 77–91.
- Jaiteh, V. F. *et al.* (2014) Combining in-trawl video with observer coverage improves understanding of protected and vulnerable species by-catch in trawl fisheries, *Marine and Freshwater Research*, 65(9), pp. 830–837.
- Jarman, S. N. *et al.* (2018) The value of environmental DNA biobanking for long-term biomonitoring, *Nature Ecology and Evolution*, 2(8), pp. 1192–1193.
- Jarvis, R. M. and Young, T. (2019) Key research priorities for the future of marine science in New Zealand, *Marine Policy*, 106, p.103539.
- Jerde, C. L. (2019) Can we manage fisheries with the inherent uncertainty from eDNA?, *Journal of Fish Biology*, 1, pp. 1–13.
- Johnson, D. and Haworth, J. (2004) *Hooked: The story of the New Zealand fishing industry*, Christchurch, New Zealand: Hazard Press for the Fishing Industry Association.
- Johnson, N. S. *et al.* (2013) A synthesized mating pheromone component increases adult sea lamprey (*Petromyzon marinus*) trap capture in management scenarios, *Canadian Journal of Fisheries and Aquatic Sciences*, 70(7), pp. 1101–1108.
- Jones, E. G. (2015) Voyage Report (NAN1402): Trials of semi-pelagic trawl doors. Unpublished Report held in NIWA library.

- Juanes, F. (2018) Visual and acoustic sensors for early detection of biological invasions: Current uses and future potential, *Journal for Nature Conservation*, 42, pp. 7-11.
- Kahui, V. and Armstrong, C. (2012) Search and destroy: A bioeconomic analysis of orange roughy fisheries on seamounts in New Zealand, University of Otago Economics Discussion Papers, 1201.
Available at: <http://otago.ourarchive.ac.nz/handle/10523/2337>
- Kahui, V. and Richards, A. C. (2014) Lessons from resource management by Indigenous Maori in New Zealand: Governing the ecosystems as a common, *Ecological Economics*, 102, pp. 1–7.
- Kaiser, B. A. *et al.* (2019) The importance of connected ocean monitoring knowledge systems and communities, *Frontiers in Marine Science*, 6, pp. 1–17.
- Kaiser, M. J. (2019) Recent advances in understanding the environmental footprint of trawling on the seabed, *Canadian Journal of Zoology*, 97(9).
- Kalish, J. M. (1989) Otolith microchemistry: Validation of the effects of physiology, age and environment on otolith composition, *Journal of Experimental Marine Biology and Ecology*, 132(3), pp. 151–178.
- Kane, P. L. (2015) Investigating the catchability of the New Zealand rock lobster (*Jasus edwardsii*), with aspects to fisheries ecology. A thesis submitted for the degree of Master of Science in Marine Science, The University of Auckland, Auckland, New Zealand.
- Keefer, M. L. *et al.* (2008) Evaluating the NOAA Coastal and Marine Ecological Classification Standard in estuarine systems—A Columbia River Estuary case study, *Estuarine, Coastal, and Shelf Science*, 78, p. 89–106.
- Kelly, S. *et al.* (2002) The value of a spillover fishery for spiny lobsters around a marine reserve in northern New Zealand, *Coastal Management*, 30(2), pp. 153–166.
- Kemp, P. S. *et al.* (2020) COVID-19 provides an opportunity to advance a sustainable UK fisheries policy in a post-Brexit brave new world, *Marine Policy*, 120, p. 104114.
- Kennedy, B. P. *et al.* (2002) Reconstructing the lives of fish using Sr isotopes in otoliths, *Canadian Journal of Fisheries and Aquatic Sciences*, 59(6), pp. 925–929.
- King, T. *et al.* (2015) A Different Kettle of Fish: Mental health strategies for Australian fishers, and farmers, *Marine Policy*, 60, pp. 134–140.
- Knudsen, S. W. *et al.* (2019) Species-specific detection and quantification of environmental DNA from marine fishes in the Baltic Sea, *Journal of Experimental Marine Biology and Ecology*, 510, pp. 31–45.
- Te Korowai o Te Tai ō Marokua (2012) Kaikōura Marine Strategy 2012: Sustaining our sea.
Available at: [https://www.openchannels.org/sites/default/files/literature/Kaikōura Marine Strategy 2012 Sustaining our sea_0.pdf](https://www.openchannels.org/sites/default/files/literature/Kaikōura%20Marine%20Strategy%202012%20Sustaining%20our%20sea_0.pdf)
- Krueck, N. C. *et al.* (2017) Incorporating larval dispersal into MPA design for both conservation and fisheries, *Ecological Applications*, 27(3), pp. 925–941.
- Lacoursière-Roussel, A. *et al.* (2016) Quantifying relative fish abundance with eDNA a promising tool for fisheries management, *Journal of Applied Ecology*, 53, pp. 1148–1157.
- Ladroit, Y. *et al.* (2020) ESP3: An open-source software for the quantitative processing of hydro-acoustic data, *SoftwareX*, 12, p. 100581.
- Lake, R. *et al.* (2017) Adapting to climate change: Information for New Zealand food safety systems, pp. 1–135. A project for the Ministry for Primary Industries sustainable land management and climate change fund.
Available at: <https://www.mpi.govt.nz/dmsdocument/28164/direct>
- Lambert, G. I. *et al.* (2014) Quantifying recovery rates and resilience of seabed habitats impacted by bottom fishing, *Journal of Applied Ecology*, 51(5), pp. 1326–1336.

- Land Information New Zealand (2014) Annual report 2013-2014.
Available at: <https://www.linz.govt.nz/news/2014-10/linz-releases-20132014-annual-report>
- Lane, H. S. *et al.* (2016) *Bonamia ostreae* in the New Zealand oyster (*Ostrea chilensis*): A new host and geographic record for this *haplosporidian* parasite, *Diseases of Aquatic Organisms*, 118(1), pp. 55–63.
- Langley, A. D. (2017) Catch-Per-Unit-Effort indices for snapper in SNA 8, New Zealand Fisheries Assessment Report 2017/45.
Available at: <https://fs.fish.govt.nz/Doc/24487/FAR-2017-45-SNA8-CPUE.pdf.ashx>
- Large, K. *et al.* (2019) Spatial assessment of fisheries risk for New Zealand sea lions at the Auckland Islands, New Zealand Aquatic Environment and Biodiversity Report No. 224, p. 85.
Available at: <https://www.mpi.govt.nz/dmsdocument/36375/direct>
- LaScala-Gruenewald, D. E. *et al.* (In Press) Small marine reserves do not provide a safeguard against overfishing, *Conservation Science and Practice*.
- Law, C. S. *et al.* (2018) Ocean acidification in New Zealand waters: Trends and impacts, *New Zealand Journal of Marine and Freshwater Research*, 52(2), pp. 155–195.
- Law, R. *et al.* (2009) Size-spectra dynamics from stochastic predation and growth of individuals, *Ecology*, 90(3), pp. 802–811.
- Lawley, M. *et al.* (2019) The role of seafood sustainability knowledge in seafood purchase decisions, *British Food Journal*, 121(10), pp. 2337–2350.
- Leathwick, J. *et al.* (2006) Development of a marine environmental classification optimised for demersal fish, Department of Conservation, NIWA Client Report.
Available at: <https://www.doc.govt.nz/about-us/science-publications/conservation-publications/marine-and-coastal/reserves-species-monitoring/development-of-a-marine-environmental-classification-optimised-for-demersal-fish/>
- Leathwick, J. R. *et al.* (2012) A Benthic-optimised Marine Environment Classification (BOMECE) for New Zealand waters, New Zealand Aquatic Environment and Biodiversity Report No. 88 2012p. 54.
Available at: <http://deepwater.hosting.outside.net/wp-content/uploads/2013/08/Leathwick-et-al-2012-BOMECE-AEBR-88.pdf>
- Lecun, Y., Bengio, Y. and Hinton, G. (2015) Deep learning, *Nature*, pp. 436–444.
- Lee, W. C. and Viswanathan, K. K. (2019) Trade and sustainability of ASEAN fisheries resources, *Journal of Economics and Sustainability*, 1(1), pp. 33–45.
- LegaSea and New Zealand Sport Fishing (2020) Rescue Fish - Ika Rauora, A pathway to fish abundance and marine ecosystem recovery.
Available at: <https://rescuefish.co.nz/wp-content/uploads/2020/05/Rescue-Fish-Policy-Summary-May-2020.pdf>
- Lehtomäki, J. and Moilanen, A. (2013) Methods and workflow for spatial conservation prioritization using Zonation, *Environmental Modelling and Software*, 47, pp. 128–137.
- Letessier, T. B. *et al.* (2017) Sampling mobile oceanic fishes and sharks: Implications for fisheries and conservation planning, *Biological Reviews*, 92(2), pp. 627–646.
- Lewis, N. (2020) Building a blue economy.
Available at: <https://www.sustainableseaschallenge.co.nz/tools-and-resources/building-a-blue-economy/>
- Lewis, S. G. and Boyle, M. (2017) The expanding role of traceability in seafood: Tools and key initiatives, *Journal of Food Science*, 82, pp. A13–A21.

- Li, W. C. *et al.* (2016) Plastic waste in the marine environment: A review of sources, occurrence and effects, *Science of the Total Environment*, 566–567, pp. 333–349.
- Lidström, S. and Johnson, A. F. (2020) Ecosystem-based fisheries management: A perspective on the critique and development of the concept, *Fish and Fisheries*, 21(1), pp. 216–222.
- Liggins, L. *et al.* (2020) Natural history footage provides new reef fish biodiversity information for a pristine but rarely visited archipelago, *Scientific Reports*, 10(1), p. 3159.
- Lim, Y. S. *et al.* (2019) Marine collagen as a promising biomaterial for biomedical applications, *Marine Drugs*, 17(8).
- Lock, K. and Leslie, S. (2007) New Zealand's Quota Management System: A history of the first 20 years, Motu Working Paper 07-02.
Available at: <http://dx.doi.org/10.2139/ssrn.978115>
- Lombard, F. *et al.* (2019) Globally consistent quantitative observations of planktonic ecosystems, *Frontiers in Marine Science*, 6, pp. 1-1.
- Lowe, P. K. *et al.* (2011) Empirical models of transitions between coral reef states: Effects of regions, marine protected areas, and environmental change scenarios, Support information S1: Effects of changing state definitions, *PLoS One*, 6(11), p. e26339.
- Luck, C. *et al.* (2020) Drivers of spatiotemporal variability in bycatch of a top marine predator: First evidence for the role of water turbidity in protected species bycatch, *Journal of Applied Ecology*, pp. 219–228.
- Luczkovich, J. J. *et al.* (2008) Passive acoustics as a tool in fisheries science, *Transactions of the American Fisheries Society*, 137(2), pp. 533–541.
- Lundquist, C. J. *et al.* (2011) Predicted impacts of climate change on New Zealand's biodiversity, *Pacific Conservation Biology*, 17(3), pp. 179–191.
- Lundquist, C. J. *et al.* (2015) Development of a Tier 1 National reporting statistic for New Zealand's marine biodiversity, New Zealand Aquatic Environment and Biodiversity Report No.147. Available at: https://fs.fish.govt.nz/Doc/23771/AEBR_147_2801_ZBD201201%20%20Objective%203,%20milestone%20number%204.pdf.ashx
- Lundquist, C. J. *et al.* (2016) Science and societal partnerships to address cumulative impacts, *Frontiers in Marine Science*, 3, pp. 1–12.
- M.E. Consulting (2019) Drones: Benefits study, High level findings.
Available at: <https://www.transport.govt.nz/assets/Import/Uploads/Air/Documents/03ee506069/04062019-Drone-Benefit-Study.pdf>
- MacDiarmid, A. *et al.* (2012) Assessment of anthropogenic threats to New Zealand marine habitats, New Zealand Aquatic Environment and Biodiversity Report No. 93.
Available at: <https://fs.fish.govt.nz/Page.aspx?pk=113&dk=22981>
- MacDiarmid, A. B. *et al.* (2013a) New Zealand marine ecosystem services, *Ecosystem services in New Zealand- Conditions and trends*, p. 539.
- MacDiarmid, A. B. *et al.* (2013b) Sensitive marine benthic habitats defined, Prepared for Ministry for the Environment, NIWA Client Report, p. 72.
Available at: <https://www.mfe.govt.nz/sites/default/files/sensitive-marine-benthic-habitats-defined.pdf>
- MacDiarmid, A. B. *et al.* (2013c) Rock lobster biology and ecology: Contributions to understanding through the Leigh Marine Laboratory 1962-2012, *New Zealand Journal of Marine and Freshwater Research*, 47(3), pp. 313–333.

- Mace, P. *et al.* (2020) Report of the workshop on the utility of genetic analyses for addressing New Zealand fisheries questions, *New Zealand Fisheries Science Review* 2020/01.
Available at: <https://www.mpi.govt.nz/dmsdocument/39668/direct>
- Mace, P. M. *et al.* (1990) Growth and productivity of orange roughy (*hoplostethus atlanticus*) on the north Chatham Rise, *New Zealand Journal of Marine and Freshwater Research*, 24(1), pp. 105–119.
- Mace, P. M. *et al.* (2014) The evolution of New Zealand’s fisheries science and management systems under ITQs, *ICES Journal of Marine Science*, 71(2), pp. 204–215.
- Macfadyen, G. *et al.* (2009) Abandoned, lost or otherwise discarded fishing gear, *FAO Fisheries and Aquaculture Technical Paper* 523, p. 115.
Available at: <http://www.unep.org/regionalseas/marinelitter/publications/default.asp>
- Macfarlane, A. and Macfarlane, S. (2019) Listen to culture: Māori scholars’ plea to researchers, *Journal of the Royal Society of New Zealand*, pp. 48–57.
- MacGibbon, D. J. (2016) The fishery for black cardinalfish: Characterisation and CPUE, *New Zealand Fisheries Assessment Report* 2016/66.
Available at: <https://www.mpi.govt.nz/dmsdocument/15778/direct>
- MacNeil, M. A. *et al.* (2020) Global status and conservation potential of reef sharks, *Nature*, pp. 801-806.
- Macpherson, E. *et al.* (2020) “Hooks” and “Anchors” for relational Ecosystem-Based Marine Management, Unpublished.
- Major, R. and Jeffs, A. (2017) Orientation and food search behaviour of a deep sea lobster in turbulent versus laminar odour plumes, *Helgoland Marine Research*, 71(9), pp. 14.
- Major, R. N. *et al.* (2017) Factors affecting bycatch in a developing New Zealand scampi potting fishery, *Fisheries Research*, 186, pp. 55–64.
- Major, R. N. and Jeffs, A. G. (2018) Laboratory comparison of potential natural baits for potting New Zealand scampi (*Metanephrops challenger*), *Bulletin of Marine Science*, 94(3), pp. 635–655.
- Major, R. N. *et al.* (2017) Laboratory investigations of the foraging behaviour of New Zealand scampi, *Journal of Experimental Marine Biology and Ecology*, 497, pp. 99–106.
- Malde, K. *et al.* (2019) Machine intelligence and the data-driven future of marine science, *ICES Journal of Marine Science*, 77(4), pp. 1274–1285.
- Mangi, S. C. *et al.* (2015) Approaches to fully documented fisheries: Practical issues and stakeholder perceptions, *Fish and Fisheries*, 16(3), pp. 426–452.
- Marine and Coastal Spatial Data Subcommittee and Federal Geographic Data Committee (2012) Coastal and Marine Ecological Classification Standard.
Available at: <https://iocm.noaa.gov/standards/cmecs-home.html>
- Marine Planning Partnership Initiative (2015) Haida Gwaii Marine Plan.
Available at: <http://mappocean.org/wp-content/uploads/2015/09/HGMP-WEB-2015-07-08.pdf>
- Maritime NZ and WorkSafe NZ (2017) Health and safety attitudes and behaviour: 2017 survey. Commercial Fishing Report, Nielsen.
Available at: <https://www.worksafe.govt.nz/research/attitudes-and-behaviours-survey-2017/>
- Markic, A. *et al.* (2018) Double trouble in the South Pacific subtropical gyre: Increased plastic ingestion by fish in the oceanic accumulation zone, *Marine Pollution Bulletin*, 136, pp. 547–564.
- Martinson, J. T. *et al.* (2018) DNA-analysis to monitor fisheries and aquaculture: Too costly?, *Fish and Fisheries*, pp. 391–401.

- Matthews, B. (2018) *Ko Au Te Moana, Ko Te Moana Ko Au: Te Rangatiratanga Me Te Kaitiakitanga o Roto i Te Rāngai Kaimoana Māori; I Am The Ocean, The Ocean Is Me: Rangatiratanga and Kaitiakitanga in the Māori seafood sector*, pp. 101. A thesis submitted for the degree of Master of International Relations and Diplomacy, University of Canterbury, Christchurch, New Zealand.
- Maunder, M. N. and Piner, K. R. (2015) Contemporary fisheries stock assessment: Many issues still remain, *ICES Journal of Marine Science*, 71(1), pp. 7-18.
- Maxwell, K. H. *et al.* (2020) Navigating towards marine co-management with Indigenous communities on-board the Waka-Taurua, *Marine Policy*, 111, p. 103722.
- McCauley, D. J. *et al.* (2015) Marine defaunation: Animal loss in the global ocean, *Science*, 347(6219), pp. 247-255.
- McCauley, D. J. *et al.* (2016) Ending hide and seek at sea, *Science*, 351(6278), pp. 114 – 1150.
- McClintock, W. *et al.* (2000) Retreat from the frontier: Fishing communities in New Zealand, in 8th International Symposium on Society and Resource Management. Bellingham, Washington, USA.
Available at: http://www.tba.co.nz/pdf_papers/2000_frontier.pdf
- McClurg, T. (2002) Foundations for effective marine ecosystem management, International Institute of Fisheries Economics and Trade (IIFET) Conference, Wellington, New Zealand, pp. 1–14.
- McConnaughey, R. A. *et al.* (2020) Choosing best practices for managing impacts of trawl fishing on seabed habitats and biota, *Fish and Fisheries*, (21), pp. 319–337.
- McCormack, F. (2017) Sustainability in New Zealand’s quota management system: A convenient story, *Marine Policy*, 80, pp. 35–46.
- McCowan, T. (2019) Ecosystem approaches to management of pāua fisheries: Review and considerations, Pāua Industry Council Limited, pp. 19.
- McElderry, H. *et al.* (2007) Pilot study to test the effectiveness of electronic monitoring in Canterbury fisheries, Wellington, New Zealand.
Available at: <https://www.doc.govt.nz/documents/science-and-technical/drds264.pdf>
- McElderry, H. *et al.* (2011) Electronic monitoring in the New Zealand inshore trawl fishery: A pilot study.
Available at: <https://www.doc.govt.nz/our-work/conservation-services-programme/otherpublications/electronic-monitoring-in-the-new-zealand-inshore-trawl-fishery-a-pilot-study/>
- McElderry, H. *et al.* (2008) Electronic monitoring to assess protected species interactions in New Zealand longline fisheries: A pilot study.
Available at: https://fs.fish.govt.nz/Doc/21590/AEBR_24.pdf.ashx
- McGinnis, M. (2012) Ocean Governance: The New Zealand Dimension, A full report: Emerging Issues Programme, Victoria University of Wellington, p. 60.
Available at:
<http://igps.victoria.ac.nz/publications/files/e2e7421271e.pdf%5Cnhttp://igps.victoria.ac.nz/publications/files/5e714aef42e.pdf>
- McGregor, V. L. *et al.* (2019a) From data compilation to model validation: A comprehensive analysis of a full deep-sea ecosystem model of the Chatham Rise, *PeerJ*, 2019(2), pp. 1–42.
- McGregor, V. L. *et al.* (2019b) Spawning stock recruitment creates misleading dynamics under predation release in ecosystem and multi-species models, *PeerJ*, 2019(7).
- McGregor, V. L. (2020) Extending process and understanding for the development of complex ecosystem models, with application to the Chatham Rise Atlantis model. A thesis submitted for the degree of Doctor of Philosophy at Victoria University, Wellington, New Zealand.

- McGregor, V. L. *et al.* (2020) Addressing initialisation uncertainty for end-to-end ecosystem models: Application to the Chatham Rise Atlantis model, *PeerJ*, 2020(6).
- McGuinness, W. and Hett, S. (2015) Proposal for the creation of an oceans institution, Think piece 22. Available at: <https://www.mcguinnessinstitute.org/oneoceannz/think-piece-22-proposal-for-the-creation-of-an-oceans-institution-is-now-published/>
- McKenzie, A. (2018) Assessment of hoki (*Macruronus novaezelandiae*) in 2017, New Zealand Fisheries Assessment Report 2018/40. Available at: <https://fs.fish.govt.nz/Doc/24638/FAR-2018-40-Hoki-Stock-Assessment-2017.pdf.ashx>
- McKenzie, A. (In Press) Seabird captures for FMA1 bottom longline fishery in 2017/18 fishing year: Comparison of electronic monitoring, observer, and audit data.
- McKenzie, J. R. *et al.* (2015) Evaluation of tagging programme designs for SNA 1 and SNA 8, New Zealand Fisheries Assessment Report 2015/35. Available at: <https://docs.niwa.co.nz/library/public/FAR2015-35.pdf>
- McKerchar, C. *et al.* (2015) Enhancing Māori food security using traditional kai, *Global Health Promotion*, 22(3), pp. 15–24.
- McKoy, J. (2006) Fisheries resource knowledge, management, and opportunities: Has the Emperor got no clothes?, New Zealand's ocean and its future: Knowledge, opportunities and management, pp. 35–44. Available at: <https://docs.niwa.co.nz/library/public/1877264229C.pdf>
- McMahon, K. W. *et al.* (2011) A new method to reconstruct fish diet and movement patterns from $\delta^{13}\text{C}$ values in otolith amino acids, *Canadian Journal of Fisheries and Aquatic Sciences*, 68(8), pp. 1330–1340.
- Merrifield, M. *et al.* (2019) eCatch: Enabling collaborative fisheries management with technology, *Ecological Informatics*, 52, pp. 82–93.
- Meyer, S. *et al.* (2017) Marine mammal population decline linked to obscured by-catch, *Proceedings of the National Academy of Sciences of the United States of America*, 114(44), pp. 11781–11786.
- Michelin, M. *et al.* (2018) Catalyzing the growth of electronic monitoring in fisheries. Available at: https://www.nature.org/content/dam/tnc/nature/en/documents/Catalyzing_Growth_of_Electronic_Monitoring_in_Fisheries_9-10-2018.pdf
- Ministry for Primary Industries (2011) Draft national fisheries plan for inshore finfish, p. 47. Available at: <https://www.mpi.govt.nz/dmsdocument/20816-Draft-National-Fisheries-Plan-for-Inshore-Finfish>
- Ministry for Primary Industries (2013a) National plan of action - 2013 to reduce the incidental catch of seabirds in New Zealand Fisheries, p. 59. Available at: https://www.inshore.co.nz/fileadmin/Documents/Other/5770922-2013-National-Plan-of-Action-Seabirds-including-cover__1_.pdf
- Ministry for Primary Industries (2013b) National plan of action for the conservation and management of sharks, p. 32. Available at: <https://www.mpi.govt.nz/dmsdocument/1138/direct>
- Ministry for Primary Industries (2013c) Use of underwater breathing apparatus (UBA) in selected shellfish fisheries MPI regulatory impact statement, p. 6. Available at: <https://www.mpi.govt.nz/dmsdocument/3933/direct>
- Ministry for Primary Industries (2014) Initial position paper on sustainability measures within PPI1A at Mair Bank and Marsden Bank (Whangarei). Available at: <https://www.mpi.govt.nz/dmsdocument/3537/direct>

Ministry for Primary Industries (2017a) Fisheries (Innovative Trawl Technologies) Notice 2017, p. 13.
Available at: <https://www.mpi.govt.nz/dmsdocument/21910/direct>

Ministry for Primary Industries (2017b) Temporary closure of the Southern Scallop (SCA7) Fishery.
Available at: <https://www.mpi.govt.nz/dmsdocument/18707/direct>

Ministry for Primary Industries (2018) Acoustic survey of spawning hoki in Cook Strait, New Zealand Fisheries Assessment Report 2018/12, p. 39.
Available at: <https://fs.fish.govt.nz/Doc/24596/FAR-2018-12-Acoustic-biomass-estimates-Cook-Strait-HOK-2017.pdf.ashx>

Ministry for Primary Industries (2019a) New Zealand seafood consumer preferences: A snapshot, p. 28.
Available at: <https://www.mpi.govt.nz/dmsdocument/38750/direct>

Ministry for Primary Industries (2019b) Quarterly progress summary: January – March 2019 Precision Seafood Harvesting.
Available at: <https://www.mpi.govt.nz/funding-rural-support/primary-growth-partnerships-pgps/current-pgp-programmes/precision-seafood-harvesting/>

Ministry for Primary Industries (2020a) Aquatic environment and biodiversity annual review 2019-20, p. 724.
Available at: <https://www.mpi.govt.nz/news-and-resources/open-data-and-forecasting/fisheries/>

Ministry for Primary Industries (2020b) Fishing Rules.
Available at: <https://www.mpi.govt.nz/travel-and-recreation/fishing/fishing-rules/>

Ministry for Primary Industries (2020) Questions and answers: Further rollout of cameras on commercial fishing vessels.
Available at: <https://www.beehive.govt.nz/sites/default/files/2020-09/Fisheries-on-board-cameras%2C-QandAs.pdf>

Ministry for Primary Industries and Department of Conservation (2017) New Zealand sea lion/ rāpoka Threat Management Plan', p. 17.
Available at: <https://www.doc.govt.nz/Documents/conservation/native-animals/marine-mammals/nz-sea-lion-tmp/nz-sea-lion-threat-management-plan.pdf>

Ministry for the Environment (2020) National climate change risk assessment for New Zealand, main report/Arotakenga Tūraru mō te Huringa Āhuarangi o Āotearoa Pūrongo Whakatōpū, Wellington: Ministry for the Environment.
Available at: <https://www.mfe.govt.nz/sites/default/files/media/Climate%20Change/national-climate-change-risk-assessment-main-report.pdf>

Ministry for the Environment and Stats NZ (2020) Our Atmosphere and Climate 2020, New Zealand's Environmental Reporting Series, p. 84.
Available at: <https://www.mfe.govt.nz/publications/environmental-reporting/our-atmosphere-and-climate-2020>

Ministry for the Environment and Stats NZ (2016) Our Marine Environment 2016, International Environmental Law, p. 71.
Available at: <https://www.mfe.govt.nz/publications/marine-environmental-reporting/our-marine-environment-2016>

Ministry for the Environment and Stats NZ (2019a) New Zealand's Environmental Reporting Series: Environment Aotearoa 2019.
Available at: <https://www.mfe.govt.nz/publications/environmental-reporting/environment-aotearoa-2019>

Ministry for the Environment and Stats NZ (2019b) New Zealand's Environmental Reporting Series: Our Marine Environment 2019.

Available at: <http://www.mfe.govt.nz>

Ministry of Business Innovation and Employment (2020) Vision Mātauranga.

Available at: <https://www.mbie.govt.nz/science-and-technology/science-and-innovation/agencies-policies-and-budget-initiatives/vision-matauranga-policy/>

Ministry of Fisheries (2002) A description of the New Zealand fisheries for the two groper species, hapuku (*Polyprion oxygeneios*) and bass (*Polyprion americanus*), New Zealand Fisheries Assessment Report 2002/13.

Available at: <https://fs.fish.govt.nz/Page.aspx?pk=113&dk=17425>.

Ministry of Fisheries (2008) Harvest strategy standard for New Zealand Fisheries, p. 30.

Available at: <https://www.mpi.govt.nz/dmsdocument/728/direct>

Ministry of Fisheries (2009) Appendix 2 Foveaux Strait Dredge Oyster Information Brief, p. 29.

Available at: <https://fs.fish.govt.nz/Doc/16562/FSDO%20Information%20Brief%20Appendix%202.pdf.ashx>

Ministry of Fisheries (2010) National Fisheries Plan for Deepwater and Middle-depth Fisheries, Part 1A, p. 59.

Available at: <https://www.mpi.govt.nz/dmsdocument/18779/direct>

Moen, E. *et al.* (2018) Automatic interpretation of otoliths using deep learning, *PLoS One*, 13(12), p. e0204713.

Molnar, J. L. *et al.* (2008) Assessing the global threat of invasive species to marine biodiversity, *Frontiers in Ecology and the Environment*, 6(9), pp. 485–492.

Moltmann, T. *et al.* (2019) A Global Ocean Observing System (GOOS), delivered through enhanced collaboration across regions, communities, and new technologies, *Frontiers in Marine Science*, 6, pp. 1–21.

Montecchi, M. *et al.* (2019) It's real, trust me! Establishing supply chain provenance using blockchain, *Business Horizons*, 62(3), pp. 283–293.

Monteiro, N. M. *et al.* (2014) Validating the use of colouration patterns for individual recognition in the worm pipefish using a novel set of microsatellite markers, *Molecular Ecology Resources*, 14(1), pp. 150–156.

Moore, B. R. *et al.* (2019) Feasibility of automating otolith ageing using CT scanning and machine learning.

Available at: <https://fs.fish.govt.nz/Doc/24759/FAR-2019-58-Automating-otolith-ageing.pdf.ashx>

Moore, D. and Smith, J. (2017) Review of the Primary Growth Partnership programme: Precision Seafood Harvesting, Sapere Research Group, p. 4.

Available at: <https://www.mpi.govt.nz/dmsdocument/19808/direct>

Moreau, M. *et al.* (2019) A baseline assessment of emerging organic contaminants in New Zealand groundwater, *Science of the Total Environment*, 686, pp. 425–439.

Mormede, S. *et al.* (2017) Using spatial population models to investigate the potential effects of the Ross Sea region Marine Protected Area on the Antarctic toothfish population, *Fisheries Research*, 190 pp. 164-174.

Morrison, M. A. *et al.* (2009) A review of land-based effects on coastal fisheries and supporting biodiversity in New Zealand, New Zealand aquatic environment and biodiversity Report No. 37, p. 100.

Available at: <https://fs.fish.govt.nz/Page.aspx?pk=113&dk=22003>

Morrison, M. A. *et al.* (2014a) Linking marine fisheries species to biogenic habitats in New Zealand: A review and synthesis of knowledge, New Zealand Aquatic Environment and Biodiversity Report No. 130, p. 156.

Available at:

[https://fs.fish.govt.nz/Doc/23651/AEBR_130_2514_HAB200701%20\(obj%201,%202,%20RR3\).pdf.ashx](https://fs.fish.govt.nz/Doc/23651/AEBR_130_2514_HAB200701%20(obj%201,%202,%20RR3).pdf.ashx)

- Morrison, M. A. *et al.* (2014b) Habitats and areas of particular significance for coastal finfish fisheries management in New Zealand: A review of concepts and current knowledge, and suggestions for future research, New Zealand Aquatic Environment and Biodiversity Report No. 125.
Available at: https://docs.niwa.co.nz/library/public/AEBR_125.pdf
- Mossop, J. (2020) Marine Protected Areas and Area-Based Management in New Zealand, *Asia Pacific Journal of Ocean Law and Policy* (5), pp. 169–185.
- MRAG Asia Pacific (2017) Seafood risk assessment: New Zealand Southern Bluefin Tuna Fishery.
Available at: <http://www.openseas.org.nz/wp-content/uploads/2017/07/NZ-SRA-SBT-July-2017.pdf>
- Mul, E. *et al.* (2020) Killer whales are attracted to herring fishing vessels, *Marine Ecology Progress Series*, 652, pp. 1–13.
- Mulcahy, K. *et al.* (2012) Fiordland marine guardians, in *Safeguarding Our Oceans*, Environmental Defence Society, pp. 248-272.
Available at: <https://www.eds.org.nz/our-work/publications/out-of-stock-books/safeguarding-our-oceans/>
- Munguia-Vega, A. *et al.* (2018) Ecological guidelines for designing networks of marine reserves in the unique biophysical environment of the Gulf of California, *Reviews in Fish Biology and Fisheries*, 28(4), pp. 749–776.
- Myers, R. A. *et al.* (1997) Why do fish stocks collapse? The example of cod in Atlantic Canada, *Ecological Applications*, 7(1), pp. 91–106.
- National Oceanic and Atmospheric Administration, US Department of Commerce and National Marine Fisheries Service (2016) Second National Electronic Monitoring Workshop, Seattle, WA.
Available at: <https://www.fisheries.noaa.gov/resource/document/second-national-electronic-monitoring-workshop-report>
- National Rock Lobster Management Group (2018) Review of Rock Lobster Sustainability Measures for 1 April 2018: Final advice paper, MPI Information Paper No: 2018/02, p. 96.
Available at: <https://www.mpi.govt.nz/dmsdocument/27966/direct>
- National Rock Lobster Management Group (2019) Review of Rock Lobster Sustainability Measures for 2020/21. Discussion Document No: 2019/20.
Available at: <https://www.mpi.govt.nz/dmsdocument/38996/direct>
- Nawaz, A. *et al.* (2020) Valorization of fisheries by-products: Challenges and technical concerns to food industry, *Trends in Food Science and Technology*, 99, pp. 34–43.
- Neil, H. L. *et al.* (2018) What lies beneath? Guide to Survey Results and Graphical Portfolio Part One, pp. 11–137.
Available at: www.niwa.co.nz
- Nester, G. M. *et al.* (2020) Development and evaluation of fish eDNA metabarcoding assays facilitate the detection of cryptic seahorse taxa (*family: Syngnathidae*), *Environmental DNA*, 2(4), pp. 614–626.
- New Zealand Government (2019a) Aquaculture Strategy, p. 20.
Available at: <https://www.mpi.govt.nz/fishing-aquaculture/aquaculture/strategy/>
- New Zealand Government (2019b) Economic Plan for a productive, sustainable and inclusive economy, p. 28.
Available at: <https://www.mbie.govt.nz/business-and-employment/economic-development/economic-plan/>
- New Zealand Government (2019c) Te Koiroa O Te Koiroa: Our shared vision for living with nature, A discussion document on proposals for a biodiversity strategy for Aotearoa New Zealand, p. 68.
Available at: <https://www.doc.govt.nz/globalassets/documents/conservation/protecting-and-restoring/biodiversity-discussion-document.pdf>
- New Zealand Marine Research Foundation (2016) Recreational fishing in New Zealand: A billion-dollar industry.
Available at: <https://www.nzmrf.org.nz/files/New-Zealand-Fishing-Economic-Report.pdf>

- Newton, M. J. *et al.* (2020) Discourse, agency, and social license to operate in New Zealand, *Ecology and Society*, 25(1), p. 13.
- Nilsen, I. *et al.* (2020) Exploring balanced harvesting by using an Atlantis ecosystem model for the Nordic and Barents Sea, *Frontiers in Marine Science*, 7, p. 18.
- NIWA (2017) Protecting and restoring seagrass – what have we achieved and where to next?, Freshwater and estuaries update.
Available at: <https://niwa.co.nz/freshwater-and-estuaries/freshwater-and-estuaries-update/freshwater-update-75-november-2017/protecting-and-restoring-seagrass>
- NIWA (2018) Reducing sedimentation, Water & Atmosphere.
Available at: <https://niwa.co.nz/news/reducing-sedimentation>
- NOAA Fisheries (2017) Understanding ecosystem-based fisheries management.
Available at: [fisheries.noaa.gov/insight/understanding-ecosystem-based-fisheries-management](https://www.fisheries.noaa.gov/insight/understanding-ecosystem-based-fisheries-management)
- Norrie, C. *et al.* (2020) Spill-over from aquaculture may provide a larval subsidy for the restoration of mussel reefs, *Aquaculture Environment Interactions*, 12, pp. 231–249.
- North Pacific Fishery Management Council (2019) Bering Sea Fishery Ecosystem Plan.
Available at: [https://meetings.npfmc.org/CommentReview/DownloadFile?p=c334ad33-4139-4b5a-b205-a8b7c5028562.pdf&fileName=D6 Final BS FEP Jan 2019.pdf](https://meetings.npfmc.org/CommentReview/DownloadFile?p=c334ad33-4139-4b5a-b205-a8b7c5028562.pdf&fileName=D6%20Final%20BS%20FEP%20Jan%202019.pdf)
- Nowlin, M. B. *et al.* (2019) Applying unoccupied aircraft systems to study human behavior in marine science and conservation programs, *Frontiers in Marine Science*, 6, p. 11.
- Nyegaard, M. (2018) There be giants! The importance of taxonomic clarity of the large ocean sunfishes (genus *Mola*, Family Molidae) for assessing sunfish vulnerability to anthropogenic pressures. A thesis submitted for the degree of Doctor of Philosophy of Veterinary and Life Sciences, Murdoch University, Perth, Australia.
- O’Callaghan, J. *et al.* (2019) Developing an integrated ocean observing system for New Zealand, *Frontiers in Marine Science*, 6, pp. 1–7.
- O’Connell, T. (2020) Tied-up fishing boats signal overseas worker crisis for industry, Stuff.
Available at: <https://www.stuff.co.nz/business/industries/122818435/tiedup-fishing-boats-signal-overseas-worker-crisis-for-industry>
- O’Driscoll, R. L. *et al.* (2016) Industry acoustic surveys of spawning southern blue whiting on the Bounty Platform, New Zealand, *Fisheries Research*, 178, pp. 61–70.
- O’Leary, B. C. *et al.* (2016) Effective coverage targets for ocean protection, *Conservation Letters*, pp. 398–404.
- O’Leary, B. C. and Roberts, C. M. (2018) Ecological connectivity across ocean depths: Implications for protected area design, *Global Ecology and Conservation*, 15, p. e00431.
- Ocean Exploration Trust (2020) Nautilus Live.
Available at: <https://nautiluslive.org>
- Ogden, R. (2008) Fisheries forensics: The use of DNA tools for improving compliance, traceability and enforcement in the fishing industry, *Fish and Fisheries*, 9(4), pp. 462–472.
- Ogilvie, S. *et al.* (2016) Ka Hao Te Rangatahi: New directions for the New Zealand scampi fishery?, p. 17.
Available at: <https://www.cawthron.org.nz/research/ka-hao-te-rangatahi/>
- Ogilvie, S. *et al.* (2018) Mātauranga Māori driving innovation in the New Zealand scampi fishery, *New Zealand Journal of Marine and Freshwater Research*, 52(4), pp. 590–602.
- Ogilvie, S. *et al.* (2019) Investigating mātauranga Māori approaches to enhancing the environmental performance of commercial NZ fisheries, New Zealand Marine Sciences Society Conference.

- Ohman, M. D. *et al.* (2019) Zooglider: An autonomous vehicle for optical and acoustic sensing of zooplankton, *Limnology and Oceanography: Methods*, 17(1), pp. 69–86.
- Omeyer, L. C. M. *et al.* (2020) Assessing the effects of banana pingers as a bycatch mitigation device for harbour porpoises (*Phocoena phocoena*), *Frontiers in Marine Science*, 7, pp. 1–10.
- Oosting, T. *et al.* (2019) Unlocking the potential of ancient fish DNA in the genomic era, *Evolutionary Applications*, (12) p. 1513–1522.
- OpenSeas (2017) Seafood risk assessment New Zealand snapper fishery.
Available at: <http://www.openseas.org.nz/wp-content/uploads/2017/07/NZ-SRA-Snapper-July-2017.pdf>
- OpenSeas (2019) Traceability section detail report, p. 8.
Available at: <http://www.openseas.org.nz/wp-content/uploads/2019/05/Traceability-report2019.pdf>
- Our Changing World (2013) Sediment impacts on Kaimoana, RNZ.
Available at: <https://www.rnz.co.nz/national/programmes/ourchangingworld/audio/2548448/sediment-impacts-on-kai-moana>
- Ovenden, J. (1990) Mitochondrial DNA and marine stock assessment: A review, *Marine and Freshwater Research*, 41(6), p. 835.
- Palomares, M. L. D. *et al.* (2020) Fishery biomass trends of exploited fish populations in marine ecoregions, climatic zones and ocean basins, *Estuarine, Coastal and Shelf Science*, 243. P. 106897.
- Le Pape, O. *et al.* (2017) Overfishing causes frequent fish population collapses but rare extinctions, *Proceedings of the National Academy of Sciences of the United States of America*, 114(31), p. E6274.
- Papa *et al.* (2020) Genetic stock structure of New Zealand fish and the use of genomics in fisheries management: An overview and outlook, *New Zealand Journal of Zoology*, pp. 1–31.
- Park, J. *et al.* (2020) Illuminating dark fishing fleets in North Korea, *Science Advances*, 6(30), pp. 1–8.
- Parliamentary Commissioner for the Environment (2019) Focusing Aotearoa New Zealand’s environmental reporting system, p. 100.
Available at: <https://www.pce.parliament.nz/media/196940/focusing-aotearoa-new-zealand-s-environmental-reporting-system.pdf>
- Parliamentary Commissioner for the Environment (2020a) A review of the funding and prioritisation of environmental research in New Zealand, p. 94.
Available at: <https://www.pce.parliament.nz/publications/environmental-research-funding-review>
- Parliamentary Commissioner for the Environment (2020b) Managing our estuaries, p. 23. Wellington, New Zealand.
Available at: <https://www.pce.parliament.nz/publications/managing-our-estuaries>
- Parsons, D. M. *et al.* (2014) Snapper (*Chrysophrys auratus*): A review of life history and key vulnerabilities in New Zealand, *New Zealand Journal of Marine and Freshwater Research*, 48(2), pp. 256–283.
- Pascoe, S. *et al.* (2017) Retrospective assessment of ITQs to inform research needs and to improve their future design and performance, Brisbane: FRDC; 2019.
Available at: <http://hdl.handle.net/102.100.100/201173?index=1>
- PauaMAC7 (2019) Paua fisheries plan for PAU7, p. 12.
Available at: <https://www.mpi.govt.nz/dmsdocument/35631-Draft-Paua-Fisheries-Plan-for-PAU7>
- Paulin, C. D. (2007) Perspectives of Māori fishing history and techniques, Ngā āhua me ngā pūrākau me ngā hangarau ika o te Māori, *Tuhinga*, 18, pp. 11–47.

- Pauly, D. *et al.* (2005) Background and interpretation of the “Marine Trophic Index” as a measure of biodiversity, *Philosophical Transactions: Biological Sciences*, 360(1454), pp. 415–423.
- Pauly, D. *et al.* (2000) Ecopath, Ecosim, and Ecospace as tools for evaluating ecosystem impact of fisheries, *ICES Journal of Marine Science*, 57(3), pp. 697–706.
- Pauly, D. *et al.* (2013) Does catch reflect abundance?, *Nature*, 494, pp. 3–6.
- Pauly, D. and Zeller, D. (2018) The making of a global marine fisheries catch database for policy development, *in World Seas: An Environmental Evaluation Volume III: Ecological Issues and Environmental Impacts*, Elsevier.
- Pawley, M. D. M. (2014) Population and biomass survey of pipi (*Paphies australis*) on Mair Bank, Whangarei Harbour, 2014.
Available at: <https://patuharakeke.s3.ap-southeast-2.amazonaws.com/public/website-downloads/NRC-Mair-Bank-Report.pdf?vid=3>
- Peart, R. (2017) A “sea change” in marine planning: the development of New Zealand’s first marine spatial plan, *Policy Quarterly*, 13(2), pp. 3–9.
- Peart, R. (2018) *Voices from the Sea: Managing New Zealand’s fisheries*, Environmental Defence Society.
Available at: <https://www.eds.org.nz/our-work/publications/books/voices-from-the-sea-managing-nzs-fisheries/>
- Peart, R. *et al.* (2019) Enabling marine ecosystem-based management: Is Aotearoa New Zealand’s legal framework up to the task?, *New Zealand Journal of Environmental Law*, p. 31-64.
- Peart, R. *et al.* (2011) Governing our oceans: Environmental reform for the exclusive economic zone, p. 72.
Available at: www.eds.org.nz
- Petrik, C. M. *et al.* (2019) Bottom-up drivers of global patterns of demersal, forage, and pelagic fishes, *Progress in Oceanography*, 176, p. 102124.
- Phillips, N. L. (2002) Descriptive and catch-per-unit-effort (CPUE) analyses for black cardinalfish (*Epigonus telescopus*) in QMA 1, New Zealand Fisheries Assessment Report 2002/55, p. 54.
Available at: https://fs.fish.govt.nz/Doc/17384/2002%20FARs/02_55_FAR.pdf.ashx
- Pierre, J. P. (2018) Using electronic monitoring imagery to characterise protected species interactions with commercial fisheries: A primer and review.
Available at: <https://dcon01mstr0c21wprod.azurewebsites.net/our-work/conservation-services-programme/csp-reports/2017-18/using-electronic-monitoring-imagery-to-characterise-protected-species-interactions-with-commercial-fisheries-a-primer-and-review/>
- Pierre, J. P. and Norden, W. S. (2006) Reducing seabird bycatch in longline fisheries using a natural olfactory deterrent, *Biological Conservation*, 130(3), pp. 406–415.
- Pikitch, E. K. *et al.* (2004) Ecosystem-based fishery management, *Science*, pp. 346–348.
- Pinkerton, M. *et al.* (2017) Ocean ecosystem indicators for New Zealand: Review of the Marine Trophic Index, NIWA, Wellington.
- Pinkerton, M. H. *et al.* (2008) Trophic modelling of a New Zealand rocky reef ecosystem using simultaneous adjustment of diet, biomass and energetic parameters, *Journal of Experimental Marine Biology and Ecology*, pp. 189–203.
- Pinkerton, M. H. (2010) A balanced model of the food web of the Ross Sea, Antarctica, *Commission for the Conservation of Antarctic Marine Living Resources Science*, 17, pp. 1–31.
- Pinkerton, M.H. (2010) Headline indicators for the New Zealand Ocean, NIWA, Wellington, New Zealand.
Available at: https://niwa.co.nz/sites/niwa.co.nz/files/headline_indicators_59.pdf

- Pinkerton, M. H. (2011) A balanced trophic model of the Chatham Rise, New Zealand. NIWA. Wellington, New Zealand.
Available at: https://niwa.co.nz/sites/niwa.co.nz/files/chatham-model_32.pdf
- Pinkerton, M. H. *et al.* (2015) Changes to the food-web of the Hauraki Gulf during the period of human occupation: A mass-balance model approach, New Zealand Aquatic Environment and Biodiversity Report No. 160.
Available at: internal-pdf://249.16.96.198/pinkerton_et_al_2015-changes-food-web-hauraki-g.pdf.
- Pinkerton, M. H. *et al.* (2015) Marine Trophic Index based on research trawl surveys of the Chatham Rise, 1992–2014, NIWA Client Report No. WLG2015-8, prepared for Ministry for the Environment, p. 26
- Pinkerton, M. H. *et al.* (2015) Reporting on the state of the New Zealand marine environment: Recommendations for ocean indicators as part of the atmospheric and ocean climate change Tier 1 statistic, New Zealand Aquatic Environment and Biodiversity Report No. 151.
Available at: <http://www.mpi.govt.nz/news-resources/publications.aspx>
- Pinkerton, M. H. (2018) Impacts of climate change on New Zealand fisheries and aquaculture, in *Climate Change Impacts on Fisheries and Aquaculture: A Global Analysis*, pp. 91–119.
- Pinkerton, M. H. *et al.* (2019) Satellite indicators of phytoplankton and ocean surface temperature for New Zealand, NIWA Client Report No: 2018180WN.
Available at: <https://www.mfe.govt.nz/publications/marine/satellite-indicators-of-phytoplankton-and-ocean-surface-temperature-new-zealand>
- Pinkerton, M. H. *et al.* (2020) Zooplankton in the Southern Ocean from the continuous plankton recorder: Distributions and long-term change, *Deep-Sea Research Part I: Oceanographic Research Papers*, 162.
- Pinsky, M. L. *et al.* (2011) Unexpected patterns of fisheries collapse in the world's oceans, *Proceedings of the National Academy of Sciences of the United States of America*, 108(20), pp. 8317–8322.
- Pinte, N. *et al.* (2020) Ecological features and swimming capabilities of deep-sea sharks from New Zealand, *Deep-Sea Research Part I: Oceanographic Research Papers*, 156.
- Pitcher, T. J. (1986) *The behaviour of teleost fishes*, Croom Helm London & Sydney.
- Plaganyi, E. E. (2007) Models for an ecosystem approach to fisheries, FAO Fisheries Technical Paper 477.
Available at: <http://www.fao.org/3/a-a1149e.pdf>
- Planes, S. *et al.* (2009) Larval dispersal connects fish populations in a network of marine protected areas, *Proceedings of the National Academy of Sciences of the United States of America*, 106(14), pp. 5693–5697.
- Plet-Hansen, K. S. *et al.* (2017) Remote electronic monitoring and the landing obligation – some insights into fishers and fishery inspectors' opinions, *Marine Policy*, 76, pp. 98–106.
- Pomeroy, P. *et al.* (2015) Assessing use of and reaction to unmanned aerial systems in gray and harbor seals during breeding and molt in the UK, *Journal of Unmanned Vehicle Systems*, 3(3), pp. 102–113.
- Pomeroy, R. *et al.* (2007) Fish wars: Conflict and collaboration in fisheries management in Southeast Asia, *Marine Policy*, 31(6), pp. 645–656.
- Ponte, S. (2012) The Marine Stewardship Council (MSC) and the making of a market for “Sustainable Fish”, *Journal of Agrarian Change*, 12(2–3), pp. 300–315.
- Le Port, A. *et al.* (2017) Temperate marine protected area provides recruitment subsidies to local fisheries, *Proceedings of the Royal Society B: Biological Sciences*, 284(1865), p. 20171300.

- Pria, M. J. *et al.* (2014) Using electronic monitoring to document inshore set net captures of Hector's dolphins. Available at: <https://www.fisheries.govt.nz/dmsdocument/14044-Using-Electronic-Monitoring-to-Document-Inshore-Set-Net-Captures-of-Hectors-Dolphins>
- Primary Production Committee (1996) Fisheries Bill: Commentary. Available at: http://www.nzlii.org/nz/legis/hist_bill/fb1996632120.pdf
- Proctor, C. H. *et al.* (1995) Stock structure of the southern bluefin tuna (*Thunnus maccoyii*): An investigation based on probe microanalysis of otolith composition, *Marine Biology*, 122(4), pp. 511–526.
- Punt, A. E. (2019) Spatial stock assessment methods: A viewpoint on current issues and assumptions, *Fisheries Research*, 213, pp. 132–143.
- Putland, R. L. *et al.* (2018) Vessel noise cuts down communication space for vocalizing fish and marine mammals, *Global Change Biology*, 24(4), pp. 1708–1721.
- Putland, R. L. *et al.* (2017) Exploring spatial and temporal trends in the soundscape of an ecologically significant embayment, *Scientific Reports*, 7(1), pp. 1–12.
- Van Putten, I. *et al.* (2020) Shifting focus: The impacts of sustainable seafood certification, *PLoS One*, 15(5), pp. 1–24.
- Queiroz, N. *et al.* (2019) Global spatial risk assessment of sharks under the footprint of fisheries, *Nature*, 572(7770), pp. 461–466.
- Ramm, K. (2012) Conservation Services Programme observer report: 01 July 2009 to 30 June 2010, Department of Conservation Marine Conservation Services Series 1. Available at: <https://www.doc.govt.nz/documents/conservation/marine-and-coastal/marine-conservation-services/csp-observer-report-2009-10.pdf>
- Rastelli, E. *et al.* (2020) A high biodiversity mitigates the impact of ocean acidification on hard-bottom ecosystems, *Scientific Reports*, 10(1), pp. 1–13.
- Rauika Māngai (2020) A guide to Vision Mātauranga: Lessons from Māori voices in the New Zealand science sector. Available at: <http://www.maramatanga.co.nz/news-events/news/vision-m-tauranga-lessons-m-ori-voices>
- Rech, S. *et al.* (2016) Marine litter as a vector for non-native species: What we need to know, *Marine Pollution Bulletin*, 113(1–2), pp. 40–43.
- Reid, J. and Rout, M. (2020) The implementation of ecosystem-based management in New Zealand – A Māori perspective, *Marine Policy*, p. 103889.
- Reid, J. *et al.* (2019) Mapping the Māori marine economy: Whai rawa, whai mana, whai oranga: Creating a world-leading indigenous blue marine economy, Wellington, New Zealand, Sustainable Seas: National Science Challenge. Available at: <https://www.sustainableseaschallenge.co.nz/tools-and-resources/mapping-the-maori-marine-economy/>
- van der Reis, A. L. *et al.* (2018) Preliminary analysis of New Zealand scampi (*Metanephrops challengeri*) diet using metabarcoding, *PeerJ*, 2018(9), pp. 1–25.
- Richard, Y. *et al.* (2020) Assessment of the risk of commercial fisheries to New Zealand seabirds, 2006–07 to 2016–2017, New Zealand Aquatic Environment and Biodiversity Report No. 237. Available at: <https://www.mpi.govt.nz/dmsdocument/39407/direct>
- Riekkola, L. *et al.* (2018) Application of a multi-disciplinary approach to reveal population structure and Southern Ocean feeding grounds of humpback whales, *Ecological Indicators*, 89, pp. 455–465.

- Riekkola, L. *et al.* (2019) Environmental drivers of humpback whale foraging behavior in the remote Southern Ocean, *Journal of Experimental Marine Biology and Ecology*, 517, pp. 1–12.
- Rieser, A. *et al.* (2013) Trawl fisheries, catch shares and the protection of benthic marine ecosystems: Has ownership generated incentives for seafloor stewardship?, *Marine Policy*, pp. 75–83.
- Rilov, G. *et al.* (2020) A fast-moving target: achieving marine conservation goals under shifting climate and policies, *Ecological Applications*, 30(1), pp. 1–14.
- RMLA (2018) Motiti Rohe Moana Trust v Bay of Plenty Regional Council, Decision No. [2018] NZEnvC 067. Available at: <https://www.justice.govt.nz/assets/Documents/Publications/2018-NZEnvC-067-Motiti-Rohe-Moana-Trust-v-Bay-of-Plenty-Regional-Council2.pdf>
- Roa-Ureta, R. H. (2012) Modelling in-season pulses of recruitment and hyperstability-hyperdepletion in the *Loligo gahi* fishery around the Falkland Islands with generalized depletion models, *ICES Journal of Marine Science*, 69(8), pp. 1403–1415.
- Rob, M. *et al.* (2015) Māori values and perspectives to inform collaborative processes and planning for freshwater management, Manaaki Whenua Landcare Research, prepared for Ministry of Business Innovation and Employment and VMO Regional council forum. Available at: <https://envirolink.govt.nz/assets/Envirolink/Maori-values-FW-collaborative-processes-May-2015.pdf>
- Roberson, L. A. *et al.* (2020) Over 90 endangered fish and invertebrates are caught in industrial fisheries, *Nature Communications*, 11(1), pp. 1–8.
- Roberts, C. M. *et al.* (2019) 30x30: A blueprint for ocean protection. Available at: <https://www.greenpeace.org/international/publication/21604/30x30-a-blueprint-for-ocean-protection/>
- Roberts, J. O. *et al.* (2019) Spatial risk assessment of threats to Hector’s and Māui dolphins (*Cephalorhynchus hectori*), New Zealand Aquatic Environment and Biodiversity Report No. 214. Available at: <https://www.mpi.govt.nz/dmsdocument/35007/direct>
- Roberts, J. O. and Doonan, I. J. (2016) Quantitative risk assessment of threats to New Zealand sea lions, New Zealand Aquatic Environment and Biodiversity Report No. 166. Available at: <https://www.mpi.govt.nz/dmsdocument/11665/direct>
- Roberts, J. O. *et al.* (2020) The effects of *Toxoplasma gondii* on New Zealand wildlife: Implications for conservation and management, *Pacific Conservation Biology*.
- Robertson, H. A. *et al.* (2017) Conservation status of New Zealand birds, 2016, New Zealand Threat Classification Series 19, p. 23, Department of Conservation, Wellington. Available at: <https://www.doc.govt.nz/documents/science-and-technical/nztcs19entire.pdf>
- Rockström, J. *et al.* (2009) A safe operation space for humanity, *Nature*, 461, pp. 472–475.
- Rodriguez-Salvador, B. and Dopico, D. C. (2020) Understanding the value of traceability of fishery products from a consumer perspective, *Food Control*, 112, p. 107142.
- Roemmich *et al.* (2015) Unabated planetary warming and its ocean structure since 2006, *Nature Climate Change*, 5, pp. 240–245.
- Rogers, A. *et al.* (2018) Fisheries productivity under progressive coral reef degradation, *Journal of Applied Ecology*, 55(3), pp. 1041–1049.
- Rogers, A. *et al.* (2014) Vulnerability of coral reef fisheries to a loss of structural complexity, *Current Biology*, 24(9), pp. 1000–1005.

- Roheim, C. A. and Zhang, D. (2018) Sustainability certification and product substitutability: Evidence from the seafood market, *Food Policy*, 79, pp. 92–100.
- Rosellon-Druker, J. *et al.* (2019) Development of social-ecological conceptual models as the basis for an integrated ecosystem assessment framework in Southeast Alaska, *Ecology and Society*, 24(3).
- Rosen, S. and Holst, J. C. (2013) DeepVision in-trawl imaging: Sampling the water column in four dimensions, *Fisheries Research*, 148, pp. 64–73.
- Rountree, R. A. *et al.* (2006) Listening to Fish, *Fisheries*, 31(9), pp. 433–446.
- Roux, M. *et al.* (2015) A sustainability assessment framework for fish by-catch in New Zealand deepwater fisheries, ICES Annual Science Conference, pp. 2.
- Rovellini, A. and Shaffer, M. R. (2020) Quantitative targets for marine protection: A review of the scientific basis and applications, Prepared for the Department of Conservation, Wellington, New Zealand, Department of Conservation Project 4792, pp. 62.
- Rowell, K. *et al.* (2010) Nitrogen isotopes in otoliths reconstruct ancient trophic position, *Environmental Biology of Fishes*, 89(3), pp. 415–425.
- Rowell, T. J. *et al.* (2019) Advanced acoustic technologies for the monitoring and management of sustainable fisheries: A practice manual.
Available at: <https://escholarship.org/uc/item/9wk6k2wq>
- Rowlands, G. *et al.* (2019) Satellite surveillance of fishing vessel activity in the Ascension Island Exclusive Economic Zone and Marine Protected Area, *Marine Policy*, 101, pp. 39–50.
- Royal Society of New Zealand (2016) Climate change implications for New Zealand, pp. 1–71.
Available at: <https://www.royalsociety.org.nz/assets/documents/Climate-change-implications-for-NZ-2016-report-web.pdf>
- Royal Society Te Apārangi (2019) Plastics in the Environment: Te Ao Hurihuri – The Changing World.
Available at: <https://www.royalsociety.org.nz/what-we-do/our-expert-advice/all-expert-advice-papers/plastics-in-the-environment-evidence-summary/>
- Ryan, T. E. and Kloser, R. J. (2016) Improved estimates of orange roughy biomass using an acoustic-optical system in commercial trawlnets, *ICES Journal of Marine Science*, 73(8), pp. 2112–2124.
- Ryan, T. E. *et al.* (2009) Measurement and visual verification of fish target strength using an acoustic-optical system attached to a trawl net, *ICES Journal of Marine Science*, 66(6), pp. 1238–1244.
- Safetree (2020) Information about forestry fatalities.
Available at: <https://safetree.nz/wp-content/uploads/2020/01/Fatalities-22Jan2020.pdf>
- Said, A. *et al.* (2018) The contested commons: The failure of EU fisheries policy and governance in the mediterranean and the crisis enveloping the small-scale fisheries of malta, *Frontiers in Marine Science*, 5, pp. 1–10.
- Sala, E. and Giakoumi, S. (2018) No-take marine reserves are the most effective protected areas in the ocean, *ICES Journal of Marine Science*, 75(3), pp. 1166–1168.
- Salmond, A. (2017) Fountain of Fish Moana/Sea, in *Tears of Rangi: Experiments across worlds*, Auckland University Press.
- Salter, I. *et al.* (2019) Environmental DNA concentrations are correlated with regional biomass of Atlantic cod in oceanic waters, *Communications Biology*, 2(1), pp. 1–9.
- Salvatore, L. *et al.* (2020) Marine collagen and its derivatives: Versatile and sustainable bio-resources for healthcare, *Materials Science and Engineering*, 113, p. 110963.

- Sanford (2019) Sanford Integrated Report 2019, p. 159.
Available at: <https://www.sanford.co.nz/assets/announcements/SAN090-AR2019-v7a.pdf>
- Scheele, S. *et al.* (2016) Reporting environmental impacts on Te Ao Māori: A strategic scoping document, p. 69.
Available at: <http://www.mfe.govt.nz/sites/default/files/media/Environmentalreporting/priorities-for-te-ao-maori-reporting.pdf>
- Schiel, D. R. *et al.* (2019) The Kaikōura earthquake in southern New Zealand: Loss of connectivity of marine communities and the necessity of a cross-ecosystem perspective, *Aquatic Conservation: Marine and Freshwater Ecosystems*, 29(9), pp. 1520–1534.
- Schiel, D. R. *et al.* (2016) Environmental effects of the MV Rena shipwreck: Cross-disciplinary investigations of oil and debris impacts on a coastal ecosystem, *New Zealand Journal of Marine and Freshwater Research*, 50(1), pp. 1–9.
- Schmeller, D. S. *et al.* (2017) Case studies of capacity building for biodiversity monitoring, *The GEO Handbook on Biodiversity Observation Networks*, Springer, pp. 309–326.
- Schmidt, J. O. *et al.* (2019) Future ocean observations to connect climate, fisheries and marine ecosystems, *Frontiers in Marine Science*, 6, pp. 1–18.
- Schoening, T. (2019) SHiPCC—A sea-going high-performance compute cluster for image analysis, *Frontiers in Marine Science*, 6, pp. 1–6.
- Schofield, M. I. *et al.* (2018) Catch-per-unit-effort (CPUE) analyses for SNA 2, New Zealand Fisheries Assessment Report 2018/15, pp. 87.
Available at: <https://fs.fish.govt.nz/Page.aspx?pk=113&dk=24599>
- Scott, K. N. (2016) The evolution of marine spatial planning in New Zealand: Past, Present and Possible Future, *International Journal of Marine and Coastal Law*, 31(4). 652–689.
- Scott, K. N. (2019) Maritime law enforcement in New Zealand, *The Korean Journal of International and Comparative Law*, 6(2), pp. 245–268.
- Seafood New Zealand (2019) Maori identity underpins Te Ohu Kaimoana, *Seafood New Zealand*, 27(1), pp. 24–26. Available at:
https://www.seafoodnewzealand.org.nz/fileadmin/documents/SNZ_Magazine/SNZ_Magazine_February_2019.pdf
- Seafood New Zealand (2020) Economic review of the seafood industry December 2019, *Seafood New Zealand*, 28(2), pp. 42–43. Available at:
https://www.seafoodnewzealand.org.nz/fileadmin/documents/Economic_reviews/Economic_review_to_December_2019.pdf
- Seaward, K. and Inglis, G. (2018) Long-term indicators for non-indigenous species (NIS) in marine systems, NIWA Client Report No. 2018310CH, p. 31.
Available at: <https://www.mfe.govt.nz/publications/marine/long-term-indicators-non-indigenous-species-marine-systems>
- Secretariat of the Pacific Community (2014) Adding value to fish processing by-products - SPC Policy Brief 21/2014. Available at:
https://www.spc.int/DigitalLibrary/Doc/FAME/Brochure/Ann_14_PolicyBrief21_Tuna_products.pdf
- Seebens, H. *et al.* (2013) The risk of marine bioinvasion caused by global shipping, *Ecology Letters*, 16(6), pp. 782–790.
- Senina, I. *et al.* (2020) Integrating tagging and fisheries data into a spatial population dynamics model to improve its predictive skills, *Canadian Journal of Fisheries and Aquatic Sciences*, 77(3), pp. 576–593.

- Shears, N. and Babcock, R. (2003a) Continuing trophic cascade effects after 25 years of no-take marine reserve protection, *Marine Ecology Progress Series*, 246, pp. 1–16.
- Shears, N. and Thomas, H. L. (2014a) Marine reserves in New Zealand: Ecological responses to protection and network design, *Cambridge: Cambridge University Press*, pp. 600–623.
- Shelley, A. and Andrews, H. (2015) Economic benefits to New Zealand from beyond-line-of-sight operation of UAVs, p. 69. Available at: <http://papers.ssrn.com/abstract=2708317>.
- Shotton, R. *et al.* (2008) New Zealand’s challenger scallop enhancement company: From reseeding to self-governance’, in case studies in fisheries self-governance, Food and Agriculture Organization of the United Nations.
Available at: <http://www.fao.org/3/a-a1497e.pdf>
- Sigfusson, T. (2019) *The New Fish Wave*, Leete’s Island Books.
- Simmons, G. *et al.* (2016) Reconstruction of marine fisheries catches for New Zealand (1950-2010). Institute for the Oceans and Fisheries, Working paper series, Working paper 2015-87.
Available at: <http://www.seararoundus.org/doc/PageContent/OtherWPContent/Simmons+et+al+2016+-+NZ+Catch+Reconstruction+-+May+11.pdf>
- Sissenwine, M. and Mace, P. (2007) Can deep-water fisheries be managed sustainably?, *FAO Fisheries Report*, 838, pp. 61–111.
Available at: <http://www.fao.org/tempref/docrep/fao/010/a1341e/a1341e02b.pdf>
- Smale, D. A. *et al.* (2012) Regional-scale benthic monitoring for ecosystem-based fisheries management (EBFM) using an autonomous underwater vehicle (AUV), *ICES Journal of Marine Science*, pp. 1108–1118.
- Smith, M. D. *et al.* (2010) Sustainability and global seafood, *Science*, 327(5967), pp. 784–786.
- SNA1 Strategy Group (2016) Snapper (SNA1) Management Plan, Prepared by the SNA1 Strategy Group with assistance from the Ministry for Primary Industries.
Available at: <https://www.mpi.govt.nz/fishing-aquaculture/sustainable-fisheries/snapper-1-management-plan/>
- Southern Scallop Working Group and Fisheries New Zealand (2019) Draft Southern Scallop Strategy: Marlborough Sounds Contents.
Available at: <https://www.mpi.govt.nz/resources-and-forms/publications/>
- Southern Scallop Working Group and Fisheries New Zealand (2020) Southern Scallop Strategy Marlborough Sounds. Available at: <https://www.mpi.govt.nz/resources-and-forms/publications/>
- Southwick, R. *et al.* (2018) Estimating marine recreational fishing’s economic contributions in New Zealand, *Fisheries Research*, 208, pp. 116–123.
- Stanley *et al.* (2015) Design and implementation of electronic monitoring in the British Columbia groundfish hook and line fishery: A retrospective view of the ingredients of success. *ICES Journal of Marine Science*, 72(4), pp. 1230-1236.
- Stat, M. *et al.* (2017) Ecosystem biomonitoring with eDNA: Metabarcoding across the tree of life in a tropical marine environment, *Scientific Reports*, 7(1), pp. 1–11.
- Stephenson, F. *et al.* (2018) Using Gradient Forests to summarize patterns in species turnover across large spatial scales and inform conservation planning, *Diversity and Distributions*, 24(11), pp. 1641–1656.
- Stephenson, F. *et al.* (2020) A New Zealand demersal fish classification using Gradient Forest models, *New Zealand Journal of Marine and Freshwater Research*, 54(1), pp. 60–85.

- Stephenson, F. et al. (2020) Modelling the spatial distribution of cetaceans in New Zealand waters, *Diversity and Distributions*, 26(4), pp. 495–516.
- Stewart, B. D. and Howarth, L. M. (2016) Quantifying and managing the ecosystem effects of scallop dredge fisheries, *Developments in Aquaculture and Fisheries Science*, Elsevier.
- Stewart, J. and Callagher, P. (2011) Quota concentration in the New Zealand fishery: Annual catch entitlement and the small fisher, *Marine Policy*, 35(5), pp. 631–646.
- Stewart, J. and Walshe, K. (2008) Compliance costs and the small fisher: A study of exiters from the New Zealand fishery, *Marine Policy*, 32(1), pp. 120–131.
- Stewart, J. et al. (2006) The demise of the small fisher? A profile of exiters from the New Zealand fishery, *Marine Policy*, 30(4), pp. 328–340.
- Stoeckle, M. Y. et al. (2020) Trawl and eDNA assessment of marine fish diversity, seasonality, and relative abundance in coastal New Jersey, *ICES Journal of Marine Science*.
- Sui, Z. et al. (2016) Changes in meat/poultry/fish consumption in Australia: From 1995 to 2011–2012, *Nutrients*, 8(12), pp. 1–11.
- Summerhayes, C. (2002) Technical tools for regional seas management: The role of the global ocean observing system (GOOS), *Ocean and Coastal Management*, 45(11–12), pp. 777–796.
- Sustainable Seas National Science Challenge (2019a) Ocean research in Aotearoa: Prospects and predictions, News.
Available at: <https://sustainableseaschallenge.co.nz/news-updates/ocean-research-aotearoa-prospects-and-predictions>
- Sustainable Seas National Science Challenge (2019b) Theme 2: Creating value from a blue economy Phase II (2019–2024).
Available at: <https://www.sustainableseaschallenge.co.nz/assets/dms/Admin/Ops-docs/Blue-economy-core-project-concepts-May-2020/BE-core-project-concepts.pdf>
- Suuronen, P. (2005) Mortality of fish escaping trawl gears, FAO Fisheries Technical Paper.
Available at: <http://www.fao.org/docrep/field/003/ab825f/AB825F00.htm#TOC>
- Sylvia, G. et al. (2016) Challenges, opportunities and costs of electronic fisheries monitoring. San Francisco.
Available at: https://www.edf.org/sites/default/files/electronic_monitoring_for_fisheries_report_-_september_2016.pdf
- Symonds, J. et al. (2018) New Zealand aquaculture selective breeding: From theory to industry application for three flagship species, *Proceedings of the World Congress on Genetics applied to Livestock Production*, 11(11), p. 1035.
- Takahashi, Y. and Komeyama, K. (2020) Simulation of the capture process in set net fishing using a fish-schooling behavior model, *Fisheries Science*, 86(6), 971–983.
- Tanner, S. E. et al. (2016) Otolith chemistry in stock delineation: A brief overview, current challenges and future prospects, *Fisheries Research*, 173, pp. 206–213.
- Task Team for an Integrated Framework for Sustained Ocean Observing (2017) A Framework for Ocean Observing, UNESCO, pp. 1–28.
Available at: <https://unesdoc.unesco.org/ark:/48223/pf0000211260?posInSet=1&queryId=d7ab79d5-d220-49d7-99a6-733989710bd9>
- Taylor, G. A. (2000) Action plan for seabird conservation in New Zealand, Part A: Threatened seabirds, Threatened Species Occasional Publication No. 16, p. 234, Department of conservation, Wellington.
Available at: <https://www.doc.govt.nz/documents/science-and-technical/tsop16.pdf>

Taylor, B. *et al.* (2018) Appendix 1 – Hector’s and Māui Dolphin Threat Management Plan Review, Risk Assessment Workshop, 9-13 July 2018. Panel Comments and Recommendations, pp. 15.
Available at: <https://www.doc.govt.nz/globalassets/documents/conservation/native-animals/marine-mammals/maui-tmp/hectors-risk-assessment-workshop-panel-recommendations-appendix-1.pdf>

Te Ohu Kaimoana (2019a) Te Ohu Kaimoana’s response to Fisheries New Zealand’s review of sustainability measures for 1 October 2019, pp. 1–61. Available at:
<https://teohu.maori.nz/wp-content/uploads/2019/07/Te-Ohu-Kaimoana-Sustainability-Round-Response-October-2019.pdf>

Te Ohu Kaimoana (2019b) Te Ohu Kaimoana’s response to Fisheries New Zealand’s “Your fisheries your say” consultation.
Available at: <https://teohu.maori.nz/wp-content/uploads/2019/03/Your-fisheries-your-say-Te-Ohu-Kaimoana-response-15-March-2019-V3.pdf>

Te Ohu Kaimoana (2020a) An analysis of the impact on Māori Property Rights in fisheries of Marine Protected Areas and recreational fishing outside the Quota Management System.
Available at: https://teohu.maori.nz/wp-content/uploads/2020/06/TOK1902-Marine-Property-Rights_FA-Interactive-002.pdf

Te Ohu Kaimoana (2020b) Te Ohu Kaimoana post-election briefing.
Available at: https://teohu.maori.nz/wp-content/uploads/2018/05/Briefing_to_incoming_Ministers.pdf

Telesetsky, A. (2016) Fishing for the future: Addressing fisheries discards and increasing export value for New Zealand’s sustainable fisheries.
Available at: <http://fulbright.org.nz/wp-content/uploads/2016/08/Fishing-for-the-Future-Addressing-Fisheries-Discards-and-Increasing-Export-Value-1.pdf>

Terra Moana (2019) A Concept to Reconcile World Views to improve Marine Health in the New Zealand Exclusive Economic Zone, p. 4. Provided by Terra Moana.

The Nature Conservancy (2017) Learning from New Zealand’s 30 years of experience managing fisheries under a Quota Management System. Available at:
<https://www.nature.org/media/asia-pacific/new-zealand-fisheries-quota-management.pdf>

The Nature Conservancy and Gulf of Maine Research Institute (2017) Competition: N+1 fish, N+2 fish.
Available at: <https://www.drivendata.org/competitions/48/identify-fish-challenge/>

The Office of the Prime Minister’s Chief Science Advisor (2019) Rethinking Plastics in Aotearoa New Zealand.
Available at: <https://www.pmcsa.ac.nz/topics/rethinking-plastics/>

The Sustainable Future Institute (2011) Evaluating the fisheries and aquaculture dataset, Sustainable future institute Working Paper 2011/6.
Available at: <https://www.mcguinnessinstitute.org/wp-content/uploads/2016/08/Working-Paper-201106-Web.pdf>

Thompson, F. N. *et al.* (2017) Preparation of data on observed protected species captures, 2002 – 03 to 2014 – 15), New Zealand Aquatic Environment and Biodiversity Report 192.
Available at: <https://www.mpi.govt.nz/dmsdocument/27543/direct>

Thomsen, P. F. *et al.* (2016) Environmental DNA from seawater samples correlate with trawl catches of subarctic, deepwater fishes, *PLoS One*, 11(11), pp. 1–22.

Thomson, J. A. *et al.* (2015) Extreme temperatures, foundation species, and abrupt ecosystem change: an example from an iconic seagrass ecosystem, *Global Change Biology*, 21(4), pp. 1463–1474.

Thorne, L. H. *et al.* (2019) Predicting fisheries bycatch: A case study and field test for pilot whales in a pelagic longline fishery, *Diversity and Distributions*, 25(6), pp. 909–923.

- Thrush, S. *et al.* (2011) A strategy to assess trends in the ecological integrity of New Zealand's marine ecosystems, NIWA Client Report No. HAM2011-140, p. 58.
Available at: <https://www.doc.govt.nz/Documents/conservation/marine-and-coastal/marine-protected-areas/ecological-integrity-marine-ecosystems.pdf>
- Thrush, S. *et al.* (2016) Implications of fisheries impacts to seabed biodiversity and ecosystem-based management, *ICES Journal of Marine Science*, 73(1), pp. 44–50.
- Thrush, S. F. *et al.* (2004) Muddy waters: Elevating sediment input to coastal and estuarine habitats, *Frontiers in Ecology and the Environment*, 2(6), pp. 299–306.
- Thrush, S. F. *et al.* (2006) Predicting the effects of habitat homogenization on marine biodiversity, *Ecological Applications*, 16(5), pp. 1636–1642.
- Thrush, S. F. *et al.* (2020) Cumulative stressors reduce the self-regulating capacity of coastal ecosystems, *Ecological Applications*, 31(1), pp. 1–12.
- Thrush, S. F. and Dayton, P. K. (2002) Disturbance to marine benthic habitats by trawling and dredging: Implications for marine biodiversity, *Annual Review of Ecology and Systematics*, 33, pp. 449–473.
- Thurstan, R. H. and Roberts, C. M. (2014) The past and future of fish consumption: Can supplies meet healthy eating recommendations?, *Marine Pollution Bulletin*, 89(1–2), pp. 5–11.
- Tiakiwai, S.-J. *et al.* (2017) Indigenous perspectives of ecosystem-based management and co-governance in the Pacific Northwest: lessons for Aotearoa, *AlterNative: An International Journal of Indigenous Peoples*, 13(2), pp. 69–79.
- Tingley, G. (2014) An assessment of the potential for near-seabed midwater trawling to contact the seabed and to impact benthic habitat and vulnerable marine ecosystems (VMEs), SPRFMO 2nd Meeting of the Scientific Committee).
Available at: <http://www.mpi.govt.nz/news-resources/publications.aspx>
- Tingley, G. and Dunn, M. (2018) Global review of orange roughy (*Hoplostethus atlanticus*), their fisheries, biology and management.
Available at: <http://www.fao.org/3/ca1870en/CA1870EN.pdf>
- Tipa, G. T. and Teirney, L. D. (2006) A cultural health index for streams and waterways: A tool for nationwide use.
Available at: <https://www.mfe.govt.nz/sites/default/files/cultural-health-index-for-streams-and-waterways-tech-report-apr06.pdf>
- Toki, V. (2010) Adopting a Maori Property Rights approach to Fisheries, *New Zealand Journal of Environmental Law*, 14, p. 197.
- Toonen, H. M. and Bush, S. R. (2018) The digital frontiers of fisheries governance: Fish attraction devices, drones and satellites, *Journal of Environmental Policy and Planning*, pp. 1–13.
- Townhill, B. L. *et al.* (2019) Marine recreational fishing and the implications of climate change, *Fish and Fisheries*, 20(5), pp. 977–992.
- Townsend, H. *et al.* (2019) Progress on implementing ecosystem-based fisheries management in the United States through the use of ecosystem models and analysis, *Frontiers in Marine Science*, 6, pp. 1–17.
- Tracey, D. M. *et al.* (2017) Another New Zealand centenarian: Age validation of black cardinalfish (*Epigonus telescopus*) using lead-radium and bomb radiocarbon dating, *Marine and Freshwater Research*, 68(2), pp. 352–360.

Tracey, D. *et al.* (2020) INT2019-05: Coral biodiversity in deep-water fisheries bycatch, Prepared for the Conservation Services Programme, Department of Conservation, NIWA Client Report No. 2020223WN. Available at: <https://www.doc.govt.nz/our-work/conservation-services-programme/csp-reports/201920/coral-biodiversity-in-deep-water-fisheries-bycatch/>

Tracey, D. and Hjørvarsdóttir, F. (2019) The state of knowledge of deep-sea corals in the New Zealand region, NIWA Science and Technology Series Number 84, p. 140. Available at: <https://niwa.co.nz/sites/niwa.co.nz/files/Deepsea-corals-NZ-2019-NIWA-SciTechSeries-84.pdf>

Tracey, D. M. and Horn, P. L. (1999) Background and review of ageing orange roughy (*Hoplostethus atlanticus*, *Trachichthyidae*) from New Zealand and elsewhere, *New Zealand Journal of Marine and Freshwater Research*, 33(1), pp. 67–86.

Tremblay-Boyer, L. and Abraham, E. R. (2020) Increased fisher-reporting of seabird captures during an electronic-monitoring trial, New Zealand Aquatic Environment and Biodiversity Report No. 238. Available at: <https://www.mpi.govt.nz/dmsdocument/39863/direct>

Tremlett, A. J. (2015) Working Paper 2015/01: Ocean Management in New Zealand: Findings from a structured discussion, pp. 1–20. Available at: <https://www.mcguinnessinstitute.org/wp-content/uploads/2016/08/20150114-Working-Paper-201501-Web.pdf>

Truelove, N. K. *et al.* (2019) A rapid environmental DNA method for detecting white sharks in the open ocean, *Methods in Ecology and Evolution*, pp. 1128–1135.

Tuck, I. D. *et al.* (2014) Ecosystem and Environmental Indicators for Deepwater Fisheries, New Zealand Aquatic Environment and Biodiversity Report No. 127. Available at: https://fs.fish.govt.nz/Doc/23529/AEBR_127_2748_DEE201005A%20Obj%20,%20CS%203,%20RR%203.pdf.aspx

Tuck, I. D. (2020) Characterisation and CPUE standardisation of scampi in SCI 4A, New Zealand Fisheries Assessment Report 2020/04. Available at: https://fs.fish.govt.nz/Doc/23529/AEBR_127_2748_DEE201005A%20Obj%20,%20CS%203,%20RR%203.pdf.aspx

Tuuta, J. and Tuuta, D. (2018) Building on the Fisheries Settlement: Te Ohu Kaimoana. Available at: https://teohu.maori.nz/wp-content/uploads/2018/06/Building_on_the_Settlement_TOKM.pdf

Tzadik, O. E. *et al.* (2017) Chemical archives in fishes beyond otoliths: A review on the use of other body parts as chronological recorders of microchemical constituents for expanding interpretations of environmental, ecological, and life-history changes, *Limnology and Oceanography: Methods*, 15(3), pp. 238–263.

Udy, J. A. *et al.* (2019) Regional differences in kelp forest interaction chains are influenced by both diffuse and localized stressors, *Ecosphere*, 10(10).

Umuhuri Matehaere (2017) Statement of evidence of Umuhuri Matehaere on behalf of Motiti Rohe - Moana Trust. Env 2015 AKL 0000134. Available at: <https://www.environmentcourt.govt.nz/assets/Documents/Publications/Umuhuri-Matahaere-Evidence-in-Chief.pdf>

UNEP (2016) Marine Litter Vital Graphics. Available at: <https://www.unenvironment.org/resources/report/marine-litter-vital-graphics>

United Nations (2014) Blue Economy concept paper. Available at: <https://sustainabledevelopment.un.org/content/documents/2978BEconcept.pdf>

- Urlich, S. *et al.* (2019) Marine Guardians – A novel solution to improving our marine environment', *Resource Management Journal*, pp. 10–14.
- Urlich, S. (2020) The Motiti Decision: Implications for Coastal Management, *Resource Management Journal*, 1996, pp. 14–19.
- Valavanis, V. D. *Essential fish habitat mapping in the Mediterranean*, Hydrobiologia vol. 612, Springer.
- Vale M, H. S. (2013) Sustained observation of marine biodiversity and ecosystems, *Oceanography: Open Access*, pp. 1–4.
- Vance, J. M. *et al.* (2020) NZOA-ON: The New Zealand Ocean Acidification Observing Network, *Marine and Freshwater Research*, 71(3), pp. 281–299.
- Varela, A. I. *et al.* (2012) Low levels of global genetic differentiation and population expansion in the deep-sea teleost (*Hoplostethus atlanticus*) revealed by mitochondrial DNA sequences, *Marine Biology*, 159(5), pp. 1049–1060.
- Varela, A. I. *et al.* (2013) Global genetic population structure in the commercially exploited deep-sea teleost orange roughy (*Hoplostethus atlanticus*) based on microsatellite DNA analyses, *Fisheries Research*, 140, pp. 83–90.
- Verry, A. J. F. *et al.* (2020) Genetic structure and recent population expansion in the commercially harvested deep-sea decapod, *Metanephrops challengeri* (Crustacea: Decapoda), *New Zealand Journal of Marine and Freshwater Research*, 54:2, 251-270.
- Le Vin, A. L. *et al.* (2011) Validation of swabs as a non-destructive and relatively non-invasive DNA sampling method in fish, *Molecular Ecology Resources*, 11(1), pp. 107–109.
- Visser, C. and Hanich, Q. A. (2018) How blockchain is strengthening tuna traceability to combat illegal fishing, *The Conversation*, pp. 1–4.
Available at: https://theconversation.com/how-blockchain-is-strengthening-tuna-traceability-to-combat-illegal-fishing-89965?utm_medium=email&utm_campaign
- Wade, O. (2013) Trials of net modifications aboard the FV Nancy Glen II. Unpublished report prepared for Te Ohu Kaimoana.
- Wagner, C. M. *et al.* (2006) A field test verifies that pheromones can be useful for sea lamprey (*Petromyzon marinus*) control in the Great Lakes, *Canadian Journal of Fisheries and Aquatic Sciences*, 63(3), pp. 475–479.
- Waikato Regional Council (2020) Habitat mapping for the Waikato region coastal marine area: Bathymetry and substrate type.
Available at: <https://www.waikatoregion.govt.nz/services/publications/tr201734/>
- Wallace, C. and Weeber, B. (2005) The devil and the deep sea - economics, institutions and incentives: The theory and the New Zealand quota management experience in the deep sea, in *Deep Sea 2003: Conference on the governance and management of Deep-sea Fisheries*, Queenstown, New Zealand, pp. 462–491.
- Walsh, J. R. *et al.* (2016) Invasive species triggers a massive loss of ecosystem services through a trophic cascade, *Proceedings of the National Academy of Sciences of the United States of America*, 113(15), pp. 4081–4085.
- Walther, B. D. (2019) The art of otolith chemistry: Interpreting patterns by integrating perspectives, *Marine and Freshwater Research*, 70(12).
- Wang, D. *et al.* (2020) Artificial intelligence-based multi-objective optimization protocol for protein structure refinement, *Bioinformatics*, 36(2), pp. 437–448.
- Wang, J. H. *et al.* (2010) Developing visual deterrents to reduce sea turtle bycatch in gill net fisheries, *Marine Ecology Progress Series*, 408, pp. 241–250.

- Washington, S. and Ababouch, L. (2011) Private standards and certification in fisheries and aquaculture: Current practice and emerging issues, FAO Fisheries and Aquaculture Technical Paper.
Available at: <http://www.fao.org/3/i1948e/i1948e00.htm>
- Webb, S. *et al.* (2019) Microplastics in the New Zealand green lipped mussel *Perna canaliculus*, *Marine Pollution Bulletin*, 149.
- Webber, D. N. *et al.* (2018) The 2017 stock assessment and management procedure development for red rock lobsters (*Jasus edwardsii*) in CRA 2.
Available at: <https://fs.fish.govt.nz/Doc/24602/FAR-2018-17-CRA2-Stock-Assessment.pdf.ashx>
- Wehi, P. *et al.* (2013) Marine resources in Māori oral tradition: He kai moana, he kai mā te hinengaro, *Journal of Marine and Island Cultures*, (2), pp. 59–68.
- Weigel, J. Y. *et al.* (2014) Marine protected areas and fisheries: Bridging the divide, *Aquatic Conservation: Marine and Freshwater Ecosystems*, 24(S2), pp. 199–215.
- Weijerman, M. *et al.* (2018) Evaluating management strategies to optimise coral reef ecosystem services, *Journal of Applied Ecology*, 55(4), pp. 1823–1833.
- Western and Central Pacific Fisheries Commission (2019) Conservation and management measure for Pacific bluefin tuna.
Available at: <https://www.wcpfc.int/doc/cmm-2019-02/conservation-and-management-measure-pacific-bluefin>
- Wheen, N. and Hayward, J. (2012) *Treaty of Waitangi Settlements*, Bridget Williams Books.
- Wheen, N. R. (2016) Marine Protected Areas in the Exclusive Economic Zone: UNCLOS or the TPPA's Looming Presence? *Otago Law Review*.
Available at: <https://heinonline.org/HOL/License>
- Wheen, N. and Ruru, J. (2011) Providing for rāhui in the law of Aotearoa New Zealand, *The Journal of the Polynesian Society*, 120(2), pp. 169–182.
- Whitmarsh, S. K. *et al.* (2017) What is Big BRUVver up to? Methods and uses of baited underwater video, *Reviews in Fish Biology and Fisheries*, pp. 53–73.
- Wiggins, A. *et al.* (2011) Mechanisms for data quality and validation in citizen science, in IEEE 7th International Conference on E-Science, e-Science 2011, Workshop Proceedings, Stockholm, Sweden.
- Wilcox, M. (2018) The future of fishing is big data and artificial intelligence, *Civil Eats*.
Available at: <https://civileats.com/2018/05/10/the-future-of-fish-is-big-data-and-artificial-intelligence/>
- Will, M. *et al.* (2015) Broad-scale genetic patterns of New Zealand abalone, *Haliotis iris*, across a distribution spanning 13° latitude and major oceanic water masses, *Genetica*, 143(4), pp. 487–500.
- Williams, J.R. (2020) Scallop image capture, NIWA strategic science investment fund achievement report for 2019-20 project CONC2003, Unpublished report held by NIWA Auckland.
- Williams, J. *et al.* (2017) The economic contribution of commercial fishing to the New Zealand economy, *Business and Economic Research limited (BERL)*, p. 55.
- Williams, J. R. *et al.* (2014) Review of the Southern scallop fishery (SCA 7), New Zealand Fisheries Assessment Report 2014/07.
Available at: <https://www.mpi.govt.nz/dmsdocument/4348/direct>
- Williams, J. R. *et al.* (2019) Dredge survey of scallops in Marlborough Sounds, May 2019, New Zealand Fisheries Assessment Report 2019/69.
Available at: <https://www.mpi.govt.nz/dmsdocument/38822/direct>

- Williams, K. *et al.* (2014) An underwater stereo-camera trap, *Methods in Oceanography*, 11, pp. 1–12.
- Williamson, M. J. *et al.* (2019) Satellite remote sensing in shark and ray ecology, conservation and management, *Frontiers in Marine Science*, 6, pp. 1–23.
- Willis, T. *et al.* (2007) Climate change and the New Zealand marine environment, NIWA Client Report NEL2007-025, p. 88.
Available at: https://niwa.co.nz/sites/niwa.co.nz/files/import/attachments/CC_report_final_Dec-07.pdf
- Willis, T. (2013) Scientific and biodiversity values of marine reserves, Department of Conservation Research and Development Series, 340, pp. 1–79.
Available at: <http://www.nationalparks.co.nz/Documents/science-and-technical/drds340entire.pdf>
- Wilson, B. G. *et al.* (2019) Transforming bulk seafood harvesting by producing the most authentic wild fish, *The Solutions Journal*, 10(2).
- Wilson, S. G. *et al.* (2005) Movements of bluefin tuna (*Thunnus thynnus*) in the northwestern Atlantic Ocean recorded by pop-up satellite archival tags, *Marine Biology*, 146(2), pp. 409–423.
- Winder, G. M. (2018) Context and challenges: The limited “success” of the Aotearoa/New Zealand fisheries experiment, 1986–2016, *Fisheries, Quota Management and Quota Transfer*, p. 77–98.
- Winder, G. M. and Rees, E. (2010) Fish and boats: Fisheries management issues in Northland, *New Zealand Geographer*, pp. 152–168.
- Wing, S. R. and Jack, L. (2014a) Fiordland: The ecological basis for ecosystem management, *New Zealand Journal of Marine and Freshwater Research*, 48(4), pp. 577–593.
- Wing, S. R. and Jack, L. (2014b) Fiordland: The ecological basis for ecosystem management, *New Zealand Journal of Marine and Freshwater Research*, 48(4), pp. 577–593.
- Wing, S. R. *et al.* (2015) Overthrowing a regime shift: Displacement of sea urchins by abalone in a kelp forest ecosystem, *Ecosphere*, 6(12), pp. 1–13.
- Woodhead, A. J. *et al.* (2018) Health in fishing communities: A global perspective, *Fish and Fisheries*, 19(5), pp. 839–852.
- World Bank and United Nations Department of Economic and Social Affairs (2017) The potential of the blue economy. Washington D.C.
Available at: <https://openknowledge.worldbank.org/bitstream/handle/10986/26843/115545.pdf>
- World Wildlife Fund Baltic Ecoregion Programme (2015) Principles for a sustainable blue economy.
Available at: <https://wwf.panda.org/?247477/Principles-for-a-Sustainable-Blue-Economy>
- WWF (2015) Living Blue Planet Report: Species, habitats and human well-being.
Available at: <https://www.worldwildlife.org/publications/living-blue-planet-report-2015>
- WWF New Zealand (2018) New blockchain project has potential to revolutionise seafood industry, Blockchain Tuna Project.
Available at: <https://wwf.panda.org/?320232/New-Blockchain-Project-has-Potential-to-Revolutionise-Seafood-Industry>
- Wynne-Jones, J. *et al.* (2019) National panel survey of marine recreational fishers 2017–18, New Zealand Fisheries Assessment Report 2019/24.
Available at: <https://fs.fish.govt.nz/Page.aspx?pk=113&dk=24728>
- Yang, J. *et al.* (2013) The role of satellite remote sensing in climate change studies, *Nature Climate Change*, 3(10), pp. 875–883.

- Yeoman, R. *et al.* (2019) Measuring New Zealand's Blue Economy, M.E. Consulting.
Available at: https://www.sustainableseaschallenge.co.nz/assets/dms/Measuring-New-Zealands-blue-economy/Measuring20New20Zelands20Blue20Economy202019_Final.pdf
- Zaiko, A. *et al.* (2016) Metabarcoding improves detection of eukaryotes from early biofouling communities: Implications for pest monitoring and pathway management, *Biofouling*, 32(6), pp. 671-684.
- Zaiko, A. *et al.* (2018) Advantages and limitations of environmental DNA/RNA tools for marine biosecurity: Management and surveillance of non-indigenous species, *Frontiers in Marine Science*, 5.
- Zaiko, A. *et al.* (2020) Elucidating biodiversity shifts in ballast water tanks during a cross-latitudinal transfer: Complementary insights from molecular analyses, *Environmental Science and Technology*, 54(13), pp. 8443-8454.
- Zha, H. (2018) Aspects of the biology of tail fan necrosis in spiny lobster. A thesis submitted for the degree of Doctor of Philosophy in Marine Science, The University of Auckland, Auckland, New Zealand.
- Zhao, Q. *et al.* (2020) Where Marine Protected Areas would best represent 30% of ocean biodiversity, *Biological Conservation*, 244(July 2019), p. 108536.
- Zhou, S. *et al.* (2019) Balanced harvest: Concept, policies, evidence, and management implications, *Reviews in Fish Biology and Fisheries*, 29(3), pp. 711–733.
- Pórðarson, G. and Viðarsson, J. R. (2014) Coastal fisheries in Iceland.
Available at: <https://www.matis.is/media/matis/utgafa/12-14Coastal-fisheries-in-Iceland.pdf>



The Office of the Prime Minister's Chief Science Advisor,
Kaitohutohu Mātanga Pūtaiao Matua ki te Pirimia.

info@pmcsa.ac.nz | www.pmcsa.ac.nz
Instagram @nz_chief_science_advisor | Twitter @ChiefSciAdvisor